

Attribute Data Dictionary

No	Table Name	Attribute Name
1	alert_logs	alert_id
		trip_id
		alert_type
		value
		latitude
		longitude
		status
		resolved_by
		resolved_at
		resolution_note
		created_at
		LpnId
2	chat_messages	id
		order_id
		sender_id
		receiver_id
		message_content
		created_at
		is_read
3	claims	claim_id
		claim_code
		order_id
		claim_type
		description
		fault_owner
		status
		resolution_note
		created_at
		resolved_at
		LpnId
		BankTransferImageUrl
		InternalChargebackOption

4	claim_evidences	evidence_id
		claim_id
		evidence_type
		alert_id
		doc_id
		image_url
		uploaded_by
		created_at
5	contract_appendices	appendix_id
		contract_id
		order_id
		appendix_number
		adjusted_price
		reason
		status
		draft_html_content
		pdf_url
		created_at
		sent_at
		resolved_at
6	customers	customer_id
		company_name
		tax_code
		address
		email
		payment_term
		status
		created_at
7	customer_contracts	contract_id
		customer_id
		order_id
		contract_number
		signed_date
		expired_date
		file_url
		status

		created_at
		draft_html_content
		signed_file_url
		sent_at
		uploaded_signed_at
		verified_at
		verified_by
		FinalContractTotalAmount
		SelectedOptionalServices
8	delivery_epods	epod_id
		order_id
		checkin_time
		signed_at
		receiver_name
		receiver_phone
		sign_image_url
		sign_latitude
		sign_longitude
		delivery_rating
		note
		pdf_url
		status
		created_at
		cod_amount
		cod_amount_paid
		payment_evidence_image_url
		payment_method
		payment_status
		handover_confirmed_at
		handover_pdf_url
		payment_confirmed_at
		DetentionFee
		PhysicalPodImageUrl
9	DetentionCharges	ChargeId
		StopId
		CustomerId

		FreeMinutesAllocated
		ActualWaitMinutes
		AmountCharged
		Status
10	device_tokens	device_token_id
		user_id
		token
		platform
		device_id
		device_name
		app_version
		is_active
		created_at
		updated_at
		last_used_at
11	drivers	driver_id
		user_id
		date_of_birth
		status
		created_at
		full_name
		identity_number
		join_date
		phone_number
		current_location
12	driver_licenses	license_id
		driver_id
		license_number
		license_class
		issue_date
		expiry_date
		status
		created_at
13	driver_work_logs	work_log_id
		driver_id
		trip_id

		work_date
		driving_hours
		created_at
14	expense_advances	advance_id
		advance_code
		trip_id
		driver_id
		amount
		payment_method
		advanced_date
		approved_by
		cleared_amount
		returned_amount
		status
		clearance_status
		note
15	expense_receipts	receipt_id
		advance_id
		expense_type
		description
		amount
		expense_date
		image_url
		status
		verified_by
		verified_at
		reject_reason
		uploaded_at
		TripId
16	geo_fences	fence_id
		location_id
		status
		created_at
17	inbound_asn	asn_id
		asn_code
		order_id

		requested_dropoff_time
		qr_code_value
		status
		created_at
		phone
		warehouse_id
		customer_id
		file_url
18	inbound_return_slips	return_slip_id
		order_id
		lpn_id
		slip_code
		returned_weight_kg
		returned_cbm
		returned_qty
		reason
		pdf_url
		created_at
19	IncidentEvidences	EvidenceId
		IncidentId
		EvidenceType
		FileUrl
		Description
		UploadedAt
		UploadedBy
20	incident_reports	incident_id
		trip_id
		incident_type
		severity
		description
		current_latitude
		current_longitude
		status
		reported_by
		reported_at
		resolved_at

		approval_note
		approved_amount
		approved_at
		approved_by
		broken_vehicle_id
		expense_rejection_reason
		expense_status
		reimbursed_at
		reimbursed_by
		reimbursement_note
		replacement_vehicle_id
		requires_rescue
		rescue_dispatched_at
		rescue_dispatched_by
		transload_confirmed_at
		transload_confirmed_by
		transload_note
		transload_temperature
		handled_at
		handled_by
		handling_note
		maintenance_ticket_id
		resolved_by
		resolution_note
		driver_paid_amount
		reimbursed_amount
21	invoices	invoice_id
		invoice_code
		customer_id
		vat_invoice_no
		pdf_url
		sub_total
		tax_rate
		tax_amount
		deduction_amount
		grand_total

		paid_amount
		issued_date
		due_date
		status
		created_at
22	invoice_lines	line_id
		invoice_id
		order_id
		charge_type
		description
		quantity
		unit_price
		amount
		tax_rate
23	iot_devices	device_id
		vehicle_id
		battery_level
		last_ping_time
		status
		created_at
		device_code
		IsOnline
24	locations	location_id
		customer_id
		address
		latitude
		longitude
		status
		created_at
25	lpns	lpn_id
		lpn_code
		order_id
		customer_id
		route_id
		trip_id
		storage_location

		quantity
		actual_weight_kg
		actual_cbm
		required_temperature
		recorded_temperature
		state
		discrepancy_reason
		inbound_time
		sla_deadline
		created_at
		updated_at
		temperature
		evidence_image_url
		receipt_id
		height_cm
		length_cm
		width_cm
		warehouse_id
		IsFastTrack
26	lpn_delivery_confirmations	confirmation_id
		lpn_id
		trip_id
		order_id
		outcome_type
		receiver_name
		receiver_phone
		reject_reason
		reject_note
		evidence_image_url
		confirmed_by
		confirmed_at
		checkin_at
		cod_amount
		cod_payment_method
		cod_receipt_image_url
		new_seal_number

		signature_image_url
		cod_verified_at
		cod_verified_by
		is_cod_verified
		recorded_temperature
27	maintenance_tickets	ticket_id
		ticket_code
		vehicle_id
		maintenance_type
		garage_name
		description
		cost
		issue_date
		completion_date
		status
		created_by
		created_at
		triggered_at_odometer
		attachment_url
28	master_trips	trip_id
		vehicle_id
		origin_location_id
		destination_location_id
		total_distance_km
		target_temperature
		planned_start_time
		planned_end_time
		started_at
		completed_at
		status
		created_at
		seal_number
		estimated_duration_hours
		RequiresInspection
		departure_date
		route_id

		schedule_id
29	messagetype	type_id
		type_name
		description
30	notifications	noti_id
		user_id
		sender_id
		template_id
		params
		order_id
		is_read
		created_at
		body
		data_json
		delivery_status
		failure_reason
		read_at
		reference_id
		sent_at
		title
		type
31	notification_templates	template_id
		type_id
		title_template
		body_template
		channel
		status
32	order_dimensions	order_id
		expected_weight_kg
		actual_weight_kg
		expected_cbm
		actual_cbm
		length_cm
		width_cm
		height_cm
33	outbound_orders	outbound_order_id

		order_code
		customer_id
		receiver_name
		receiver_phone
		destination_address
		status
		assigned_picker_id
		allocated_at
		created_at
		created_by
		updated_at
		updated_by
34	outbound_order_items	outbound_order_item_id
		outbound_order_id
		item_code
		item_name
		unit
		quantity
35	payment_transactions	transaction_id
		transaction_code
		order_id
		invoice_id
		claim_id
		customer_id
		transaction_type
		amount
		payment_method
		reference_code
		evidence_image_url
		status
		note
		created_by
		created_at
36	penalty_bills	completed_at
		penalty_bill_id
		bill_code

		lpn_id
		order_id
		customer_id
		handling_fee
		storage_fee
		total_amount
		reason
		is_paid
		created_at
		paid_at
		paid_by
37	permissions	perm_id
		perm_code
		module
		description
		display_name
		is_active
		sort_order
38	pricing_matrix	price_id
		origin_city
		dest_city
		pricing_unit
		unit_price
		effective_date
		min_value
		max_value
		min_charge
39	quotations	quote_id
		order_id
		base_freight
		last_mile_surcharge
		vas_amount
		vat_amount
		final_amount
		file_url
		status

		created_at
		system_base_freight
		manual_adjustment
		override_reason
		pricing_source
		vat_percentage
		chargeable_weight_kg
		volumetric_weight_kg
		price_per_kg
		distance_km
		additional_charges
		MandatoryCharges
		OptionalServicesMenu
		accepted_at
		sent_at
40	returned_items	return_id
		epod_id
		item_name
		item_code
		unit
		returned_qty
		reason_type
		reason_note
		processing_status
		processed_by
		processed_at
		returned_at
41	roles	role_id
		role_name
		description
42	role_permissions	role_id
		perm_id
43	route_master	route_id
		route_code
		origin_city
		dest_city

		status
		created_at
		transit_time
44	route_schedules	schedule_id
		route_id
		schedule_name
		departure_time
		cut_off_time
		status
		created_at
		departure_date
45	route_stops	stop_id
		route_id
		stop_name
		created_at
46	seals	seal_id
		trip_id
		stop_id
		seal_code
		applied_at
		applied_image_url
		removed_at
		removed_image_url
		status
		note
		created_at
47	service_catalogs	service_catalog_id
		service_code
		service_name
		description
		default_price
		is_mandatory
		is_active
		created_at
		updated_at
48	system_configs	id

		key
		value
		description
49	telemetry_logs	log_id
		device_id
		trip_id
		temperature
		latitude
		longitude
		timestamp
		created_at
50	transport_documents	doc_id
		order_id
		doc_type
		image_url
		verified_by
		reject_reason
		uploaded_by
		created_at
51	transport_orders	order_id
		tracking_code
		customer_id
		item_name
		category
		quantity
		packing_type
		temp_condition
		pickup_location
		dest_location
		status
		master_trip_id
		created_at
		schedule_id
		has_strong_odor
		is_stackable
		dropoff_stop_id

		RouteMasterRouteId
52	TripStopEvents	EventId
		StopId
		EventType
		EventTime
		MetaData
53	trip_drivers	trip_driver_id
		trip_id
		driver_id
		driver_role
		assigned_duration_hours
		created_at
54	trip_stops	stop_id
		trip_id
		location_id
		stop_sequence
		stop_type
		planned_arrival_time
		planned_departure_time
		actual_arrival_time
		actual_departure_time
		status
		note
		created_at
		CallCustomerCount
		NoShowEvidenceImageUrl
55	users	user_id
		username
		password_hash
		email
		role_id
		full_name
		status
		refresh_token
		refresh_token_expiry_time
		created_at

		updated_at
		phone
		created_by
		updated_by
		deleted_by
		deleted_at
		warehouse_id
		WarehouseId
		auth_provider
		avatar_url
		google_id
56	user_permissions	user_permission_id
		user_id
		perm_id
		effect
		valid_from
		valid_to
		reason
		granted_by
		granted_at
		revoked_by
		revoked_at
57	vehicles	vehicle_id
		truck_plate
		brand
		manufacture_year
		chassis_number
		engine_number
		standard_fuel_liters
		vehicle_type
		max_weight
		max_cbm
		min_temp
		max_temp
		status
		created_at

		current_location
		current_odometer
		next_maintenance_odometer
		next_maintenance_date
		warning_days_before_due
		warning_km_before_due
		InnerHeightCm
		InnerLengthCm
		InnerWidthCm
58	vehicle_documents	doc_id
		vehicle_id
		document_number
		issuer
		issue_date
		expire_date
		status
		created_at
		document_type
59	vehicle_odometer_logs	log_id
		vehicle_id
		odometer_value
		location_text
		reason
		updated_by
		created_at
		odometer_photo_url
60	warehouses	warehouse_id
		warehouse_name
		address
		max_pallets
		current_pallets
		status
		created_at
		created_by
		default_max_temp
		default_min_temp

		deleted_at
		deleted_by
		updated_at
		updated_by
		warehouse_code
		warehouse_type
61	warehouse_receipts	receipt_id
		receipt_code
		reference_doc_no
		order_id
		warehouse_id
		receipt_type
		reason
		total_expected_qty
		total_actual_qty
		recorded_temperature
		deliverer_name
		receiver_id
		note
		pdf_url
		created_at
62	weight_tiers	id
		route_id
		min_weight_kg
		max_weight_kg
		price_per_kg
63	work_assignments	assignment_id
		task_type
		reference_type
		reference_id
		required_permission_code
		warehouse_id
		assigned_to_user_id
		assigned_by_user_id
		priority
		status

		note
		assigned_at
		due_at
		started_at
		completed_at
		cancelled_at

Data Type	Not Null	PK/FK
uuid	Yes	PK
uuid	No	FK
character varying(50)	Yes	
numeric(5,2)	No	
numeric(10,7)	Yes	
numeric(10,7)	Yes	
character varying(20)	No	
uuid	No	FK
timestamp without time zone	No	
text	No	
timestamp without time zone	No	
uuid	No	FK
uuid	Yes	PK
uuid	Yes	FK
uuid	Yes	FK
uuid	Yes	FK
text	Yes	
timestamp without time zone	Yes	
boolean	Yes	
uuid	Yes	PK
character varying(50)	Yes	
uuid	No	FK
character varying(50)	Yes	
text	Yes	
character varying(50)	No	
character varying(20)	No	
text	No	
timestamp without time zone	No	
timestamp without time zone	No	
uuid	No	FK
text	No	
text	No	

uuid	Yes	PK
uuid	No	FK
character varying(30)	Yes	
uuid	No	FK
uuid	No	FK
character varying(255)	No	
uuid	Yes	FK
timestamp without time zone	No	
uuid	Yes	PK
uuid	No	FK
uuid	Yes	FK
character varying(50)	Yes	
numeric(18,2)	Yes	
text	No	
character varying(30)	Yes	
text	No	
character varying(255)	No	
timestamp without time zone	Yes	
timestamp without time zone	No	
timestamp without time zone	No	
uuid	Yes	PK
character varying(150)	Yes	
character varying(20)	Yes	
character varying(200)	No	
character varying(200)	No	
integer	No	
character varying(20)	No	
timestamp without time zone	No	
uuid	Yes	PK
uuid	No	FK
uuid	No	FK
character varying(50)	Yes	
date	No	
date	Yes	
character varying(500)	Yes	
character varying(30)	No	

timestamp without time zone	No	
text	No	
character varying(255)	No	
timestamp without time zone	No	
timestamp without time zone	No	
timestamp without time zone	No	
uuid	No	
numeric	No	
text	No	
uuid	Yes	PK
uuid	No	FK
timestamp without time zone	Yes	
timestamp without time zone	No	
character varying(100)	No	
character varying(20)	No	
character varying(255)	No	
numeric(10,7)	No	
numeric(10,7)	No	
integer	No	
text	No	
character varying(500)	No	
character varying(30)	No	
timestamp without time zone	No	
numeric(15,2)	No	
numeric(15,2)	No	
character varying(255)	No	
character varying(20)	No	
character varying(20)	No	
timestamp without time zone	No	
character varying(500)	No	
timestamp without time zone	No	
numeric	No	
text	No	
uuid	Yes	PK
uuid	Yes	FK
uuid	No	FK

integer	Yes	
integer	Yes	
numeric	Yes	
text	Yes	
uuid	Yes	PK
uuid	Yes	FK
character varying(4096)	Yes	
character varying(20)	Yes	
character varying(255)	No	
character varying(200)	No	
character varying(50)	No	
boolean	Yes	
timestamp with time zone	Yes	
timestamp with time zone	Yes	
timestamp with time zone	Yes	
uuid	Yes	PK
uuid	No	FK
date	Yes	
character varying(20)	No	
timestamp without time zone	No	
character varying(150)	Yes	
character varying(30)	Yes	
date	Yes	
character varying(20)	Yes	
text	No	
uuid	Yes	PK
uuid	No	FK
character varying(20)	Yes	
character varying(10)	Yes	
date	Yes	
date	Yes	
character varying(20)	No	
timestamp without time zone	No	
uuid	Yes	PK
uuid	Yes	FK
uuid	No	FK

date	Yes	
numeric(8,2)	Yes	
timestamp without time zone	No	
uuid	Yes	PK
character varying(50)	Yes	
uuid	Yes	FK
uuid	Yes	FK
numeric(15,2)	Yes	
character varying(20)	No	
timestamp without time zone	No	
uuid	Yes	FK
numeric(15,2)	No	
numeric(15,2)	No	
character varying(20)	No	
character varying(20)	No	
text	No	
uuid	Yes	PK
uuid	No	FK
character varying(30)	Yes	
character varying(255)	No	
numeric(15,2)	Yes	
date	Yes	
character varying(255)	Yes	
character varying(20)	No	
uuid	No	FK
timestamp without time zone	No	
character varying(255)	No	
timestamp without time zone	No	
uuid	No	FK
uuid	Yes	PK
uuid	No	FK
character varying(20)	No	
timestamp without time zone	No	
uuid	Yes	PK
character varying(50)	Yes	
uuid	Yes	FK

timestamp without time zone	Yes	
character varying(500)	Yes	
character varying(30)	Yes	
timestamp without time zone	No	
character varying(50)	No	
uuid	No	
uuid	No	
character varying(500)	No	
uuid	Yes	PK
uuid	Yes	FK
uuid	Yes	FK
character varying(50)	Yes	
numeric(18,2)	Yes	
numeric(18,4)	Yes	
integer	Yes	
text	No	
character varying(255)	No	
timestamp without time zone	Yes	
uuid	Yes	PK
uuid	Yes	FK
text	Yes	
text	Yes	
text	No	
timestamp without time zone	No	
uuid	No	
uuid	Yes	PK
uuid	No	FK
character varying(50)	Yes	
character varying(20)	Yes	
text	Yes	
numeric(10,7)	No	
numeric(10,7)	No	
character varying(30)	No	
uuid	Yes	FK
timestamp without time zone	No	
timestamp without time zone	No	

text	No	
numeric(15,2)	No	
timestamp without time zone	No	
uuid	No	
uuid	No	
text	No	
character varying(30)	Yes	
timestamp without time zone	No	
uuid	No	
text	No	
uuid	No	
boolean	Yes	
timestamp without time zone	No	
uuid	No	
timestamp without time zone	No	
uuid	No	
text	No	
numeric(6,2)	No	
timestamp without time zone	No	
uuid	No	
text	No	
uuid	No	
uuid	No	
text	No	
numeric(15,2)	Yes	
numeric(15,2)	No	
uuid	Yes	PK
character varying(50)	Yes	
uuid	Yes	FK
character varying(50)	No	
character varying(500)	No	
numeric(15,2)	Yes	
numeric(5,2)	No	
numeric(15,2)	Yes	
numeric(15,2)	No	
numeric(15,2)	Yes	

numeric(15,2)	No	
date	Yes	
date	Yes	
character varying(20)	No	
timestamp without time zone	No	
uuid	Yes	PK
uuid	Yes	FK
uuid	Yes	FK
character varying(50)	Yes	
character varying(255)	Yes	
numeric(10,2)	No	
numeric(15,2)	Yes	
numeric(15,2)	Yes	
numeric(5,2)	No	
uuid	Yes	PK
uuid	No	FK
integer	No	
timestamp without time zone	No	
character varying(20)	No	
timestamp without time zone	No	
character varying(100)	No	
boolean	Yes	
uuid	Yes	PK
uuid	No	FK
text	Yes	
numeric(10,7)	Yes	
numeric(10,7)	Yes	
character varying(20)	No	
timestamp without time zone	No	
uuid	Yes	PK
character varying(50)	Yes	
uuid	Yes	FK
uuid	No	FK
uuid	No	FK
uuid	No	FK
character varying(200)	No	

integer	Yes	
numeric(18,2)	Yes	
numeric(18,4)	Yes	
numeric(8,2)	No	
numeric(8,2)	No	
character varying(30)	Yes	
text	No	
timestamp without time zone	No	
timestamp without time zone	No	
timestamp without time zone	Yes	
timestamp without time zone	No	
numeric	No	
character varying(255)	No	
uuid	Yes	FK
numeric(10,2)	No	
numeric(10,2)	No	
numeric(10,2)	No	
uuid	No	FK
boolean	Yes	
uuid	Yes	PK
uuid	Yes	FK
uuid	Yes	FK
uuid	Yes	FK
character varying(20)	Yes	
character varying(200)	No	
character varying(20)	No	
character varying(50)	No	
text	No	
character varying(500)	Yes	
uuid	Yes	FK
timestamp without time zone	Yes	
timestamp without time zone	No	
numeric(15,2)	Yes	
character varying(20)	No	
character varying(500)	No	
character varying(50)	No	

character varying(500)	No	
timestamp without time zone	No	
uuid	No	FK
boolean	Yes	
numeric(8,2)	No	
uuid	Yes	PK
character varying(50)	Yes	
uuid	No	FK
character varying(30)	Yes	
character varying(150)	Yes	
text	Yes	
numeric(15,2)	No	
date	Yes	
date	No	
character varying(20)	No	
uuid	Yes	FK
timestamp without time zone	No	
double precision	Yes	
character varying(500)	No	
uuid	Yes	PK
uuid	No	FK
uuid	Yes	FK
uuid	Yes	FK
numeric(8,2)	No	
numeric(5,2)	Yes	
timestamp without time zone	Yes	
timestamp without time zone	Yes	
timestamp without time zone	No	
timestamp without time zone	No	
character varying(20)	No	
timestamp without time zone	No	
character varying(100)	No	
numeric(8,2)	No	
boolean	Yes	
date	No	
uuid	No	FK

uuid	No	FK
uuid	Yes	PK
character varying(50)	Yes	
character varying(255)	No	
uuid	Yes	PK
uuid	Yes	FK
uuid	No	FK
character varying(50)	No	FK
json	Yes	
uuid	No	FK
boolean	No	
timestamp without time zone	No	
character varying(1000)	No	
jsonb	No	
character varying(20)	Yes	
character varying(1000)	No	
timestamp with time zone	No	
character varying(100)	No	
timestamp with time zone	No	
character varying(200)	No	
character varying(50)	No	
character varying(50)	Yes	PK
uuid	Yes	FK
character varying(100)	Yes	
text	Yes	
character varying(20)	Yes	
character varying(20)	No	
uuid	Yes	PK/FK
numeric(10,2)	Yes	
numeric(10,2)	Yes	
numeric(8,2)	Yes	
numeric(8,2)	No	
numeric(10,2)	Yes	
numeric(10,2)	Yes	
numeric(10,2)	Yes	
uuid	Yes	PK

character varying(50)	Yes	
uuid	Yes	FK
character varying(100)	Yes	
character varying(100)	Yes	
character varying(255)	Yes	
character varying(30)	Yes	
uuid	No	FK
timestamp without time zone	No	
timestamp without time zone	Yes	
uuid	Yes	
timestamp without time zone	No	
uuid	No	
uuid	Yes	PK
uuid	Yes	FK
character varying(50)	Yes	
character varying(255)	Yes	
character varying(20)	Yes	
numeric(10,2)	Yes	
uuid	Yes	PK
character varying(50)	Yes	
uuid	No	FK
uuid	No	FK
uuid	No	FK
uuid	No	FK
character varying(20)	Yes	
numeric(18,2)	Yes	
character varying(50)	Yes	
character varying(100)	No	
text	No	
character varying(20)	Yes	
text	No	
uuid	No	FK
timestamp without time zone	Yes	
timestamp without time zone	No	
uuid	Yes	PK
character varying(50)	Yes	

uuid	No	FK
uuid	No	FK
uuid	No	FK
numeric(18,2)	Yes	
numeric(18,2)	Yes	
numeric(18,2)	Yes	
text	Yes	
boolean	Yes	
timestamp without time zone	Yes	
timestamp without time zone	No	
uuid	No	FK
uuid	Yes	PK
character varying(100)	Yes	
character varying(50)	Yes	
character varying(500)	No	
character varying(150)	Yes	
boolean	Yes	
integer	Yes	
uuid	Yes	PK
character varying(50)	Yes	
character varying(50)	Yes	
character varying(20)	Yes	
numeric(15,2)	Yes	
date	Yes	
numeric(12,4)	No	
numeric(12,4)	No	
numeric(15,2)	No	
uuid	Yes	PK
uuid	No	FK
numeric(15,2)	Yes	
numeric(15,2)	No	
numeric(15,2)	No	
numeric(15,2)	Yes	
numeric(15,2)	Yes	
character varying(500)	No	
character varying(20)	Yes	

timestamp without time zone	No	
numeric(15,2)	No	
numeric(15,2)	No	
character varying(500)	No	
character varying(30)	Yes	
numeric(5,2)	No	
numeric(10,2)	No	
numeric(10,2)	No	
numeric(15,2)	No	
numeric(10,2)	No	
jsonb	No	
text	No	
text	No	
timestamp without time zone	No	
timestamp without time zone	No	
uuid	Yes	PK
uuid	No	FK
character varying(255)	Yes	
character varying(50)	No	
character varying(20)	Yes	
numeric(10,2)	Yes	
character varying(50)	Yes	
text	No	
character varying(30)	No	
uuid	No	FK
timestamp without time zone	No	
timestamp without time zone	No	
uuid	Yes	PK
character varying(50)	Yes	
character varying(255)	No	
uuid	Yes	PK/FK
uuid	Yes	PK/FK
uuid	Yes	PK
character varying(50)	Yes	
character varying(50)	Yes	
character varying(50)	Yes	

character varying(20)	Yes	
timestamp without time zone	No	
character varying(50)	Yes	
uuid	Yes	PK
uuid	Yes	FK
character varying(100)	Yes	
interval	Yes	
interval	Yes	
character varying(20)	Yes	
timestamp without time zone	No	
timestamp without time zone	Yes	
uuid	Yes	PK
uuid	Yes	FK
character varying(150)	Yes	
timestamp without time zone	No	
uuid	Yes	PK
uuid	No	FK
uuid	No	FK
character varying(50)	Yes	
timestamp without time zone	No	
character varying(255)	No	
timestamp without time zone	No	
character varying(255)	No	
character varying(20)	No	
text	No	
timestamp without time zone	No	
uuid	Yes	PK
character varying(50)	Yes	
character varying(200)	Yes	
text	No	
numeric(15,2)	Yes	
boolean	Yes	
boolean	Yes	
timestamp without time zone	No	
timestamp without time zone	No	
uuid	Yes	PK

character varying(100)	Yes	
character varying(255)	Yes	
character varying(500)	No	
uuid	Yes	PK
uuid	No	FK
uuid	No	FK
numeric(5,2)	Yes	
numeric(10,7)	Yes	
numeric(10,7)	Yes	
timestamp without time zone	Yes	
timestamp without time zone	No	
uuid	Yes	PK
uuid	No	FK
character varying(50)	Yes	
character varying(255)	Yes	
uuid	No	FK
character varying(255)	No	
uuid	Yes	FK
timestamp without time zone	No	
uuid	Yes	PK
character varying(50)	Yes	
uuid	No	FK
character varying(150)	Yes	
character varying(50)	Yes	
integer	Yes	
character varying(50)	Yes	
character varying(20)	Yes	
uuid	No	FK
uuid	No	FK
character varying(30)	Yes	
uuid	No	FK
timestamp without time zone	No	
uuid	No	FK
boolean	Yes	
boolean	Yes	
uuid	No	FK

uuid	No	FK
uuid	Yes	PK
uuid	Yes	FK
text	Yes	
timestamp without time zone	Yes	
text	No	
uuid	Yes	PK
uuid	Yes	FK
uuid	Yes	FK
character varying(20)	Yes	
numeric(8,2)	Yes	
timestamp without time zone	No	
uuid	Yes	PK
uuid	No	FK
uuid	No	FK
integer	Yes	
character varying(30)	Yes	
timestamp without time zone	Yes	
timestamp without time zone	Yes	
timestamp without time zone	No	
timestamp without time zone	No	
character varying(20)	No	
text	No	
timestamp without time zone	No	
integer	Yes	
text	No	
uuid	Yes	PK
character varying(50)	Yes	
character varying(255)	No	
character varying(255)	No	
uuid	No	FK
character varying(100)	Yes	
character varying(20)	No	
character varying(255)	No	
timestamp without time zone	No	
timestamp without time zone	No	

timestamp without time zone	No	
character varying(20)	No	
uuid	No	
uuid	No	
uuid	No	
timestamp without time zone	No	
uuid	No	FK
uuid	No	
character varying(20)	No	
character varying(1024)	No	
character varying(255)	No	
uuid	Yes	PK
uuid	Yes	FK
uuid	Yes	FK
character varying(10)	Yes	
timestamp without time zone	No	
timestamp without time zone	No	
character varying(500)	No	
uuid	Yes	
timestamp without time zone	Yes	
uuid	No	
timestamp without time zone	No	
uuid	Yes	PK
character varying(20)	Yes	
character varying(50)	No	
integer	No	
character varying(50)	No	
character varying(50)	No	
numeric(5,2)	No	
character varying(50)	Yes	
numeric(10,2)	Yes	
numeric(8,2)	Yes	
numeric(5,2)	Yes	
numeric(5,2)	Yes	
character varying(20)	No	
timestamp without time zone	No	

character varying(255)	No	
double precision	Yes	
double precision	Yes	
date	No	
integer	Yes	
double precision	Yes	
numeric	No	
numeric	No	
numeric	No	
uuid	Yes	PK
uuid	No	FK
character varying(50)	Yes	
character varying(150)	No	
date	Yes	
date	No	
character varying(20)	No	
timestamp without time zone	No	
character varying(50)	Yes	
uuid	Yes	PK
uuid	Yes	FK
double precision	Yes	
character varying(500)	No	
character varying(255)	No	
uuid	No	
timestamp without time zone	Yes	
character varying(1000)	No	
uuid	Yes	PK
character varying(100)	Yes	
character varying(100)	No	
integer	Yes	
integer	No	
character varying(20)	No	
timestamp without time zone	No	
uuid	No	
numeric(5,2)	No	
numeric(5,2)	No	

timestamp without time zone	No	
uuid	No	
timestamp with time zone	No	
uuid	No	
character varying(20)	Yes	
character varying(20)	Yes	
uuid	Yes	PK
character varying(50)	Yes	
character varying(100)	No	
uuid	Yes	FK
uuid	Yes	FK
character varying(20)	Yes	
character varying(255)	No	
numeric(10,2)	No	
numeric(10,2)	No	
numeric(5,2)	No	
character varying(100)	Yes	
uuid	Yes	FK
text	No	
character varying(500)	No	
timestamp without time zone	No	
uuid	Yes	PK
uuid	Yes	FK
numeric(10,2)	Yes	
numeric(10,2)	No	
numeric(15,2)	Yes	
uuid	Yes	PK
character varying(100)	Yes	
character varying(100)	Yes	
character varying(100)	Yes	
character varying(100)	Yes	
uuid	No	FK
uuid	Yes	FK
uuid	Yes	
character varying(20)	Yes	
character varying(20)	Yes	

character varying(1000)	No	
timestamp without time zone	Yes	
timestamp without time zone	No	
timestamp without time zone	No	
timestamp without time zone	No	
timestamp without time zone	No	