

Untitled3

July 27, 2024

```
[1]: import os
import numpy as np
import cv2
from glob import glob
import tensorflow as tf
import matplotlib.pyplot as plt
from sklearn.model_selection import train_test_split

from tensorflow.keras.layers import Conv2D, Activation, BatchNormalization,
    ↳ UpSampling2D, Input, Concatenate, Cropping2D
from tensorflow.keras.models import Model
from tensorflow.keras.applications import MobileNetV2
from tensorflow.keras.callbacks import EarlyStopping, ReduceLROnPlateau
from tensorflow.keras import backend as K

# Set NumPy random seed for reproducibility
np.random.seed(42)

# Set TensorFlow random seed for reproducibility
tf.random.set_seed(42)

# Define image size for resizing input images and masks
WIDTH = 256
HEIGHT = 192

# Define number of epochs for training
EPOCHS = 2

# Define batch size
BATCH = 16

# Define learning rate for the optimizer
LR = 1e-4

# Define output path for saving training results and model
PATH = "/root/61541v001/V-03"
```

```
# Define label colors
colors = [
    (0, 0, 0), (128, 0, 0), (0, 128, 0), (128, 128, 0), (0, 0, 128),
    (128, 0, 128), (0, 128, 128), (128, 128, 128), (64, 0, 0), (192, 0, 0),
    (64, 128, 0), (192, 128, 0), (64, 0, 128), (192, 0, 128), (64, 128, 128),
    (192, 128, 128), (0, 64, 0), (128, 64, 0), (0, 192, 0), (128, 192, 0),
    (0, 64, 128), (128, 64, 12)
]
NUM_CLASSES = len(colors)
```

2024-07-27 08:08:49.294043: I tensorflow/core/util/port.cc:153] oneDNN custom operations are on. You may see slightly different numerical results due to floating-point round-off errors from different computation orders. To turn them off, set the environment variable `TF_ENABLE_ONEDNN_OPTS=0`.

2024-07-27 08:08:49.303022: E external/local_xla/xla/stream_executor/cuda/cuda_fft.cc:485] Unable to register cuFFT factory: Attempting to register factory for plugin cuFFT when one has already been registered

2024-07-27 08:08:49.311686: E external/local_xla/xla/stream_executor/cuda/cuda_dnn.cc:8454] Unable to register cuDNN factory: Attempting to register factory for plugin cuDNN when one has already been registered

2024-07-27 08:08:49.314299: E external/local_xla/xla/stream_executor/cuda/cuda_blas.cc:1452] Unable to register cuBLAS factory: Attempting to register factory for plugin cuBLAS when one has already been registered

2024-07-27 08:08:49.321880: I tensorflow/core/platform/cpu_feature_guard.cc:210] This TensorFlow binary is optimized to use available CPU instructions in performance-critical operations.
To enable the following instructions: AVX2 AVX512F AVX512_VNNI AVX512_BF16 FMA, in other operations, rebuild TensorFlow with the appropriate compiler flags.

2024-07-27 08:08:49.708004: W tensorflow/compiler/tf2tensorrt/utils/py_utils.cc:38] TF-TRT Warning: Could not find TensorRT

```
[2]: # Load dataset
def load_data(path, split=0.1):
    images = sorted(glob(os.path.join(PATH, "image/*")))
    masks = sorted(glob(os.path.join(PATH, "label/*")))
    total_size = len(images)
    valid_size = int(split * total_size)
    test_size = int(split * total_size)

    train_x, valid_x = train_test_split(images, test_size=valid_size,
    random_state=42)
    train_y, valid_y = train_test_split(masks, test_size=valid_size,
    random_state=42)
```

```

    train_x, test_x = train_test_split(train_x, test_size=test_size,
    ↪random_state=42)
    train_y, test_y = train_test_split(train_y, test_size=test_size,
    ↪random_state=42)

    return (train_x, train_y), (valid_x, valid_y), (test_x, test_y)

# Read and preprocess image
def read_image(path):
    if isinstance(path, bytes):
        path = path.decode()
    x = cv2.imread(path, cv2.IMREAD_COLOR)
    x = cv2.cvtColor(x, cv2.COLOR_BGR2RGB)
    x = cv2.resize(x, (WIDTH, HEIGHT))
    x = x / 255.0
    return x.astype(np.float32)

# Read and preprocess mask
def read_mask(path):
    if isinstance(path, bytes):
        path = path.decode()
    x = cv2.imread(path, cv2.IMREAD_GRAYSCALE)
    x = cv2.resize(x, (WIDTH, HEIGHT))
    x = x / 255.0
    x = np.round(x * (NUM_CLASSES - 1)).astype(np.uint8)
    x = tf.keras.utils.to_categorical(x, num_classes=NUM_CLASSES)
    return x.astype(np.float32)

# Parse function for TensorFlow dataset
def tf_parse(x, y):
    def _parse(x, y):
        x = read_image(x)
        y = read_mask(y)
        return x, y

    x, y = tf.numpy_function(_parse, [x, y], [tf.float32, tf.float32])
    x.set_shape([HEIGHT, WIDTH, 3])
    y.set_shape([HEIGHT, WIDTH, NUM_CLASSES])
    return x, y

# Create TensorFlow dataset
def tf_dataset(x, y, batch=8):
    dataset = tf.data.Dataset.from_tensor_slices((x, y))
    dataset = dataset.map(tf_parse)
    dataset = dataset.batch(batch)
    dataset = dataset.repeat()
    return dataset

```

```

# Parse mask for visualization
def mask_parse(mask):
    mask = np.argmax(mask, axis=-1) # Convert one-hot encoded mask to
    ↪single-channel class mask
    rgb_mask = np.zeros((mask.shape[0], mask.shape[1], 3), dtype=np.uint8) #
    ↪Create an empty color mask
    for i, color in enumerate(colors):
        rgb_mask[mask == i] = color # Map class values to predefined colors
    return rgb_mask

# Build the model
def build_model():
    inputs = Input(shape=(HEIGHT, WIDTH, 3), name="input_image")
    encoder = MobileNetV2(input_tensor=inputs, weights="imagenet",
    ↪include_top=False, alpha=0.35)
    skip_connection_names = ["input_image", "block_1_expand_relu",
    ↪"block_3_expand_relu", "block_6_expand_relu"]
    encoder_output = encoder.get_layer("block_13_expand_relu").output
    f = [16, 32, 48, 64]
    x = encoder_output

    for i in range(1, len(skip_connection_names) + 1, 1):
        x_skip = encoder.get_layer(skip_connection_names[-i]).output
        x = UpSampling2D((2, 2))(x)
        height_diff = K.int_shape(x)[1] - K.int_shape(x_skip)[1]
        width_diff = K.int_shape(x)[2] - K.int_shape(x_skip)[2]
        if height_diff != 0 or width_diff != 0:
            x = Cropping2D(((height_diff // 2, height_diff - height_diff // 2),
                            (width_diff // 2, width_diff - width_diff // 2)))(x)
        x = Concatenate()([x, x_skip])
        x = Conv2D(f[-i], (3, 3), padding="same")(x)
        x = BatchNormalization()(x)
        x = Activation("relu")(x)
        x = Conv2D(f[-i], (3, 3), padding="same")(x)
        x = BatchNormalization()(x)
        x = Activation("relu")(x)

    x = Conv2D(NUM_CLASSES, (1, 1), padding="same")(x)
    x = Activation("softmax")(x)
    model = Model(inputs, x)
    return model

```

```

[3]: # Load dataset
(train_x, train_y), (valid_x, valid_y), (test_x, test_y) = load_data(PATH)
print("Training data: ", len(train_x))
print("Validation data: ", len(valid_x))

```

```
print("Testing data: ", len(test_x))
```

Training data: 1477
Validation data: 184
Testing data: 184

```
[4]: # Define custom metrics
def dice_coefficient(y_true, y_pred):
    y_true_f = tf.keras.backend.flatten(y_true)
    y_pred_f = tf.keras.backend.flatten(y_pred)
    intersection = tf.keras.backend.sum(y_true_f * y_pred_f)
    return (2. * intersection) / (tf.keras.backend.sum(y_true_f) + tf.keras.
    ↪backend.sum(y_pred_f))

def iou(y_true, y_pred):
    y_true_f = tf.keras.backend.flatten(y_true)
    y_pred_f = tf.keras.backend.flatten(y_pred)
    intersection = tf.keras.backend.sum(y_true_f * y_pred_f)
    union = tf.keras.backend.sum(y_true_f) + tf.keras.backend.sum(y_pred_f) -
    ↪intersection
    return intersection / union
```

```
[5]: # Create and compile the model
model = build_model()
model.summary()
loss = tf.keras.losses.CategoricalCrossentropy()
opt = tf.keras.optimizers.Nadam(LR)
metrics = ['accuracy']
model.compile(loss=loss, optimizer=opt, metrics=['accuracy', dice_coefficient,
    ↪iou])
```

/tmp/ipykernel_2005/2080664991.py:68: UserWarning: `input_shape` is undefined or non-square, or `rows` is not in [96, 128, 160, 192, 224]. Weights for input shape (224, 224) will be loaded as the default.

```
encoder = MobileNetV2(input_tensor=inputs, weights="imagenet",
include_top=False, alpha=0.35)
```

WARNING: All log messages before absl::InitializeLog() is called are written to STDERR

I0000 00:00:1722067733.677033 2005 cuda_executor.cc:1015] successful NUMA node read from SysFS had negative value (-1), but there must be at least one NUMA node, so returning NUMA node zero. See more at

<https://github.com/torvalds/linux/blob/v6.0/Documentation/ABI/testing/sysfs-bus-pci#L344-L355>

I0000 00:00:1722067733.712509 2005 cuda_executor.cc:1015] successful NUMA node read from SysFS had negative value (-1), but there must be at least one NUMA node, so returning NUMA node zero. See more at

<https://github.com/torvalds/linux/blob/v6.0/Documentation/ABI/testing/sysfs-bus-pci#L344-L355>

```

pci#L344-L355
I0000 00:00:1722067733.712711    2005 cuda_executor.cc:1015] successful NUMA
node read from SysFS had negative value (-1), but there must be at least one
NUMA node, so returning NUMA node zero. See more at
https://github.com/torvalds/linux/blob/v6.0/Documentation/ABI/testing/sysfs-bus-
pci#L344-L355
I0000 00:00:1722067733.714678    2005 cuda_executor.cc:1015] successful NUMA
node read from SysFS had negative value (-1), but there must be at least one
NUMA node, so returning NUMA node zero. See more at
https://github.com/torvalds/linux/blob/v6.0/Documentation/ABI/testing/sysfs-bus-
pci#L344-L355
I0000 00:00:1722067733.714819    2005 cuda_executor.cc:1015] successful NUMA
node read from SysFS had negative value (-1), but there must be at least one
NUMA node, so returning NUMA node zero. See more at
https://github.com/torvalds/linux/blob/v6.0/Documentation/ABI/testing/sysfs-bus-
pci#L344-L355
I0000 00:00:1722067733.714936    2005 cuda_executor.cc:1015] successful NUMA
node read from SysFS had negative value (-1), but there must be at least one
NUMA node, so returning NUMA node zero. See more at
https://github.com/torvalds/linux/blob/v6.0/Documentation/ABI/testing/sysfs-bus-
pci#L344-L355
I0000 00:00:1722067733.781295    2005 cuda_executor.cc:1015] successful NUMA
node read from SysFS had negative value (-1), but there must be at least one
NUMA node, so returning NUMA node zero. See more at
https://github.com/torvalds/linux/blob/v6.0/Documentation/ABI/testing/sysfs-bus-
pci#L344-L355
I0000 00:00:1722067733.781460    2005 cuda_executor.cc:1015] successful NUMA
node read from SysFS had negative value (-1), but there must be at least one
NUMA node, so returning NUMA node zero. See more at
https://github.com/torvalds/linux/blob/v6.0/Documentation/ABI/testing/sysfs-bus-
pci#L344-L355
I0000 00:00:1722067733.781585    2005 cuda_executor.cc:1015] successful NUMA
node read from SysFS had negative value (-1), but there must be at least one
NUMA node, so returning NUMA node zero. See more at
https://github.com/torvalds/linux/blob/v6.0/Documentation/ABI/testing/sysfs-bus-
pci#L344-L355
2024-07-27 08:08:53.781690: I
tensorflow/core/common_runtime/gpu/gpu_device.cc:2021] Created device
/job:localhost/replica:0/task:0/device:GPU:0 with 22288 MB memory: -> device:
0, name: NVIDIA GeForce RTX 4090, pci bus id: 0000:02:00.0, compute capability:
8.9

```

Model: "functional"

Layer (type)	Output Shape	Param #	Connected to
input_image	(None, 192, 256,	0	-

(InputLayer)	3)		
Conv1 (Conv2D)	(None, 96, 128, 16)	432	input_image[0][0]
bn_Conv1 (BatchNormalizatio...	(None, 96, 128, 16)	64	Conv1[0][0]
Conv1_relu (ReLU)	(None, 96, 128, 16)	0	bn_Conv1[0][0]
expanded_conv_dept... (DepthwiseConv2D)	(None, 96, 128, 16)	144	Conv1_relu[0][0]
expanded_conv_dept... (BatchNormalizatio...	(None, 96, 128, 16)	64	expanded_conv_de...
expanded_conv_dept... (ReLU)	(None, 96, 128, 16)	0	expanded_conv_de...
expanded_conv_proj... (Conv2D)	(None, 96, 128, 8)	128	expanded_conv_de...
expanded_conv_proj... (BatchNormalizatio...	(None, 96, 128, 8)	32	expanded_conv_pr...
block_1_expand (Conv2D)	(None, 96, 128, 48)	384	expanded_conv_pr...
block_1_expand_BN (BatchNormalizatio...	(None, 96, 128, 48)	192	block_1_expand[0...
block_1_expand_relu (ReLU)	(None, 96, 128, 48)	0	block_1_expand_B...
block_1_pad (ZeroPadding2D)	(None, 97, 129, 48)	0	block_1_expand_r...
block_1_depthwise (DepthwiseConv2D)	(None, 48, 64, 48)	432	block_1_pad[0][0]
block_1_depthwise_... (BatchNormalizatio...	(None, 48, 64, 48)	192	block_1_depthwis...
block_1_depthwise_... (ReLU)	(None, 48, 64, 48)	0	block_1_depthwis...
block_1_project	(None, 48, 64, 8)	384	block_1_depthwis...

(Conv2D)			
block_1_project_BN (BatchNormalizatio...	(None, 48, 64, 8)	32	block_1_project[...
block_2_expand (Conv2D)	(None, 48, 64, 48)	384	block_1_project_...
block_2_expand_BN (BatchNormalizatio...	(None, 48, 64, 48)	192	block_2_expand[0...
block_2_expand_relu (ReLU)	(None, 48, 64, 48)	0	block_2_expand_B...
block_2_depthwise (DepthwiseConv2D)	(None, 48, 64, 48)	432	block_2_expand_r...
block_2_depthwise_... (BatchNormalizatio...	(None, 48, 64, 48)	192	block_2_depthwis...
block_2_depthwise_... (ReLU)	(None, 48, 64, 48)	0	block_2_depthwis...
block_2_project (Conv2D)	(None, 48, 64, 8)	384	block_2_depthwis...
block_2_project_BN (BatchNormalizatio...	(None, 48, 64, 8)	32	block_2_project[...
block_2_add (Add)	(None, 48, 64, 8)	0	block_1_project_... block_2_project_...
block_3_expand (Conv2D)	(None, 48, 64, 48)	384	block_2_add[0][0]
block_3_expand_BN (BatchNormalizatio...	(None, 48, 64, 48)	192	block_3_expand[0...
block_3_expand_relu (ReLU)	(None, 48, 64, 48)	0	block_3_expand_B...
block_3_pad (ZeroPadding2D)	(None, 49, 65, 48)	0	block_3_expand_r...
block_3_depthwise (DepthwiseConv2D)	(None, 24, 32, 48)	432	block_3_pad[0][0]
block_3_depthwise_...	(None, 24, 32, 48)	192	block_3_depthwis...

(BatchNormalizatio...	48)		
block_3_depthwise_...	(None, 24, 32, 48)	0	block_3_depthwis...
block_3_project	(None, 24, 32, 16)	768	block_3_depthwis...
block_3_project_BN	(None, 24, 32, 16)	64	block_3_project[...
block_4_expand	(None, 24, 32, 96)	1,536	block_3_project_...
block_4_expand_BN	(None, 24, 32, 96)	384	block_4_expand[0...
block_4_expand_relu	(None, 24, 32, 96)	0	block_4_expand_B...
block_4_depthwise	(None, 24, 32, 96)	864	block_4_expand_r...
block_4_depthwise_...	(None, 24, 32, 96)	384	block_4_depthwis...
block_4_depthwise_...	(None, 24, 32, 96)	0	block_4_depthwis...
block_4_project	(None, 24, 32, 16)	1,536	block_4_depthwis...
block_4_project_BN	(None, 24, 32, 16)	64	block_4_project[...
block_4_add (Add)	(None, 24, 32, 16)	0	block_3_project_... block_4_project_...
block_5_expand	(None, 24, 32, 96)	1,536	block_4_add[0][0]
block_5_expand_BN	(None, 24, 32, 96)	384	block_5_expand[0...
block_5_expand_relu	(None, 24, 32, 96)	0	block_5_expand_B...
block_5_depthwise	(None, 24, 32,	864	block_5_expand_r...

(DepthwiseConv2D)	96)		
block_5_depthwise_...	(None, 24, 32, 96)	384	block_5_depthwis...
block_5_depthwise_...	(None, 24, 32, 96)	0	block_5_depthwis...
block_5_project	(None, 24, 32, 16)	1,536	block_5_depthwis...
block_5_project_BN	(None, 24, 32, 16)	64	block_5_project[...
block_5_add (Add)	(None, 24, 32, 16)	0	block_4_add[0][0... block_5_project_...
block_6_expand	(None, 24, 32, 96)	1,536	block_5_add[0][0]
block_6_expand_BN	(None, 24, 32, 96)	384	block_6_expand[0...
block_6_expand_relu	(None, 24, 32, 96)	0	block_6_expand_B...
block_6_pad	(None, 25, 33, 96)	0	block_6_expand_r...
block_6_depthwise	(None, 12, 16, 96)	864	block_6_pad[0][0]
block_6_depthwise_...	(None, 12, 16, 96)	384	block_6_depthwis...
block_6_depthwise_...	(None, 12, 16, 96)	0	block_6_depthwis...
block_6_project	(None, 12, 16, 24)	2,304	block_6_depthwis...
block_6_project_BN	(None, 12, 16, 24)	96	block_6_project[...
block_7_expand	(None, 12, 16, 144)	3,456	block_6_project_...
block_7_expand_BN	(None, 12, 16,	576	block_7_expand[0...

(BatchNormalizatio...	144)		
block_7_expand_relu (ReLU)	(None, 12, 16, 144)	0	block_7_expand_B...
block_7_depthwise (DepthwiseConv2D)	(None, 12, 16, 144)	1,296	block_7_expand_r...
block_7_depthwise_... (BatchNormalizatio...	(None, 12, 16, 144)	576	block_7_depthwis...
block_7_depthwise_... (ReLU)	(None, 12, 16, 144)	0	block_7_depthwis...
block_7_project (Conv2D)	(None, 12, 16, 24)	3,456	block_7_depthwis...
block_7_project_BN (BatchNormalizatio...	(None, 12, 16, 24)	96	block_7_project[...
block_7_add (Add)	(None, 12, 16, 24)	0	block_6_project_... block_7_project_...
block_8_expand (Conv2D)	(None, 12, 16, 144)	3,456	block_7_add[0][0]
block_8_expand_BN (BatchNormalizatio...	(None, 12, 16, 144)	576	block_8_expand[0...
block_8_expand_relu (ReLU)	(None, 12, 16, 144)	0	block_8_expand_B...
block_8_depthwise (DepthwiseConv2D)	(None, 12, 16, 144)	1,296	block_8_expand_r...
block_8_depthwise_... (BatchNormalizatio...	(None, 12, 16, 144)	576	block_8_depthwis...
block_8_depthwise_... (ReLU)	(None, 12, 16, 144)	0	block_8_depthwis...
block_8_project (Conv2D)	(None, 12, 16, 24)	3,456	block_8_depthwis...
block_8_project_BN (BatchNormalizatio...	(None, 12, 16, 24)	96	block_8_project[...
block_8_add (Add)	(None, 12, 16,	0	block_7_add[0][0...

	24)		block_8_project_...
block_9_expand (Conv2D)	(None, 12, 16, 144)	3,456	block_8_add[0][0]
block_9_expand_BN (BatchNormalizatio...	(None, 12, 16, 144)	576	block_9_expand[0...
block_9_expand_relu (ReLU)	(None, 12, 16, 144)	0	block_9_expand_B...
block_9_depthwise (DepthwiseConv2D)	(None, 12, 16, 144)	1,296	block_9_expand_r...
block_9_depthwise_... (BatchNormalizatio...	(None, 12, 16, 144)	576	block_9_depthwis...
block_9_depthwise_... (ReLU)	(None, 12, 16, 144)	0	block_9_depthwis...
block_9_project (Conv2D)	(None, 12, 16, 24)	3,456	block_9_depthwis...
block_9_project_BN (BatchNormalizatio...	(None, 12, 16, 24)	96	block_9_project[...
block_9_add (Add)	(None, 12, 16, 24)	0	block_8_add[0][0] block_9_project_...
block_10_expand (Conv2D)	(None, 12, 16, 144)	3,456	block_9_add[0][0]
block_10_expand_BN (BatchNormalizatio...	(None, 12, 16, 144)	576	block_10_expand[...
block_10_expand_re... (ReLU)	(None, 12, 16, 144)	0	block_10_expand_...
block_10_depthwise (DepthwiseConv2D)	(None, 12, 16, 144)	1,296	block_10_expand_...
block_10_depthwise... (BatchNormalizatio...	(None, 12, 16, 144)	576	block_10_depthwi...
block_10_depthwise... (ReLU)	(None, 12, 16, 144)	0	block_10_depthwi...
block_10_project	(None, 12, 16,	4,608	block_10_depthwi...

(Conv2D)	(32)		
block_10_project_BN (BatchNormalizatio...	(None, 12, 16, 32)	128	block_10_project...
block_11_expand (Conv2D)	(None, 12, 16, 192)	6,144	block_10_project...
block_11_expand_BN (BatchNormalizatio...	(None, 12, 16, 192)	768	block_11_expand[...
block_11_expand_re...	(None, 12, 16, 192)	0	block_11_expand_...
block_11_depthwise (DepthwiseConv2D)	(None, 12, 16, 192)	1,728	block_11_expand_...
block_11_depthwise...	(None, 12, 16, 192)	768	block_11_depthwi...
block_11_depthwise...	(None, 12, 16, 192)	0	block_11_depthwi...
block_11_project (Conv2D)	(None, 12, 16, 32)	6,144	block_11_depthwi...
block_11_project_BN (BatchNormalizatio...	(None, 12, 16, 32)	128	block_11_project...
block_11_add (Add)	(None, 12, 16, 32)	0	block_10_project... block_11_project...
block_12_expand (Conv2D)	(None, 12, 16, 192)	6,144	block_11_add[0][...
block_12_expand_BN (BatchNormalizatio...	(None, 12, 16, 192)	768	block_12_expand[...
block_12_expand_re...	(None, 12, 16, 192)	0	block_12_expand_...
block_12_depthwise (DepthwiseConv2D)	(None, 12, 16, 192)	1,728	block_12_expand_...
block_12_depthwise...	(None, 12, 16, 192)	768	block_12_depthwi...
block_12_depthwise...	(None, 12, 16, 192)	0	block_12_depthwi...

(ReLU)	192)		
block_12_project (Conv2D)	(None, 12, 16, 32)	6,144	block_12_depthwi...
block_12_project_BN (BatchNormalizatio...	(None, 12, 16, 32)	128	block_12_project...
block_12_add (Add)	(None, 12, 16, 32)	0	block_11_add[0] [... block_12_project...
block_13_expand (Conv2D)	(None, 12, 16, 192)	6,144	block_12_add[0] [...
block_13_expand_BN (BatchNormalizatio...	(None, 12, 16, 192)	768	block_13_expand[...
block_13_expand_re... (ReLU)	(None, 12, 16, 192)	0	block_13_expand_...
up_sampling2d (UpSampling2D)	(None, 24, 32, 192)	0	block_13_expand_...
concatenate (Concatenate)	(None, 24, 32, 288)	0	up_sampling2d[0]... block_6_expand_r...
conv2d (Conv2D)	(None, 24, 32, 64)	165,952	concatenate[0][0]
batch_normalization (BatchNormalizatio...	(None, 24, 32, 64)	256	conv2d[0][0]
activation (Activation)	(None, 24, 32, 64)	0	batch_normalizat...
conv2d_1 (Conv2D)	(None, 24, 32, 64)	36,928	activation[0][0]
batch_normalizatio... (BatchNormalizatio...	(None, 24, 32, 64)	256	conv2d_1[0][0]
activation_1 (Activation)	(None, 24, 32, 64)	0	batch_normalizat...
up_sampling2d_1 (UpSampling2D)	(None, 48, 64, 64)	0	activation_1[0] [...
concatenate_1	(None, 48, 64,	0	up_sampling2d_1[...

(Concatenate)	112)		block_3_expand_r...
conv2d_2 (Conv2D)	(None, 48, 64, 48)	48,432	concatenate_1[0]...
batch_normalizatio...	(None, 48, 64, 48)	192	conv2d_2[0][0]
activation_2 (Activation)	(None, 48, 64, 48)	0	batch_normalizat...
conv2d_3 (Conv2D)	(None, 48, 64, 48)	20,784	activation_2[0][...
batch_normalizatio...	(None, 48, 64, 48)	192	conv2d_3[0][0]
activation_3 (Activation)	(None, 48, 64, 48)	0	batch_normalizat...
up_sampling2d_2 (UpSampling2D)	(None, 96, 128, 48)	0	activation_3[0][...
concatenate_2 (Concatenate)	(None, 96, 128, 96)	0	up_sampling2d_2[... block_1_expand_r...
conv2d_4 (Conv2D)	(None, 96, 128, 32)	27,680	concatenate_2[0]...
batch_normalizatio...	(None, 96, 128, 32)	128	conv2d_4[0][0]
activation_4 (Activation)	(None, 96, 128, 32)	0	batch_normalizat...
conv2d_5 (Conv2D)	(None, 96, 128, 32)	9,248	activation_4[0][...
batch_normalizatio...	(None, 96, 128, 32)	128	conv2d_5[0][0]
activation_5 (Activation)	(None, 96, 128, 32)	0	batch_normalizat...
up_sampling2d_3 (UpSampling2D)	(None, 192, 256, 32)	0	activation_5[0][...
concatenate_3	(None, 192, 256,	0	up_sampling2d_3[...

(Concatenate)	35)		input_image[0][0]
conv2d_6 (Conv2D)	(None, 192, 256, 16)	5,056	concatenate_3[0]...
batch_normalizatio...	(None, 192, 256, 16)	64	conv2d_6[0][0]
activation_6 (Activation)	(None, 192, 256, 16)	0	batch_normalizati...
conv2d_7 (Conv2D)	(None, 192, 256, 16)	2,320	activation_6[0][...
batch_normalizatio...	(None, 192, 256, 16)	64	conv2d_7[0][0]
activation_7 (Activation)	(None, 192, 256, 16)	0	batch_normalizati...
conv2d_8 (Conv2D)	(None, 192, 256, 22)	374	activation_7[0][...
activation_8 (Activation)	(None, 192, 256, 22)	0	conv2d_8[0][0]

Total params: 416,566 (1.59 MB)

Trainable params: 409,382 (1.56 MB)

Non-trainable params: 7,184 (28.06 KB)

```
[6]: # Define callbacks
callbacks = [
    ReduceLROnPlateau(monitor='val_loss', factor=0.1, patience=4),
    EarlyStopping(monitor='val_loss', patience=10, restore_best_weights=False)
]

train_steps = len(train_x) // BATCH
valid_steps = len(valid_x) // BATCH
if len(train_x) % BATCH != 0:
    train_steps += 1
if len(valid_x) % BATCH != 0:
    valid_steps += 1
```



```

train_dataset = tf_dataset(train_x, train_y, batch=BATCH)
valid_dataset = tf_dataset(valid_x, valid_y, batch=BATCH)

# Train the model and record history
history = model.fit(
    train_dataset,
    validation_data=valid_dataset,
    epochs=EPOCHS,
    steps_per_epoch=train_steps,
    validation_steps=valid_steps,
    callbacks=callbacks
)

```

Epoch 1/2

```

WARNING: All log messages before absl::InitializeLog() is called are written to
STDERR
I0000 00:00:1722067751.371010    2452 service.cc:146] XLA service 0x7f890c015350
initialized for platform CUDA (this does not guarantee that XLA will be used).
Devices:
I0000 00:00:1722067751.371038    2452 service.cc:154]   StreamExecutor device
(0): NVIDIA GeForce RTX 4090, Compute Capability 8.9
2024-07-27 08:09:11.716538: I
tensorflow/compiler/mlir/tensorflow/utils/dump_mlir_util.cc:268] disabling MLIR
crash reproducer, set env var `MLIR_CRASH_REPRODUCER_DIRECTORY` to enable.
2024-07-27 08:09:12.771766: I
external/local_xla/xla/stream_executor/cuda/cuda_dnn.cc:531] Loaded cuDNN
version 8900

```

```

1/93          31:38 21s/step - accuracy:
0.0321 - dice_coefficient: 0.0453 - iou: 0.0232 - loss: 3.2806

I0000 00:00:1722067762.916668    2452 device_compiler.h:188] Compiled cluster
using XLA! This line is logged at most once for the lifetime of the process.

```

```

93/93          116s 1s/step -
accuracy: 0.1365 - dice_coefficient: 0.0752 - iou: 0.0393 - loss: 2.8452 -
val_accuracy: 0.6141 - val_dice_coefficient: 0.1498 - val_iou: 0.0810 -
val_loss: 2.1921 - learning_rate: 1.0000e-04

```

Epoch 2/2

```

93/93          82s 896ms/step -
accuracy: 0.6402 - dice_coefficient: 0.1607 - iou: 0.0874 - loss: 2.0575 -
val_accuracy: 0.7394 - val_dice_coefficient: 0.1690 - val_iou: 0.0923 -
val_loss: 1.9906 - learning_rate: 1.0000e-04

```

```

[7]: # Evaluate the model
test_dataset = tf_dataset(test_x, test_y, batch=BATCH)
test_steps = (len(test_x) // BATCH)

```

```

if len(test_x) % BATCH != 0:
    test_steps += 1
results = model.evaluate(test_dataset, steps=test_steps)

# Get metric names
metrics_names = model.metrics_names

# Print evaluation results
for name, value in zip(metrics_names, results):
    print(f"{name}: {value:.4f}")


```

12/12 10s 787ms/step -
accuracy: 0.7197 - dice_coefficient: 0.1651 - iou: 0.0900 - loss: 2.0211
loss: 2.0243
compile_metrics: 0.7207


```

[8]: # Plot training and validation loss
plt.figure(figsize=(12, 6))
plt.plot(history.history['loss'], label='Training Loss')
plt.plot(history.history['val_loss'], label='Validation Loss')
plt.legend()
plt.title('Training and Validation Loss')
plt.xlabel('Epoch')
plt.ylabel('Loss')
plt.show()


```



```
[9]: # Plot training and validation accuracy
plt.figure(figsize=(12, 6))
plt.plot(history.history['accuracy'], label='Training Accuracy')
plt.plot(history.history['val_accuracy'], label='Validation Accuracy')
plt.legend()
plt.title('Training and Validation Accuracy')
plt.xlabel('Epoch')
plt.ylabel('Accuracy')
plt.show()
```



```
[10]: # Plot training and validation Dice coefficient
plt.figure(figsize=(12, 6))
plt.plot(history.history['dice_coefficient'], label='Training Dice Coefficient')
plt.plot(history.history['val_dice_coefficient'], label='Validation Dice_
Coefficient')
plt.legend()
plt.title('Training and Validation Dice Coefficient')
plt.xlabel('Epoch')
plt.ylabel('Dice Coefficient')
plt.show()
```



```
[11]: # Plot training and validation IoU
plt.figure(figsize=(12, 6))
plt.plot(history.history['iou'], label='Training IoU')
plt.plot(history.history['val_iou'], label='Validation IoU')
plt.legend()
plt.title('Training and Validation IoU')
plt.xlabel('Epoch')
plt.ylabel('IoU')
plt.show()
```




```
[12]: # Visualize prediction results
for i, (x_path, y_path) in enumerate(zip(test_x[:10], test_y[:10])):
    x = read_image(x_path)
    y_pred = model.predict(np.expand_dims(x, axis=0))[0]
    y_original = read_mask(y_path) # Directly read the mask

    h, w, _ = x.shape
    white_line = np.ones((h, 10, 3)) * 255


    all_images = [
        x * 255, white_line,
        mask_parse(y_original), white_line, # Parse and display the original
        ↪mask mask_parse(y_pred)
    ]
    image = np.concatenate(all_images, axis=1).astype(np.uint8)

    fig = plt.figure(figsize=(12, 12))
    a = fig.add_subplot(1, 1, 1)
    imgplot = plt.imshow(image)
    plt.show()
```


1/1 1s 1s/step




1/1 0s 10ms/step




1/1 0s 10ms/step




1/1 0s 10ms/step




1/1 0s 10ms/step




1/1 0s 10ms/step




1/1 0s 10ms/step




1/1 0s 10ms/step



1/1 0s 10ms/step



1/1 0s 9ms/step



[]: