

Contents

[illegible]

1. (Data Feed)

- : data_feed.h, data_feed.cpp
- : CSV
- : Tick ()
- : loadCSV()

2. (Strategy)

- : strategy.h, strategy.cpp
- :
- : (/)
- : BUY, SELL, HOLD
- : computeSignal()

3. (Portfolio)

- : portfolio.h, portfolio.cpp
- :
- :
 - Trade:
 - Portfolio:
- : createPortfolio(), executeBuy(), executeSell(), getNetValue()

4. (Risk Manager)

- : risk.h, risk.cpp
- :
- :
- :
 -
 -
- : createRiskManager(), updateRisk()

5. (Engine)

- : engine.h, engine.cpp
- :
- :
 - 1.
 2. ticks
 - 3.
 - 4.
 - 5.
- : runEngine()

(CSV) → →

↓

← ←

↓

← ←

↓

→

- : ticks tick
- :
- :
- : Ctrl+C

- computeSignal
- RiskManager
- DataFeed
- Portfolio

- C++
-
- I/O CSV
-

- C++ (C++23)
- CMake 3.10+
- Git

1. :
`git clone <repository-url>`
`cd EventDrivenTradingEngine`
2. :
`mkdir build`
`cd build`
`cmake ..`
`make`
3. :
`./engine`
4. :
 -
 - data/signals.csv data/trades.csv

: GitHub Codespaces

GitHub Codespaces

Codespaces

- **Codespaces:**
 1. GitHub “Code”
 2. “Codespaces”
 3. “Create codespace on main”
 - 4.
- **Codespaces :**
 - C++23 CMake VS Code
 -
 -
 -

: - C++23 IDE (VS Code with C++ extension, CLion) - CMake - ()

- C++ (C++23)
- RAI
-
-

-
-
-

1. Fork
2. : `git checkout -b feature/new-feature`
3. : `git commit -m "Add new feature"`
4. : `git push origin feature/new-feature`
5. Pull Request

1. : `./engine`
2. : CSV
3. :
4. : Ctrl+C

1. Google Test Catch2
- 2.
3. : `computeSignal, executeBuy, updateRisk`

-
-
-

- CSV
-
-

- `std::cout`
-
- CSV
- Valgrind

- C++
- CMake
-

-
- ()
-

- CSV
-
- (UTF-8)

-
-
-
-

-
-
-
-

EventDrivenTradingEngine

EventDrivenTradingEngine C++

ticks

- CSV
-
-
-
-
-

- : C++ (C++23)
- : CMake
- : C++
- : CSV

- C++ C++23 (GCC 11+ Clang 14+)
- CMake 3.10+

1.

```
git clone <repository-url>
cd EventDrivenTradingEngine
```

2.

```
mkdir build
cd build
```

3.

```
cmake ..
make
```

./engine

data/tr_eikon_eod_data.csv

data/signals.csv data/trades.csv

- data/tr_eikon_eod_data.csv:
- data/signals.csv:

- `data/trades.csv`:

[]