

## Graph Theory Fall 2021

### Assignment 4

Due at 5:00 pm on Monday, September 27

Questions with a (★) are each worth 1 bonus point for 453 students.

1. Recall that the adjacency matrix of a simple graph  $G$  with vertex set  $\{v_1, v_2, \dots, v_n\}$  is the  $n \times n$  matrix  $A$  with entries

$$A_{i,j} = \begin{cases} 1 & v_i \text{ is adjacent to } v_j \\ 0 & \text{otherwise} \end{cases}$$


- A. Let  $K_{3,4}$  be the complete bipartite graph with vertices  $\{v_1, v_2, v_3, v_4, v_5, v_6, v_7\}$  and where vertices  $v_i$  and  $v_j$  are adjacent if and only if  $i$  and  $j$  have different parity (one of  $i$  or  $j$  is odd and the other is even.) What does the adjacency matrix  $A$  look like in this case?
- B. Let  $K_{3,4}$  be the complete bipartite graph with vertices  $\{v_1, v_2, v_3, v_4, v_5, v_6, v_7\}$  and where vertices  $v_i$  and  $v_j$  are adjacent if and only if  $(i \leq 3 \text{ and } j \geq 4) \text{ or } (i \geq 4 \text{ and } j \leq 3)$ . What does the adjacency matrix  $A$  look like in this case?

2. We let  $G$  be a connected graph. For any vertex  $v \in V$ , define its **eccentricity** by the formula

$$\text{ecc}(v) = \max\{D(u, v) : u \in V\}.$$

This is the length of “longest among all shortest paths with  $v$  as an endpoint.”


- a. Let  $G$  be the graph drawn below. Label each vertex with its eccentricity.



- b. The **diameter** of a graph is the maximum among the eccentricities of its vertices and the **radius** of a graph is the minimum among the eccentricities of its vertices. For the graph  $G$  drawn in part a, what is its diameter and radius?
- c. A **central vertex** is a vertex  $v$  such that  $\text{ecc}(v) = \text{radius}(G)$ . Which of the vertices in the graph  $G$  are central vertices?
- d. A **peripheral vertex** is a vertex  $v$  such that  $\text{ecc}(v) = \text{diameter}(G)$ . Which of the vertices in graph  $G$  are peripheral vertices?
- e. Explain why it is important for these definitions that  $G$  be a connected graph.
- f. Show that for any connected graph  $H$ ,
- $$\text{radius}(H) \leq \text{diameter}(H) \leq 2 \text{ radius}(H).$$
- One inequality is quite easy and the second can be handled using a central vertex and the triangle inequality.

3. Recall that a **bridge** is an edge whose deletion increases the number of components of a graph. Also, a **link** is another term for “non-bridge.”

- a. In the graph  $G$  (same as in problem 2a) below, which edges are bridges and which edges are links?



- b. If you delete all of the bridges, how many components remain?
- c. Suppose, instead, you deleted links one at a time until the remaining graph had no links. How many links could you delete in this process?
4. Let  $G$  be a graph and  $x$  be a vertex of  $G$ . We say that  $u \sim w$  if  $D(u, x) = D(w, x)$ . When we discuss trees, the equivalence classes will be the levels of a tree.
- Show that this relation is reflexive.
  - Show that this relation is symmetric.
  - Show that this relation is transitive.
  - Suppose  $x$  has no loops and suppose  $ux$  is an edge. Briefly describe the equivalence class  $[u]$ .