

Programming Interface Functions

project ①

Inputs:

1. primitive p
2. cam
3. view

Returns:

1. aabb
2. visible
3. p_sd
4. p_tcd

tile_cull ②

Inputs:

1. t_min, t_max
2. p_tcd

Returns:

1. tile_visible

pixel_info ③

Inputs:

1. pixel px=(x,y)
2. cam
3. view

Returns:

1. px_data

evaluate ④

Inputs:

1. px_data
2. p_sd

Returns:

1. alpha
2. valid
3. color c

Rendering Pipeline ⑤

Preprocess ⑥

```
prim_2D_data = []  
for p in primitives:  
    prim_2D_data.append(project(p, cam, view))
```

Filter ⑦

```
prims2D_visible = []  
for prim_2D in prim_2D_data:  
    visible = get_visible(prim_2D)  
    if visible:  
        prims2D_visible.append(prim_2D)
```

```
tile_prim_map = {}  
for t in pixel_tiles:  
    for prim_2D in prims2D_visible: ⑧  
        if not intersects(prim_2D, t):  
            continue  
        t_min, t_max = compute_tile_boundaries(t)  
        p_tcd = get_tile_cull_data(prim_2D)  
        if not tile_cull(t_min, t_max, p_tcd): ⑨  
            continue  
        tile_prim_map[t].append(prim_2D)
```

```
for t in tile_prim_map.keys():  
    for (x,y) in t.pixels:  
        C, T = 0, 1  
        px_data = pixel_info((x, y), cam, view) ⑩  
        for prim_2D in tile_prim_map[t]:  
            p_sd = get_shader_data(prim_2D)  
            alpha, valid, c = evaluate(px_data, p_sd) ⑪  
            C = C + c * alpha * valid * T  
            T = (1-alpha * valid) * T  
        img[x, y] = C
```