Yield Strength

Week 10

- From last week: we found the credibility problem GPT's values since most of the materials'
 values do not appear in the reference it mentioned
- Additionally, GPT's response are only based on "common knowledge" with the field of materials science and engineering, which shows another evidence that why it generates yield strength values that are far away from the true values


ChatGPT

You're correct; without access to specific sentences from the article, I cannot directly quote or cite the exact values mentioned within it. My response regarding the yield strength values for CoCrFeMnNi high entropy alloy was based on common knowledge within the field of materials science and engineering. These values are typically reported in the literature and are based on experimental studies and characterization of high entropy alloys by various researchers. The specific range provided (500-800 MPa) is commonly cited in literature and represents the typical yield strength range observed for this alloy composition. However, if you need precise citations from the article, accessing the original source would be necessary.

```
Iteration:
           1 Generated_rows:
                                3; TOTAL: Uniq_rows:
                                                                Uniq_materials:
Iteration:
           2 Generated rows:
                                       TOTAL: Uniq rows:
                                                                Uniq materials:
Stopping due to NO PROGRESS
         Material Value
                                           Reference
      CoCrFeMnNi
                     655
                               (Zhang et al., 2014)
9
      AlCrCuFeNi2
                     670
                                (Tsao et al., 2013)
10
      FeCoNiCrMn
                     800
                           (Gludovatz et al., 2014)
                     655
                               (Zhang et al., 2014)
   CoCrFeMnNi
                                (Tsao et al., 2013)
    AlCrCuFeNi2
                     670
                     800
                           (Gludovatz et al., 2014)
13
   FeCoNiCrMn
                     760
                              (Senkov et al., 2011)
     CoCrFeMnNiTi
15 Al0.3CoCrFeNi
                     850
                                 (Yeh et al., 2004)
                              (Senkov et al., 2010)
    AlLiMqScTi
                     890
    AlCoCrFeNi2
17
                     615
                               (Huang et al., 2006)
```

- Because adding the third column ['reference'] losing so much entries, we decided to using another approach we mentioned last week: train the model
- We would like to see how Chat GPT will works when having a "training session" before generating values
- Simple training: give 1/10 of our group truth table to GPT as the train data for yield strength

- Statistic before training




··· Total: 141 Found: 42 Unkdown: 99

average error: 0.8628129284227812

		Material	precentage of error		
	0	CoCrFeMnNi	0.333333		
	1	FeCoNiCrMn	1.112903		
	2	CrFeCoNi	5.000000		
	3	AlCoCrFeNi	0.544000		
	4	CoCrFeMnNiTi	NaN		
1;	36	CoCrFeNiUtp	NaN		
1:	37	CoCrFeNiUth	NaN		
1;	38	CoCrFeNiUts	NaN		
1;	39	CoCrFeNiUto	NaN		
14	40	CoCrFeNiUte	NaN		
141	141 rows x 2 columns				

- Statistic after training



Total: 155
Found: 141
Unkdown: 14

of correct: 139

average error: 0.12071430979533282

	Material	precentage of error			
0	CoNiFe(AlSi)0.2	0.000000			
1	HEA	0.000000			
2	SWCed	0.000000			
3	HEA	0.000000			
4	CTCRed HEA	0.000000			
150	CoCrFeNiV	0.264045			
151	CoCrFeNiNb	0.621739			
152	CoCrFeNiMo	0.220930			
153	CoCrFeNiW	NaN			
154	CoCrFeNiHf	NaN			
155 rows × 2 columns					

Progress - Problems

- As we can observe from the histogram, it seems like training data can help.
- However, as we get a closer look of the data frame, we discover that most of the materials are those we feed to GPT.
- Nevertheless, it generates some materials that are not included in the table that I provided. And the percentage of error is significantly decreased than not training the model
- One more good thing is: The number of unknown materials decrease a lot

	Material	precentage of error
31	MoNbTaW	0.617202
73	MoNbTaW	0.617202
85	AlCoCrFeNi	0.056000
86	CoCrFeNiPd	1.865854
87	CoCrFeNiMn	0.154412
88	CoCrFeNiCu	3.956522
89	CoCrFeNiTi	0.577358
90	CoCrFeNiAl	0.421053
125	MoNbTaW	0.617202
137	AlCoCrFeNi	0.056000
138	CoCrFeNiPd	1.865854
139	CoCrFeNiMn	0.154412
140	CoCrFeNiCu	3.956522
141	CoCrFeNiTi	0.577358
142	CoCrFeNiAl	0.421053
150	CoCrFeNiV	0.264045
151	CoCrFeNiNb	0.621739
152	CoCrFeNiMo	0.220930

Further Steps / Problems

- Think about a prompt to ask GPT not to repeat the materials that I mentioned
- Give more training session?
 - Pass in some formulas or knowledge regarding yield strength to help GPT generates more accurate values
 - Some thoughts: is yield Strength can get from other properties that GPT has more knowledge on it and then use these other properties and formulas to get to the yield strength value