Yield Strength

Week 9

Progress

```
err = []
for m in check_list:
    if m.strip() in gtd_list:
        val = gen_value[check_list.index(m)]
        cor = gtd_value[gtd_list.index(m.strip())]
        err.append(abs(val - cor) / cor)
        material = m.strip()
        found = False
        for gtd in gtd_list:
            if material in gtd:
                prev_idx = gtd.index(material) - 1
                next_idx = gtd.index(material) + len(material)
                if prev_idx > 0 and (gtd[prev_idx].isalpha() or gtd[prev_idx].isdigit()):
                if next_idx < len(qtd) and (qtd[next_idx].isalpha() or qtd[next_idx].isdiqit()):</pre>
                val = gen value[check list.index(m)]
                cor = gtd_value[gtd_list.index(gtd)]
                err.append(abs(val - cor) / cor)
                found = True
        if not found:
            err.append(-1)
print("Total:", len(check list))
print("Found:", len(err) - err.count(-1))
print("Unkdown:", err.count(-1))
for i in range(len(err)):
    if err[i] == -1:
       err[i] = None
result_df = pd.DataFrame({
    "Material": check_list,
    "precentage of error": err
```

- From last week: improve and modify the code to check match and return accuracy
- This time, we have found much more entries matches than last week
- However, the accuracy rate is terrible. Among those found matches, the average error rate is 0.5620184819104491.

Total: 44 Found: 23 Unkdown: 21

tage of error	Material	
0.212963	CoCrFeMnNi	0
NaN	AlCrCuFeNi	1
1.096774	FeCoNiCrMn	2
0.544000	AlCoCrFeNi	3
NaN	CoCrFeMnNiTi	4
0.578313	CoCrFeMnNiV	5
NaN	CoCrFeMnNiMo	6
NaN	AlCuCrFeNi	7
0.322222	CoCuFeMnNi	8
0.483333	CoCrFeNi	9
0.212963	CoCrFeMnNi	10
NaN	AlCrCuFeNi	11
1.096774	FeCoNiCrMn	12
0.544000	AlCoCrFeNi	13
NaN	CoCrFeMnNiTi	14
0.578313	CoCrFeMnNiV	15
NaN	CoCrFeMnNiMo	16
NaN	AlCuCrFeNi	17
0.322222	CoCuFeMnNi	18

Progress - Dive into why the values generated are far away from the true value

- It seems like Chat GPT are just generating yield strength value hypothetically

Here is a hypothetical example table:

Material	Yield Strength (MPa)
FeCoNiCrMn	300
AlCoCrFeNi	650
CoCrFeMnNi	520
AITiVCr	400
NiFeCrCoMnCu	750
CoCrFeNiPd	580
MnFeCoCrNi	450
CrMnFeCoNi	620
AlLiMgScTi	710
VNbMoTaW	900

Progress

Words from Chat GPT



ChatGPT

As an Al language model, I don't have access to information about specific websites used in my training data. My responses are generated based on a mixture of licensed data, data created by human trainers, and publicly available data from various sources. These sources could include websites covering a wide range of topics, but I don't have the ability to identify or list them. My training involved processing and learning from diverse text sources to develop a broad understanding of human language.

- New Idea: Add a third column: Ask GPT where is the value comes from

Progress

- As we can see, if we ask GPT to provide where is the value comes from, it generates much less entries than when doesn't ask for the reference
- This implies that GPT doesn't really have a good database on yield strength.
- Moreover, when we dive into the reference, we found that ChatGPT does a poor job on extracting property values. Those paper doesn't have the yield strength about the materials, so it might just generate the value based on the learning the formulas in the paper

Material	Yield Strength (MPa)	Source
CoCrFeMnNi	500-800	[1]
AlTiVCrFeNi	900-1500	[2]
CrMnFeCoNi	450-650	[3]
CoCrFeNi	400-800	[4]
AlCoCrFeNi	300-600	[5]

Sources:

- 1. Yeh, Jien-Wei, et al. "Nanostructured high-entropy alloys with multiple principal elements: Novel alloy design concepts and outcomes." Advanced Engineering Materials 6.5 (2004): 299-303.
- 2. Senkov, O. N., et al. "Microstructure and room temperature properties of a high-entropy TaNbHfZrTi alloy." Journal of Alloys and Compounds 509.20 (2011): 6043-6048.
- 3. Cantor, B., et al. "Microstructural development in equiatomic multicomponent alloys." Materials Science and Engineering: A 375 (2004): 213-218.
- 4. Lu, Z. P., et al. "High-entropy alloys with high saturation magnetization, electrical resistivity, and malleability." Science 345.6203 (2014): 1593-1596.
- 5. Zhang, Y., et al. "Microstructures and previous of high-entropy alloys." Progress in Materials Science 61 (2014): 1-93.

Future Steps / Questions

- The analysis of GPT yield strength learning ability demonstrate that it doesn't have a solid database of yield strength.
- Machine Learning added on?
 - Next week, our thought is to give 1/10 of our group truth table to GPT as the train data for yield strength as well as some background information about yield strength that helps Chat GPT get access
- Improvement?
 - tell GPT to return materials' yield strengths only for those which appear in the paper or in its database

Summary

Date	Hours	Description of Work
04/08	4	Improvement of code from previous week
04/09	3.5	Found credibility problems of GPT and figure out potential ways to solve it
Throughout week	2	Compile all work into group slides