



## GITHUB


## w05-P1: use .env to connect supabase , and show via route /api/blog\_61



4070f10 haowei Wed Oct 9 19:02:06 2024 +0800 w05-P1: use .env to connect supabase , and show via route /api/blog\_61


## =&gt; w05-P2: use blog theme to create ejs blog\_xx.ejs and show your info from pininfo variables







b3a3038 haowei Wed Oct 9 19:59:19 2024 +0800 w05-P2: use blog theme to create  
ejs blog\_xx.ejs and show your info from pinfo variables  
4070f10 haowei Wed Oct 9 19:02:06 2024 +0800 w05-P1: use .env to connect  
supabase , and show via route /api/blog\_61

## W05-P3: Add js code into blog\_xx.ejs and show blogs obtained from Supabase blog\_61 table



3120fda haowei Wed Oct 9 20:37:29 2024 +0800 W05-P3: Add js code into blog\_61.ejs and show blogs obtained from Supabase blog\_xx table  
b3a3038 haowei Wed Oct 9 19:59:19 2024 +0800 w05-P2: use blog theme to create  
ejs blog\_xx.ejs and show your info from pinfo variables  
4070f10 haowei Wed Oct 9 19:02:06 2024 +0800 w05-P1: use .env to connect  
supabase , and show via route /api/blog\_61

## w05-P4: refactor p3 code using MVC architecture



## w05-p5: git log

```
b7e85de haowei Wed Oct 9 21:19:16 2024 +0800 git log
8676b72 haowei Wed Oct 9 21:18:31 2024 +0800 w05-P4: refactor p3 code using MVC
architecture
3120fda haowei Wed Oct 9 20:37:29 2024 +0800 W05-P3: Add js code into
blog_61.ejs and show blogs obtained from Supabase blog_xx table
b3a3038 haowei Wed Oct 9 19:59:19 2024 +0800 w05-P2: use blog theme to create
ejs blog_xx.ejs and show your info from pinfo variables
4070f10 haowei Wed Oct 9 19:02:06 2024 +0800 w05-P1: use .env to connect
supabase , and show via route /api/blog_61
```