
## BÁO CÁO BÀI TẬP GIT / GIT HUB BUỔI 2

BÀI 1: Work-flow cơ bản của git-hub



A, git clone từ repo hapo-nghialuu về máy,

```
MINGW64:/c/Users/Apple/Desktop/tutorial

git c

Apple@DESKTOP-T7KPG0A MINGW64 ~/Desktop (master)

$ git clone https://github.com/hapo-nghialuu/tutorial

Cloning into 'tutorial'...

remote: Enumerating objects: 31, done.

remote: Counting objects: 100% (31/31), done.

remote: Compressing objects: 100% (20/20), done.

remote: Total 31 (delta 14), reused 24 (delta 7), pack-reused 0

Receiving objects: 100% (31/31), done.

Resolving deltas: 100% (14/14), done.
```

B, git checkout -b manh-issues để chuyển sang một branch mới tạo.

```
Apple@DESKTOP-T7KPGOA MINGW64 ~/Desktop/tutorial (master)
$ git checkout -b manh-issues
Switched to a new branch 'manh-issues'
```

C. git add, git commit, git push

```
Apple@DESKTOP-T7KPGOA MINGW64 ~/Desktop/tutorial (manh-issues)
$ git add .


Apple@DESKTOP-T7KPGOA MINGW64 ~/Desktop/tutorial (manh-issues)
$ git commit -m 'File mơi của minh manh võ'
[manh-issues 07bb79f] File mơi của minh manh võ
1 file changed, 1 insertion(+)
create mode 100644 minhmanh-newfile.txt

Apple@DESKTOP-T7KPGOA MINGW64 ~/Desktop/tutorial (manh-issues)
$ git push origin manh-issues
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
```

## D. tiến hành merge vào origin/master trên remote




## Yêu cầu:



(i) Remember, contributions to this repository should follow our GitHub Community Guidelines.

## Phê duyệt:

Add more commits by pushing to the manh-issues branch on hapo-nghialuu/tutorial.



- 1. Git pull từ remote về master
- 2. Git checkout sang manh-issues
- 3. Tiến hành sửa đổi và commit

```
PS C:\Users\Apple\Desktop\tutorial> git add .
PS C:\Users\Apple\Desktop\tutorial> git commit -m "code thu 2 from local"
[manhissues b0954eb] code thu 2 from local
1 file changed, 2 insertions(+), 1 deletion(-)
```

4. Git pull lại từ remote origin manh-issues về local để tạo xung đột

```
PS C:\Users\Apple\Desktop\tutorial> git pull origin manhissues remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), 688 bytes | 20.00 KiB/s, done.
From https://github.com/hapo-nghialuu/tutorial
* branch manhissues -> FETCH_HEAD
```

5. Xem lại xung đột

```
You, seconds ago | 2 authors (You and others)

Đây là dòng code đầu tiên

Accept Current Change | Accept Incoming Change | Accept Both Changes | Compare Changes

<<<<< HEAD (Current Change)

code thêm dòng thứ 2

=====

Dòng code from github

>>>>>> f91bb2177c806bfbcc4fa51bed14da5115f61cc8 (Incoming Change)
```

Chọn apply current change: giữ thay đổi hiện tại Chọn accept incoming change để nhận code người khác đã sửa Chọn accept both changes để giữ cả 2 code.