

Learning from Noise: Enhancing DNNs for Event-Based Vision through Controlled Noise Injection

Marcin Kowalczyk, Kamil Jeziorek, Tomasz Kryjak
Embedded Vision Systems Group, AGH University of Krakow, Poland
kowalczyk@agh.edu.pl kjeziorek@agh.edu.pl tomasz.kryjak@agh.edu.pl

Abstract

Event-based sensors offer significant advantages over traditional frame-based cameras, especially in scenarios involving rapid motion or challenging lighting conditions. However, event data frequently suffers from considerable noise, negatively impacting the performance and robustness of deep learning models. Traditionally, this problem has been addressed by applying filtering algorithms to the event stream, but this may also remove some of relevant data. In this paper, we propose a novel noise-injection training methodology designed to enhance the neural networks robustness against varying levels of event noise. Our approach introduces controlled noise directly into the training data, enabling models to learn noise-resilient representations. We have conducted extensive evaluations of the proposed method using multiple benchmark datasets (N-Caltech101, N-Cars, and Mini N-ImageNet) and various network architectures, including Convolutional Neural Networks, Vision Transformers, Spiking Neural Networks, and Graph Convolutional Networks. Experimental results show that our noise-injection training strategy achieves stable performance over a range of noise intensities, consistently outperforms event-filtering techniques, and achieves the highest average classification accuracy, making it a viable alternative to traditional event-data filtering methods in an object classification system.

Code: https://github.com/vision-agh/DVS_Filtering

1. Introduction

Event cameras, also known as neuromorphic cameras, are advanced vision sensors offering high temporal resolution, low latency, and energy efficiency, making them a compelling alternative to conventional frame-based cameras [19, 35]. They feature a unique operational mechanism that registers intensity changes independently for each pixel. This allows efficient acquisition of visual information in dy-




Figure 1. A simplified diagram of the proposed solution. Standard training without filtering leads to significant instability, while applying filters can lead to sensitivities due to excessive data reduction or retention of noise artefacts. Our noise-injection training method enhances generalisation by effectively managing noisy input data, thereby improving the robustness of neural networks in real-world conditions.

namic scenarios, such as robotics [41], autonomous vehicles [20], or real-time tracking of fast-moving objects [40]. However, raw event data is often vulnerable to noise and artifacts resulting from environmental disturbances and hardware imperfections. Furthermore, the noise intensity varies according to the operating conditions of the sensor, including the brightness of the observed scene, the sensor temperature, and operational parameters. Consequently, event data processing algorithms should, to a certain extent, be resilient to fluctuations in noise levels. It is also noteworthy that neural networks are increasingly employed for event data processing tasks, including image reconstruction, object detection, and classification. Among the methods frequently used are convolutional neural networks (CNNs) [1, 21, 39], spiking neural networks (SNNs) [3, 6, 8, 53, 61], vision transformers (ViTs) [9, 29, 48, 58], and increasingly, graph convolutional networks (GCNs) [4, 5, 12, 33, 49]. It is evident that the presence of noise can negatively affect their performance. This effect can be mitigated by filtering algorithms [2, 10, 13, 25, 31, 44, 47, 59]. However, it should be noted that each filtering algorithm inevitably removes at least a small portion of true events, which may in turn reduce the effectiveness of the processing algorithms.

The objective of this work is to investigate the impact of varying noise intensities on the performance of multi-

ple types of deep neural network architectures in processing event-camera data. Additionally, we seek to verify the hypothesis that *training neural networks on input data with different levels of noise intensity can improve their effectiveness under variable noise conditions*. Specifically, the employment of an approach that involves the exposure of the models to data of varying quality (demonstrated in Fig. 1) may result in enhanced generalisation and increased robustness of the models against real-world environmental disturbances.

However, it is important to acknowledge that when a neural network is trained on data with different noise levels, part of its resources may be devoted to denoising tasks. This can potentially limit its maximum performance under ideal conditions, which is also a crucial aspect that requires further analysis and will be investigated in this study.

The main contribution of this paper can be summarised as follows:

- We propose a novel noise-injection event data augmentation method for neural networks by introducing shot noise at different intensities, aiming to reduce the impact of noise on network performance.
- We analysed the effect of noise at different intensity levels on the performance of several popular neural network architectures (CNN, SNN, ViT, GCN) in a classification task, as well as the improvement achieved after applying our proposed augmentation technique.
- We investigated the influence of three state-of-the-art event data filtering methods on the classification accuracy of various neural network architectures and evaluated their impact when combined with our proposed training methodology.

The rest of the article is organized as follows. Section 2 analyses articles related to noise filtration, object classification on event-based data and event-data augmentation methods. Section 3 describes the operation of the methods used in the paper. Section 4 presents the experiments performed and the results obtained. Section 5 discusses the results obtained throughout the research. Finally, section 6 summarises the main findings, draws conclusions, and outlines future directions.

2. Related Work

Issues related to noise in event-based data and object classification have been frequently addressed in the scientific literature due to their significant practical importance. This section provides an overview of existing research relevant to the topic under consideration.

2.1. Noise filtration

A thorough analysis of pixel behaviour in event-based cameras was presented in [23]. The authors also analysed how

background activity intensity varies depending on the sensors operational parameters (bias settings).

The most popular algorithm for filtering event data to remove uncorrelated noise was proposed in [10]. This method involves the elimination of events lacking activity recorded in their immediate vicinity within a specified time window. This approach commonly known as the nearest-neighbour (NN) method. Similar solutions based on correlation and analysis of the event neighbourhood have also been presented in works such as [7, 31, 36, 42, 59].

Another approach involves employing neural networks to determine whether a given event is noise or a valid signal. The most popular algorithm of this type is the Event Denoising Convolutional Neural Network (EDnCNN) introduced in [2], which employs a CNN model comprising three convolutional and two fully connected layers. The aforementioned work also proposed a mechanism for assessing the probability of event generation by individual pixels, effectively enabling estimation of the likelihood that a given event is noise. Other methods based on classical neural networks include [14, 25, 47].

The utilisation of spiking neural networks, which are well-suited for processing data from neuromorphic cameras, has also gained popularity for noise reduction. For instance, in [44], the proposed network was deployed on the neuromorphic processor *IBM TrueNorth*. This network consisted of two layers: the first introducing a refractory period and the second verifying whether additional events were generated near the processed event. Other approaches based on spiking neural networks were presented in [13, 57].

2.2. Classification

Classification is a popular task in both classical image processing and event-based vision. Today, nearly all algorithms of this type rely on neural networks. CNNs are among the most common solutions [1, 21, 39], leveraging convolutional layers to extract local features such as edges, textures, and more complex patterns. A network of this type was utilised in [21], where the authors proposed a framework to convert asynchronous event data to grid-based representations through a sequence of differentiable operations. In [39], synchronous convolutions were initially trained on image-like event representations (e.g. *Event Count Image* [38]) and subsequently adapted to asynchronous versions while preserving identical outputs.

Numerous solutions employing Vision Transformers have also been proposed for event-based classification tasks [9, 29, 48, 58]. ViTs effectively capture global context by modelling image data as sequences of patches processed through a self-attention mechanism. This allows ViTs to model relationships even between distant regions of the image, thereby enhancing their ability to capture global patterns and contextual information. An example is the Event

Transformer (EvT) proposed in [48], where the authors introduced a transformer-based architecture utilising a novel patch-based representation that includes only pixels activated by events. Another example is the three-way attention mechanism [29] designed to preserve the spatio-temporal attributes of event data.

SNNs have also gained popularity in this task [3, 6, 8, 53, 61]. In [8], the authors employed an SNN for word classification based on lip movements, introducing a novel Signed Spiking Gated Recurrent Unit (SpikGRU2+) neuron as the task head. Authors of [6] explored the use of SNNs for sign language classification based on event camera data.

Another promising approach involves Graph Convolutional Networks, which have been designed for handling irregular and sparse data [4, 5, 12, 33, 49]. These networks effectively process event data modelled as evolving spatio-temporal graphs by employing graph convolutional operations. The authors of [49] proposed the AEGNN network, which formulates efficient update rules for newly arriving events. In contrast, [12] employs a voxelisation strategy, preprocessing events by selecting representative voxels prior to the application of graph convolutions, thereby reducing computational complexity.

To the best of the authors knowledge, no previous work has systematically examined the impact of varying levels of noise on event-based neural network models. Moreover, there is no prior research that explicitly explores the influence of noise exposure during training on model robustness.

2.3. Event Data Augmentation

Data augmentation is a widely utilised technique that aims to enhance the generalisation and performance of machine learning models. Typical augmentation methods, well-established in computer vision, include basic geometric transformations such as translation, rotation, scaling, cropping, and colour space modifications [32, 46, 60]. More advanced techniques involve combining different images into single training samples, as presented in [28, 62].

In the context of event-based camera data, traditional augmentation techniques (e.g. translations, scaling, rotations) can be relatively easily adapted by generating new event streams through appropriate geometric transformations [34]. More specific event-data augmentation techniques have also been introduced, such as EventMix [51], which combines different event streams into single training samples, or EventDrop [24], a random event-removal method aimed at enhancing model generalisation by intentionally omitting parts of the event stream. Another notable technique described in the literature is EventRPG [54], which presents RPGDrop and RPGMix augmentations by dropping and mixing events with the guidance of saliency information of SNNs.

However, to the best of the authors knowledge, no previ-

ous studies have investigated the direct application of variable shot noise levels as a data augmentation strategy specifically for event-based sensor data, nor evaluated its impact on different neural network models performance.

3. Methods

This section provides an overview of the methods and tools utilised in the research, including the operating principle of the event camera, the noise modelling process, event filtering, the strategy for incorporating noise during training, a detailed description of the used datasets, the architectures of the considered neural networks, and their implementations.

3.1. Event data and noise generation

Each pixel in an event camera operates independently and responds to changes in light intensity. When the change in logarithmic light intensity at a given pixel exceeds a predefined threshold, a single event is generated: $e_i = (x_i, y_i, t_i, p_i)$. The event is characterised by a timestamp t_i , the pixel coordinates (x_i, y_i) , and a polarity p_i , which can be either positive or negative depending on the direction of the intensity change. As a result, the event camera produces a sparse, spatio-temporal stream of events with high temporal resolution, triggered by changes occurring in the observed scene.

However, these sensors are not perfect, and their outputs often contain noise artifacts. In the context of event-based sensors, shot noise arises from fluctuations in the pixel photoreceptor and change-detection circuits, which randomly cross the event-triggering threshold. This type of noise can be effectively modelled as a Poisson process. Such modelling was utilised in [27] to generate noise during the conversion of frame-based data into event-based data. A similar approach was presented in [25] for event data filtering, allowing for the evaluation of filtering performance.

Another method for introducing noise to event data involves the use of recordings obtained from a real-event sensor observing a static scene with constant illumination. In this scenario, all recorded events can be regarded as noise. These noise samples can then be added to other event sequences, thereby enabling the adjustment of noise levels. However, this approach is characterised by limited control over the precise noise intensity and may be influenced by micro-movements or slight illumination fluctuations present during the recording process.

In this work, we employ an approximation of the Poisson process with a sequence of Bernoulli trials to generate datasets with different noise levels. We assume that all pixels share the same average noise rate. The time step for this process is calculated based on the image resolution and the desired noise intensity as in the Eq. (1).

$$\Delta t = \frac{1}{\lambda \cdot N \cdot D} \quad (1)$$

where λ is the noise intensity [Hz/px], N is the number of pixels, and D is the parameter for dividing the time step length, allowing for a better approximation of the Poisson process. The Poisson process is well approximated if the Eq. (2) is satisfied.

$$P = \lambda \cdot \Delta t = \frac{1}{N \cdot D} \ll 1 \quad (2)$$

where P is the probability of event generation for a pixel in each step. A pseudo-random number determines whether an event should be generated in each Δt , and if so, the pixel coordinates to which it is assigned are drawn randomly.

3.2. Event noise filtering

Event data filtering is a process that enables the elimination of events that are unrelated to genuine brightness variations in the observed scene. In this study, three filtering algorithms were applied to evaluate their impact on the classification performance of neural networks. The test data, augmented with synthetic noise, was filtered using three methods: the nearest neighbour (NN) [10], the Event Denoising CNN (EDnCNN) [2], and the Distance-based Interpolation with Frequency weights (DIF) [31].

The NN filter removes events that do not have neighbouring events within a 3×3 window and a specified temporal window. The EDnCNN method uses a convolutional neural network, where for each event, a 25×25 spatial neighbourhood is considered. For each pixel in this neighbourhood, the network processes information about the time elapsed since the last two positive and the last two negative events.

The DIF algorithm, designed for low-memory embedded platforms, divides the sensor array into subregions, within which timestamps and intervals between consecutive events are filtered. The filtered timestamps are then interpolated based on the distance of the processed event to the centres of neighbouring subregions and their respective intervals. The difference between the event's timestamp and the interpolated value determines whether the event is removed.

The filtered test datasets were subsequently evaluated using trained models, and the classification performance was compared to results obtained without filtering.

3.3. Noise-injection data augmentation

The impact of training neural networks on noisy data was also investigated. Two approaches were employed. In the first one, all training samples were augmented with noise of a fixed intensity. The networks trained in this manner were then evaluated on test datasets containing noise of varying intensities, both with and without prior filtering.

Model type	Parameter name	Parameter
CNN	Architecture	ResNet18 [26]
	Input channels	2
	Backbone parameters	11.17 M
ViT	Architecture	MaxViT [55]
	Input channels	20
	Stages	4
	Depth of stages	(1, 1, 1, 1)
SNN	Backbone parameters	13.37 M
	Architecture	ResNet18 [15, 26]
	Input channels	2
GCN	Backbone parameters	11.17 M
	Architecture	GCN ResNet [49]
	Convolution	SplineConv
	Input Channels	1
GCN	Backbone parameters	8.52 M

Table 1. Details of the evaluated models, including architecture types and the number of backbone parameters.

The second approach involved training on data with varying noise levels, using the same neural network architectures as in previous experiments. In this case, noise injection was treated as a form of data augmentation. For each loaded training sample, a random value was drawn to determine the corresponding noise intensity, including the possibility of no noise. The networks trained in this way were evaluated on test datasets with different noise levels, as well as on datasets that had been filtered beforehand.

3.4. Model Architectures and Event Representations

To evaluate the impact of the noise and the effectiveness of the proposed noise-injection training approach, we conducted experiments using four widely recognised backbone architectures commonly applied in event-based data processing. Tab. 1 summarises the detailed specifications of these models, including their architectures, input configurations, and the number of backbone parameters.

The first architecture is a Convolutional Neural Network (CNN) based on a modified ResNet18 [26], where the first layer was adapted to accommodate event-based data representations. We employed an *Event Count Image* [38] with two channels, each summing the number of events per polarity to create a representation of dimension $2 \times W \times H$.

The second architecture, inspired by the work [22], involves a Vision Transformer (ViT) utilising MaxViT [55], which incorporates MBConv blocks, block attention, and grid attention mechanisms per stage. Here, the *Voxel Grid* approach was adopted following the same work: the event window is divided into T temporal intervals, each processed into separate *Event Count Images*, combined into a representation with dimensions $2T \times W \times H$.

Third model is a Spiking Neural Network (SNN), similarly employing a modified ResNet18 structure with *Integrated Fire* neurons and the *ATan* surrogate function. For

SNN, we utilised the *Event Spike Tensor* [21], dividing the event window into T intervals and summing event polarities, resulting in a tensor of dimensions $T \times 2 \times W \times H$.

The final architecture explored is a Graph Convolutional Network (GCN), based on the approach proposed by [49], employing a residual structure with SplineConv layers [18]. Due to substantial memory demands and computational complexity associated with increasing event numbers (noise levels), we adopted a spatio-temporal voxelisation strategy, generating a *Voxel Graph* representation instead of creating a graph node per event. This strategy involves dividing the space into small voxels in which events are grouped into a single representative vertex with an averaged spatio-temporal position and average polarity.

Each model was complemented by a classifier consisting of a single fully connected layer, whose output dimensionality corresponds directly to the number of classes in the dataset considered.

3.5. Datasets

To evaluate our method, we used three popular datasets commonly employed for classification tasks: N-Caltech101 [43], N-Cars [52], and Mini N-ImageNet [30]. The N-Caltech101 and Mini N-ImageNet datasets are event-based counterparts of the well-known frame-based Caltech101 [16] and Mini ImageNet [11, 56], created by capturing images displayed on a monitor using event-based cameras. In contrast, the N-Cars dataset consists of real-world event data and is comparatively simpler, containing only two classes with a resolution of 120×100 . The N-Caltech101 and Mini N-ImageNet datasets each contain a larger number of classes and higher resolutions: N-Caltech101 includes 101 categories at a resolution of 240×180 , while Mini N-ImageNet has 100 categories with a resolution of 640×480 .

3.6. Implementation Details

All experiments were conducted using the PyTorch environment [45] with PyTorch Geometric [17] and Spiking-Jelly [15] libraries for the implementation of GCN and SNN models. In ViT and SNN models, the parameter T (time-steps) was set to 10. For the N-Caltech101 and Mini N-ImageNet, 50-ms event windows were adopted, while for the N-Cars, a 100-ms interval was used. In ViT model representations, images were resized to 128×128 for N-Cars and 224×224 for N-Caltech101 and Mini N-ImageNet.

To generate the graph, spatio-temporal positions were normalised to the range $[0,1]$, with a search radius of 0.02 and a maximum number of neighbours set to 16. Before generating representations, the events were transformed with Random HorizontalFlip, Crop, and Translate augmentations. The AdamW optimiser [37] was used with a learning rate of $1e-4$ and a weight decay of $1e-4$. Computations were carried out using NVIDIA GH200 and A100 GPUs for

up to 100 epochs.

For the NN method, the temporal window length was set to $10000\mu s$. The parameters for the DIF method were set as follows: filter length $15000\mu s$, scale 4, and update factor 0.5. The EDnCNN algorithm utilised default parameters and weights provided by the authors in [2].

4. Experiments and Results

The objective of this study was to evaluate the impact of varying noise intensity on the performance of deep neural network models and to test the hypothesis that training these networks on input data with different noise levels can improve their effectiveness under changing conditions. This section provides an analysis of the experimental results, comparing the effectiveness of the noise-injection data augmentation method with standard filtering approaches. For additional experiments, including evaluation on a detection task and tests using real camera noise, we refer to the supplementary materials.

4.1. Methodology

In order to provide a comprehensive evaluation of the efficacy of the proposed method, four training datasets variants were considered: (1) *Original* — the original dataset without any modifications, allowing the assessment of models natural robustness to noise and enabling a comparison with results from other studies that use the same datasets; (2) *Filtered* — the training data underwent noise filtering and served as a baseline by providing a dataset with little or no noise, to which generated noise was subsequently added; (3) *Noise=1Hz/px* — training data containing constant noise intensity of 1 Hz/px, enabling evaluation of the robustness of models trained at a specific noise level; (4) *Noise-injection* — our proposed method, where training data includes various levels of noise, aimed at enhancing classification stability under varying noise intensities.

Initially, we evaluated the performance of models trained on all four variants using data with a range of noise intensities, without applying any filtering, to determine their inherent resilience to noise. Next, we introduce a preprocessing step involving noise filtering, after which all datasets and models were re-evaluated across the same spectrum of noise intensities.

4.2. Models training

The classification results for all models and dataset variants, without applying filtering to test sequences with noise injected, are shown in Fig. 2. When testing on noise-free data (0 Hz/px), models that have been trained on the *Filtered* data and the *Noise-injection* method have demonstrated the highest accuracy. For the N-Caltech101 dataset, our *Noise-injection* method demonstrates a 2% improvement over the *Filtered* variant for the SNN model. For the N-Cars and




Figure 2. Results of different models evaluated on the N-Caltech101 [43], N-Cars [52], and Mini N-ImageNet (Mini N-IN) [30] datasets without any filtering, presented across varying noise levels.

Mini N-ImageNet datasets, the *Filtered* variant outperforms the *Noise-injection* method by 1% and 2%, respectively, also in the SNN models.

Under test conditions that incorporate noise, CNN, ViT, and SNN models trained using the *Noise-injection* method show significantly greater classification stability, even in the presence of substantial noise levels. Conversely, other training methods demonstrate a substantial decline in classification accuracy as noise intensity increases. Utilising training data with constant noise intensity (1 Hz/px) primarily improves results at comparable noise levels during testing but rapidly degrades accuracy at different noise intensities. This effect is particularly evident in the Mini N-ImageNet dataset, where the *Noise=1Hz/px* variant attained the lowest accuracy on the noise-free test set.

An exception to these observations is the model based on the GCN architecture. In this instance, the classification quality gradually decreases with increasing noise, even when employing the *Noise-injection* method. This effect can be attributed to the limited number of neighbours per node in the graph, complicating effective data representation under significant noise conditions. Nevertheless, the *Noise-injection* method consistently attains the highest accuracy among all the training variants analysed for the GCN model, thereby substantiating its overall effectiveness.

The results presented clearly indicate that the proposed

Noise-injection training method ensures classification stability for CNN, ViT, and SNN models and better results for GCN model across varying input noise levels, surpassing other analysed training approaches. However, it is important to highlight that in the ideal scenario (i.e. absence of noise), this method occasionally demonstrates slightly lower accuracy compared to the *Filtered* method. This reduction – which does not exceed 1% on average – represents the trade-off for increased noise robustness.

4.3. Evaluation with filtration

A quantitative evaluation of the impact of state-of-the-art filtering techniques on classification performance for the considered neural networks, along with their comparison to our proposed training method, is presented in Tab. 2. For the sake of clarity, the table presents averaged results and their standard deviations across the entire noise spectrum. The supplementary material provides detailed results.

The analysis clearly indicates that models trained using our *Noise-injection* method achieve the highest effectiveness across all the considered architectures and datasets. For models that were not exposed to noise during the training process (the *Filtered* variant), the performance was generally enhanced through the filtration of the test data. However, this was not observed in the EDnCNN filter results for the ViT network and the N-Caltech101 dataset. This can be

Model	Training Set	N-Caltech101 [43]								N-Cars [52]								Mini N-ImageNet [30]							
		NN [10]		EDnCNN [2]		DIF [31]		w/o		NN [10]		EDnCNN [2]		DIF [31]		w/o		NN [10]		EDnCNN [2]		DIF [31]		w/o	
		Acc. mean	Acc. std.	Acc. mean	Acc. std.	Acc. mean	Acc. std.	Acc. mean	Acc. std.	Acc. mean	Acc. std.	Acc. mean	Acc. std.	Acc. mean	Acc. std.	Acc. mean	Acc. std.	Acc. mean	Acc. std.	Acc. mean	Acc. std.	Acc. mean	Acc. std.	Acc. mean	Acc. std.
CNN	Original	59.89	5.36	59.86	3.95	63.16	3.47	52.06	10.77	68.89	13.64	79.93	4.78	74.87	13.76	58.59	8.68	37.73	2.03	15.34	1.28	35.90	2.83	35.47	8.34
	Filtered	58.35	8.53	63.77	8.55	63.67	7.38	50.13	7.61	76.07	12.53	80.91	1.66	81.76	8.59	64.82	13.93	40.96	3.05	20.96	1.79	41.36	1.49	35.91	8.56
	Noise=1 Hz	67.15	1.73	64.02	0.99	66.38	1.46	62.13	9.69	87.45	1.48	77.94	1.49	86.70	1.19	78.90	16.38	37.56	2.27	16.46	0.86	35.73	2.88	39.00	6.23
	Noise-injection	69.07	0.25	67.60	0.40	69.43	0.21	69.49	0.14	89.47	0.32	82.70	0.83	88.53	0.61	91.65	0.39	43.53	0.51	22.30	0.88	43.51	1.17	45.57	0.32
ViT	Original	66.55	0.50	55.27	5.73	66.57	0.86	66.01	2.80	77.68	8.60	78.16	1.10	81.78	7.49	68.15	10.33	37.38	2.53	17.81	0.47	35.59	1.48	35.41	6.88
	Filtered	69.50	0.82	59.22	5.76	69.34	0.61	67.24	3.40	81.80	7.19	82.29	1.54	84.63	4.85	73.72	11.54	41.92	4.53	23.23	0.94	42.18	3.13	37.08	9.00
	Noise=1 Hz	67.34	1.01	56.46	5.81	66.89	0.86	68.18	0.87	86.75	1.76	80.33	1.00	87.09	1.07	79.81	15.26	37.68	3.41	16.33	0.70	35.11	2.83	40.80	4.94
	Noise-injection	69.51	0.17	61.38	5.19	69.46	0.22	69.57	0.30	89.53	0.18	82.30	1.07	89.38	0.30	91.19	0.67	45.51	0.23	23.97	0.62	44.57	0.59	48.04	0.26
SNN	Original	49.57	4.12	50.80	1.96	49.85	3.01	46.45	9.65	77.04	7.54	76.20	1.13	79.53	5.73	69.36	13.63	30.37	1.25	10.73	0.79	28.77	1.75	32.22	5.76
	Filtered	52.56	10.90	55.48	6.52	56.50	6.90	38.61	16.97	76.55	12.20	78.02	0.66	81.21	7.92	62.43	15.67	38.04	2.20	15.65	0.88	37.15	1.69	34.00	9.60
	Noise=1 Hz	59.57	2.81	54.43	0.79	57.19	2.55	55.26	13.25	84.73	2.41	72.85	1.34	83.61	2.36	81.39	12.89	30.78	3.00	10.36	0.54	28.30	3.27	33.89	5.73
	Noise-injection	65.07	0.61	60.15	2.16	64.56	0.62	65.77	0.42	87.63	0.29	78.19	1.40	87.28	0.66	89.37	0.28	37.00	0.54	15.48	0.52	34.97	0.86	40.32	0.85
GCN	Original	51.78	6.57	46.82	3.90	54.11	2.48	41.04	15.21	73.94	2.51	66.38	0.62	75.03	2.26	65.79	11.85	37.81	1.26	15.49	0.32	37.97	1.16	36.31	3.06
	Filtered	46.74	17.67	50.69	9.10	56.66	10.81	26.92	21.03	74.76	4.33	68.15	0.60	76.04	3.50	64.76	11.96	38.57	2.75	15.97	0.34	39.18	2.17	35.31	3.64
	Noise=1 Hz	57.07	3.09	47.55	3.57	55.21	2.54	55.76	6.86	74.26	1.21	64.85	0.63	73.71	1.17	71.03	8.44	38.71	1.73	14.40	0.15	37.69	2.01	38.79	3.24
	Noise-injection	59.99	2.18	52.35	2.54	60.38	1.35	56.25	6.07	76.35	0.86	66.58	0.39	76.82	0.72	71.41	8.56	41.07	0.73	16.02	0.41	40.28	0.86	41.75	0.81

Table 2. Quantitative results of different models evaluated on the N-Caltech101 [43], N-Cars [52] and Mini N-ImageNet [30] datasets, using NN [10], EDnCNN [2], DIF [31] and without filtration. Results represent the mean and standard deviation of accuracies computed across all noise levels, highlighting the superiority of our proposed method compared to alternative approaches. **Bold** and underscore indicate the highest and second-highest values for each model and dataset, respectively.




Figure 3. True-positive and false-positive rates for the NN, EDnCNN and DIF filtering methods for the test sequences of the data sets used.

attributed to the fact that the ViT was already able to handle noisy data very effectively in this case, even without disturbances in the training set.

Furthermore, it is noteworthy that for CNN, ViT, and SNN models, the application of any event filtering alongside our proposed method led to a decline in classification quality. The particularly negative impact observed with the EDnCNN method can be attributed to its aggressive filtering nature, leading to excessive reduction of input events. This observation is confirmed by Fig. 3, which shows true-positive and false-positive rates for different noise intensities in the test data across the evaluated filtering methods. It can be observed that the EDnCNN removes substantially more events than the other tested methods. The TPR and FPR plots presented also demonstrate that the performance of filtering algorithms varies depending on the noise intensity. Consequently, it is not feasible to expect the same level of accuracy for the neural network under different environmental conditions. In order to get the best results, the filtering parameters should be selected according to the operating conditions of the event sensor, which would require changing its parameters during system operation, thus implementing adaptability.

An exception, once again, is the GCN architecture,

which, although achieving the highest performance with the *Noise-injection* method, also benefits from additional filtering using the *DIF* or *NN* methods. This finding suggests that graph-based models exhibit particular sensitivity to the number of input events, and that moderate filtering can enhance data representation effectiveness. At the same time, these results demonstrate that, even for the GCN architecture, our proposed *Noise-injection* method significantly enhances classification quality, particularly in conjunction with filtering techniques.

4.4. Qualitative results

Fig. 4 presents a visual analysis of N-Caltech101 results obtained using Class Activation Mapping (Grad-CAM) [50] for the CNN network trained using our *Noise-injection* method, without it, and after applying *NN* filtration. For more examples on N-Caltech101 and Mini N-ImageNet and with GradCam and GradCam++, we suggest checking the supplementary material. For models trained without the *Noise-injection* augmentation, we observe a decrease in quality as noise levels increase – the class activations start covering irrelevant areas of the image, and the network frequently ignores key visual features of the object or focuses on noisy background regions. Data filtration can reduce this effect but cannot completely eliminate it. Conversely, the network trained using our method effectively identifies important object features even under increasing noise conditions, maintaining activation stability and accurate target classification. These results confirm the advantage of the proposed *Noise-injection* approach in enhancing neural network robustness against varying levels of noise.

5. Discussion and Limitations

The quantitative and qualitative analyses conducted in this study confirm the effectiveness of the proposed *Noise-injection* approach for the classification of noisy event-




Figure 4. Qualitative comparison of models trained with our noise-injection method, with an NN-based filter, and without any method across different noise levels. The presented example illustrate the most common effects of noise on activations: the fading of object activations leading to complete loss of activation.

based data. The obtained results suggest that it could also serve as an alternative to filtering data prior to feeding it into neural networks. The models trained using our method achieved the highest average classification accuracy across all analysed architectures and datasets.

A significant advantage of the *Noise-injection* method is its ability to preserve crucial event information that is often lost with more aggressive filtering techniques. Intensive event elimination frequently results in the loss of key visual features, causing a substantial drop in classification quality. In contrast, the *Noise-injection* approach enhances network robustness through exposure to varying levels of noise.

However, these results do not negate the necessity for continued development and research into event data filtering methods. Besides enhancing the efficacy of subsequent algorithms, data filtration reduces the number of events required for processing. This, in turn, can lead to reduced data transmission rates, decreased storage requirements, lower power consumption and computational demand.

Moreover, specific limitations were observed for graph-based neural network models. For these models, even when employing the proposed training method, classification quality gradually decreases with increasing noise levels. This suggests that the effectiveness of our approach for graph models could be further improved by combining it with moderate filtering techniques, such as the *Nearest Neighbours* method, which reduces noise events without excessively losing essential information.

Furthermore, although the *Noise-injection* method significantly enhances model robustness to noise, a slight reduction in classification accuracy was observed under ideal conditions (i.e. completely noise-free scenarios) compared to models trained on *Filtered* data. This reduction can be interpreted as a natural trade-off between maximal accuracy in ideal scenarios and enhanced stability and robustness under realistic, noisy conditions.

6. Conclusion

In this paper, we present a novel data augmentation method that involves the controlled injection of noise into event streams. This approach aims to enhance the robustness of models against noise and improve their generalisation capabilities. We validated this approach on classification tasks using different datasets and models, comparing our results with three filtering methods. The experiments demonstrated that our method outperforms traditional filtering techniques by improving the stability of CNN, ViT, and SNN models and achieving superior performance for GCN models. This supports our hypothesis that the introduction of noise has a positive impact on model generalisation.

We believe that the presented method can significantly increase the performance of vision systems by improving the efficiency of neural networks under diverse environmental conditions. The proposed solution has the potential to serve as an alternative to the event data filtering process, which can introduce additional delays and remove some of the relevant events. Although our experiments were limited to classification tasks, we believe that the proposed approach could also positively impact other tasks realised with the use of neural networks, like object detection.

Future research directions include exploring other types of noise and integrating our method with existing filtering techniques to achieve further improvements. Additionally, we plan to employ knowledge transfer techniques between models trained with and without noise augmentation and focus on solving problems with graph-based networks.

7. Acknowledgments

The work presented in this paper was supported by the National Science Centre project no. 2021/41/N/ST6/03915 (first author) and no. 2024/53/N/ST6/04254 (second author). We also gratefully acknowledge Polish high-performance computing infrastructure PLGrid (HPC Center: ACK Cyfronet AGH) for

providing computer facilities and support within computational grant no. PLG/2024/017438 (first author) and PLG/2025/017956 (second author).

References

- [1] R Wes Baldwin, Mohammed Almatrafi, Jason R Kaufman, Vijayan Asari, and Keigo Hirakawa. Inceptive event time-surfaces for object classification using neuromorphic cameras. In *Image Analysis and Recognition: 16th International Conference, ICIAR 2019, Waterloo, ON, Canada, August 27–29, 2019, Proceedings, Part II* 16, pages 395–403. Springer, 2019. 1, 2
- [2] R. Wes Baldwin, Mohammed Almatrafi, Vijayan Asari, and Keigo Hirakawa. Event probability mask (epm) and event denoising convolutional neural network (edncnn) for neuromorphic cameras. In *2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 1698–1707, 2020. 1, 2, 4, 5, 7, 6
- [3] Sami Barchid, Benjamin Allaert, Amel Aissaoui, José Mennesson, and Chaabane C Djeraba. Spiking-fer: spiking neural network for facial expression recognition with event cameras. In *Proceedings of the 20th International Conference on Content-based Multimedia Indexing*, pages 1–7, 2023. 1, 3
- [4] Y Bi, A Chadha, A Abbas, E Bourtsoulatz, and Y Andreopoulos. Graph-based object classification for neuromorphic vision sensing. In *2019 IEEE International Conference on Computer Vision (ICCV)*. IEEE, 2019. 1, 3
- [5] Junming Chen, Jingjing Meng, Xinchao Wang, and Junsong Yuan. Dynamic graph cnn for event-camera based gesture recognition. In *2020 IEEE International Symposium on Circuits and Systems (ISCAS)*, pages 1–5. IEEE, 2020. 1, 3
- [6] Xuena Chen, Li Su, Jinxiu Zhao, Keni Qiu, Na Jiang, and Guang Zhai. Sign language gesture recognition and classification based on event camera with spiking neural networks. *Electronics*, 12(4):786, 2023. 1, 3
- [7] Daniel Czech and Garrick Orchard. Evaluating noise filtering for event-based asynchronous change detection image sensors. In *2016 6th IEEE International Conference on Biomedical Robotics and Biomechatronics (BioRob)*, pages 19–24. IEEE, 2016. 2
- [8] Manon Dampfhoffer and Thomas Mesquida. Neuromorphic lip-reading with signed spiking gated recurrent units. In *2024 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, pages 2141–2151, 2024. 1, 3
- [9] Tristan de Blegiers, Ishan Rajendrakumar Dave, Adeel Yousaf, and Mubarak Shah. Eventtransact: A video transformer-based framework for event-camera based action recognition. In *2023 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, pages 1–7. IEEE, 2023. 1, 2
- [10] Tobi Delbruck. Frame-free dynamic digital vision. In *Proceedings of Intl. Symp. on Secure-Life Electronics, Advanced Electronics for Quality Life and Society*, pages 21–26. Cite-seer, 2008. 1, 2, 4, 7, 5, 6
- [11] Jia Deng, Wei Dong, Richard Socher, Li-Jia Li, Kai Li, and Li Fei-Fei. Imagenet: A large-scale hierarchical image database. In *2009 IEEE Conference on Computer Vision and Pattern Recognition*, pages 248–255, 2009. 5
- [12] Yongjian Deng, Hao Chen, Hai Liu, and Youfu Li. A voxel graph cnn for object classification with event cameras. In *2022 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 1162–1171, 2022. 1, 3
- [13] Yuxing Duan. Led: A large-scale real-world paired dataset for event camera denoising. In *2024 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 25637–25647, 2024. 1, 2
- [14] Huachen Fang, Jinjian Wu, Leida Li, Junhui Hou, Weisheng Dong, and Guangming Shi. Aednet: Asynchronous event denoising with spatial-temporal correlation among irregular data. In *Proceedings of the 30th ACM International Conference on Multimedia*, pages 1427–1435, 2022. 2
- [15] Wei Fang, Yanqi Chen, Jianhao Ding, Zhaofei Yu, Timothée Masquelier, Ding Chen, Liwei Huang, Huihui Zhou, Guoqi Li, and Yonghong Tian. Spikingjelly: An open-source machine learning infrastructure platform for spike-based intelligence. *Science Advances*, 9(40):eadi1480, 2023. 4, 5
- [16] Li Fei-Fei, R. Fergus, and P. Perona. Learning generative visual models from few training examples: An incremental bayesian approach tested on 101 object categories. In *2004 Conference on Computer Vision and Pattern Recognition Workshop*, pages 178–178, 2004. 5
- [17] Matthias Fey and Jan E. Lenssen. Fast graph representation learning with PyTorch Geometric. In *ICLR Workshop on Representation Learning on Graphs and Manifolds*, 2019. 5
- [18] Matthias Fey, Jan Eric Lenssen, Frank Weichert, and Heinrich Müller. Splinecnn: Fast geometric deep learning with continuous b-spline kernels. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pages 869–877, 2018. 5
- [19] Thomas Finat, Atsumi Niwa, Daniel Matolin, Koya Tsuchimoto, Andrea Mascheroni, Etienne Reynaud, Poooria Mostafalu, Frederick Brady, Ludovic Chotard, Florian LeGoff, Hirotsugu Takahashi, Hayato Wakabayashi, Yusuke Oike, and Christoph Posch. 5.10 a 1280×720 back-illuminated stacked temporal contrast event-based vision sensor with 4.86µm pixels, 1.066geps readout, programmable event-rate controller and compressive data-formatting pipeline. In *2020 IEEE International Solid-State Circuits Conference - (ISSCC)*, pages 112–114, 2020. 1
- [20] Daniel Gehrig and Davide Scaramuzza. Low latency automotive vision with event cameras. *Nature*, 2024. 1
- [21] Daniel Gehrig, Antonio Loquercio, Konstantinos G Derpanis, and Davide Scaramuzza. End-to-end learning of representations for asynchronous event-based data. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pages 5633–5643, 2019. 1, 2, 5
- [22] Mathias Gehrig and Davide Scaramuzza. Recurrent vision transformers for object detection with event cameras. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2023. 4
- [23] Rui Graça, Brian McReynolds, and Tobi Delbruck. Shining light on the dvs pixel: A tutorial and discussion about biasing

- and optimization. In *2023 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, pages 4045–4053, 2023. 2
- [24] Fuqiang Gu, Weicong Sng, Xuke Hu, and Fangwen Yu. Eventdrop: Data augmentation for event-based learning. In *Proceedings of the Thirtieth International Joint Conference on Artificial Intelligence, IJCAI-21*, pages 700–707. International Joint Conferences on Artificial Intelligence Organization, 2021. Main Track. 3
- [25] Shasha Guo and Tobi Delbruck. Low Cost and Latency Event Camera Background Activity Denoising. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 45(1): 785–795, 2023. 1, 2, 3
- [26] Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. Deep residual learning for image recognition. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pages 770–778, 2016. 4
- [27] Yuhuang Hu, Shih-Chii Liu, and Tobi Delbruck. v2e: From video frames to realistic dvs events. In *2021 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, pages 1312–1321, 2021. 3
- [28] Hiroshi Inoue. Data augmentation by pairing samples for images classification. *arXiv preprint arXiv:1801.02929*, 2018. 3
- [29] Bin Jiang, Zhihao Li, M Salman Asif, Xun Cao, and Zhan Ma. Token-based spatiotemporal representation of the events. In *ICASSP 2024-2024 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 5240–5244. IEEE, 2024. 1, 2, 3
- [30] Junho Kim, Jaehyeok Bae, Gangin Park, Dongsu Zhang, and Young Min Kim. N-imagenet: Towards robust, fine-grained object recognition with event cameras. In *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV)*, pages 2146–2156, 2021. 5, 6, 7, 4
- [31] Marcin Kowalczyk and Tomasz Kryjak. Interpolation-based event visual data filtering algorithms. In *2023 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, pages 4056–4064, 2023. 1, 2, 4, 7, 5, 6
- [32] Alex Krizhevsky, Ilya Sutskever, and Geoffrey E Hinton. Imagenet classification with deep convolutional neural networks. In *Advances in Neural Information Processing Systems*. Curran Associates, Inc., 2012. 3
- [33] Yijin Li, Han Zhou, Bangbang Yang, Ye Zhang, Zhaopeng Cui, Hujun Bao, and Guofeng Zhang. Graph-based asynchronous event processing for rapid object recognition. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pages 934–943, 2021. 1, 3
- [34] Yuhang Li, Youngeun Kim, Hyoungseob Park, Tamar Geller, and Priyadarshini Panda. Neuromorphic data augmentation for training spiking neural networks. In *European Conference on Computer Vision*, pages 631–649. Springer, 2022. 3
- [35] Patrick Lichtsteiner, Christoph Posch, and Tobi Delbruck. A 128×128 120 db 15 μ s latency asynchronous temporal contrast vision sensor. *IEEE Journal of Solid-State Circuits*, 43(2):566–576, 2008. 1
- [36] Hongjie Liu, Christian Brandli, Chenghan Li, Shih-Chii Liu, and Tobi Delbruck. Design of a spatiotemporal correlation filter for event-based sensors. In *2015 IEEE International Symposium on Circuits and Systems (ISCAS)*, pages 722–725. IEEE, 2015. 2
- [37] Ilya Loshchilov and Frank Hutter. Decoupled weight decay regularization. *arXiv preprint arXiv:1711.05101*, 2017. 5
- [38] Ana I Maqueda, Antonio Loquercio, Guillermo Gallego, Narciso García, and Davide Scaramuzza. Event-based vision meets deep learning on steering prediction for self-driving cars. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pages 5419–5427, 2018. 2, 4
- [39] Nico Messikommer, Daniel Gehrig, Antonio Loquercio, and Davide Scaramuzza. Event-based asynchronous sparse convolutional networks. In *European Conference on Computer Vision*, pages 415–431. Springer, 2020. 1, 2
- [40] Anton Mitrokhin, Cornelia Fermüller, Chethan Parameshwara, and Yiannis Aloimonos. Event-based moving object detection and tracking. In *2018 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, pages 1–9, 2018. 1
- [41] Marco Monforte, Luna Gava, Massimiliano Iacono, Arren Glover, and Chiara Bartolozzi. Fast trajectory end-point prediction with event cameras for reactive robot control. In *2023 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, pages 4036–4044, 2023. 1
- [42] Fernando Cladera Ojeda, Anthony Bisulco, Daniel Kepple, Volkan Isler, and Daniel D Lee. On-Device Event Filtering with Binary Neural Networks for Pedestrian Detection Using Neuromorphic Vision Sensors. In *2020 IEEE International Conference on Image Processing (ICIP)*, pages 3084–3088. IEEE, 2020. 2
- [43] Garrick Orchard, Ajinkya Jayawant, Gregory K Cohen, and Nitish Thakor. Converting static image datasets to spiking neuromorphic datasets using saccades. *Frontiers in neuroscience*, 9:437, 2015. 5, 6, 7, 1, 2, 4
- [44] Vandana Padala, Arindam Basu, and Garrick Orchard. A Noise Filtering Algorithm for Event-Based Asynchronous Change Detection Image Sensors on TrueNorth and Its Implementation on TrueNorth. *Frontiers in Neuroscience*, 12: 118, 2018. 1, 2
- [45] Adam Paszke, Sam Gross, Soumith Chintala, Gregory Chanan, Edward Yang, Zachary DeVito, Zeming Lin, Alban Desmaison, Luca Antiga, and Adam Lerer. Automatic differentiation in pytorch. In *NIPS-W*, 2017. 5
- [46] Luis Perez and Jason Wang. The effectiveness of data augmentation in image classification using deep learning. *arXiv preprint arXiv:1712.04621*, 2017. 3
- [47] A. Rios-Navarro, S. Guo, G Abarajithan, K. Vijayakumar, A. Linares-Barranco, T. Aarrestad, R. Kastner, and T. Delbruck. Within-camera multilayer perceptron dvs denoising. In *2023 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, pages 3933–3942, 2023. 1, 2
- [48] Alberto Sabater, Luis Montesano, and Ana C. Murillo. Event transformer. a sparse-aware solution for efficient event data

- processing. In *2022 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*, pages 2676–2685, 2022. 1, 2, 3
- [49] Simon Schaefer, Daniel Gehrig, and Davide Scaramuzza. Aegnn: Asynchronous event-based graph neural networks. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pages 12371–12381, 2022. 1, 3, 4, 5
- [50] Ramprasaath R Selvaraju, Michael Cogswell, Abhishek Das, Ramakrishna Vedantam, Devi Parikh, and Dhruv Batra. Grad-cam: visual explanations from deep networks via gradient-based localization. *International journal of computer vision*, 128:336–359, 2020. 7
- [51] Guobin Shen, Dongcheng Zhao, and Yi Zeng. Eventmix: An efficient data augmentation strategy for event-based learning. *Information Sciences*, 644:119170, 2023. 3
- [52] Amos Sironi, Manuele Brambilla, Nicolas Bourdis, Xavier Lagorce, and Ryad Benosman. Hats: Histograms of averaged time surfaces for robust event-based object classification. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pages 1731–1740, 2018. 5, 6, 7, 4
- [53] Evangelos Stamatias, Miguel Soto, Teresa Serrano-Gotarredona, and Bernabé Linares-Barranco. An event-driven classifier for spiking neural networks fed with synthetic or dynamic vision sensor data. *Frontiers in neuroscience*, 11:350, 2017. 1, 3
- [54] Mingyuan Sun, Donghao Zhang, Zongyuan Ge, Jiaxu Wang, Jia Li, Zheng Fang, and Renjing Xu. EventRPG: Event data augmentation with relevance propagation guidance. In *International Conference on Learning Representations*, 2024. 3
- [55] Zhengzhong Tu, Hossein Talebi, Han Zhang, Feng Yang, Peyman Milanfar, Alan Bovik, and Yinxiao Li. Maxvit: Multi-axis vision transformer. In *European conference on computer vision*, pages 459–479. Springer, 2022. 4
- [56] Oriol Vinyals, Charles Blundell, Timothy Lillicrap, Daan Wierstra, et al. Matching networks for one shot learning. *Advances in neural information processing systems*, 29, 2016. 5
- [57] Kanglin Xiao, Xiaoxin Cui, Kefei Liu, Xiaole Cui, et al. An SNN-Based and Neuromorphic-Hardware-Implementable Noise Filter with Self-adaptive Time Window for Event-Based Vision Sensor. In *2021 International Joint Conference on Neural Networks (IJCNN)*, pages 1–8. IEEE, 2021. 2
- [58] Bochen Xie, Yongjian Deng, Zhanpeng Shao, Qingsong Xu, and Youfu Li. Event voxel set transformer for spatiotemporal representation learning on event streams. *IEEE Transactions on Circuits and Systems for Video Technology*, 2024. 1, 2
- [59] Ninghui Xu, Lihui Wang, Jiajia Zhao, and Zhiting Yao. Denoising for dynamic vision sensor based on augmented spatiotemporal correlation. *IEEE Transactions on Circuits and Systems for Video Technology*, 2023. 1, 2
- [60] Suorong Yang, Weikang Xiao, Mengchen Zhang, Suhan Guo, Jian Zhao, and Furao Shen. Image data augmentation for deep learning: A survey. *arXiv preprint arXiv:2204.08610*, 2022. 3
- [61] Man Yao, Huanhuan Gao, Guangshe Zhao, Dingheng Wang, Yihan Lin, Zhaoxu Yang, and Guoqi Li. Temporal-wise attention spiking neural networks for event streams classification. In *Proceedings of the IEEE/CVF international conference on computer vision*, pages 10221–10230, 2021. 1, 3
- [62] Hongyi Zhang, Moustapha Cisse, Yann N Dauphin, and David Lopez-Paz. mixup: Beyond empirical risk minimization. *arXiv preprint arXiv:1710.09412*, 2017. 3

Learning from Noise: Enhancing DNNs for Event-Based Vision through Controlled Noise Injection

Supplementary Material

8. Detection results

In order to examine the impact of our method on another, more complex task, we used the N-Caltech101 dataset for object detection. For this purpose, we employed YOLOX as the detection head and exactly the same CNN and ViT architectures as in the classification study (ResNet18 and MaxViT – detailed information can be found in Table 1 in the main part of the work).




Figure 5. Results of detection on the N-Caltech101 [43] datasets without any filtering, presented across varying noise levels.

We conducted our experiments in the same way as for classification, training the models on four different training sets (*Original*, *Filtered*, *Noise=1Hz/px*, and *Noise-injection* – see Figure 5). We then evaluated the averaged results across the entire range of noise frequencies using different filters (*NN*, *DIF*, and *EDnCNN* – see Table 3). As the main metric, we employed the mean average precision (mAP).

From the results shown in Figure 5, we can observe that even for the more complex task of detection, our learning method ensures performance stability regardless of the input noise frequency. In the detection setting, the models trained on a single noise frequency (1Hz/px) best results within that particular noise range. Meanwhile, similarly to the classification task, all methods apart from ours gradually degrade as the noise frequency increases.

When evaluating the results with filtering, our method again achieves the best outcomes for both models. The differences amount to 5% mAP with NN filtering between our approach and the *Filtered* for the CNN model, and 5.5% mAP for the ViT model. This demonstrates that our *noise-injection* approach can also be successfully applied to other, more complex tasks such as object detection.




Figure 6. Comparison of true-positive and false-positive rate values together with the accuracy score depending on the NN and DIF filter parameter for the CNN model and the N-Caltech101. In both cases, it can be seen that our method performs better against the filters regardless of the parameters.

9. Ablation over different filter parameters

In order to evaluate the impact of filter parameter settings on denoising effectiveness and overall network performance, an ablation study was conducted for both the NN and DIF methods, using the baseline CNN model and the N-Caltech101 dataset. The results are presented in Figure 6. Due to the fact that the EDnCNN only returns the probability of an event to be noise, which should be set to 50%, it was excluded from this analysis.

Initially, the True Positive Rate (TPR) and the False Positive Rate (FPR) were evaluated for various filter thresholds. Subsequent to this, representative thresholds were selected, and the average accuracy was assessed on the full test set under different noise intensities.

The TPR and FPR plots provide a clear indication that there is no threshold value at which the filter perfectly removes noise while preserving all true events. The analysis suggests that the optimal filter parameters are 5000 for NN and 7000 for DIF, where the TPR is already relatively high and the FPR remains sufficiently low.

The accuracy plots as a function of the filter parameter demonstrate that models trained on *Filtered* data achieve their highest accuracy at these optimal thresholds, while performance decreases for extreme parameter values. No-

Model	Training Set	NN			EDnCNN			DIF			w/o		
		mAP	mAP@50	mAP@75	mAP	mAP@50	mAP@75	mAP	mAP@50	mAP@75	mAP	mAP@50	mAP@75
CNN	Original	30.28 ± 2.22	57.57 ± 1.43	27.80 ± 3.89	31.23 ± 1.51	56.42 ± 1.57	30.17 ± 2.44	31.50 ± 1.92	58.04 ± 1.22	30.16 ± 3.53	28.62 ± 1.80	56.56 ± 2.18	24.91 ± 2.66
	Filtered	29.29 ± 1.46	55.62 ± 1.66	27.36 ± 1.79	29.81 ± 1.99	54.91 ± 2.88	28.56 ± 2.75	30.00 ± 1.51	56.18 ± 1.30	27.96 ± 2.17	28.12 ± 1.33	53.66 ± 2.42	26.07 ± 1.22
	Noise=1Hz	27.81 ± 5.06	53.74 ± 6.26	25.13 ± 6.13	24.13 ± 3.29	48.16 ± 4.70	20.71 ± 4.31	24.44 ± 3.84	49.60 ± 5.07	21.13 ± 4.52	30.54 ± 3.85	57.50 ± 4.74	28.18 ± 4.88
	Noise-injection	34.06 ± 1.10	60.40 ± 1.10	34.11 ± 1.95	32.14 ± 0.59	58.20 ± 0.67	30.78 ± 1.07	33.08 ± 1.10	59.48 ± 1.19	32.38 ± 1.79	34.94 ± 0.43	61.17 ± 0.33	35.60 ± 0.78
ViT	Original	20.56 ± 4.25	40.34 ± 5.01	18.22 ± 5.56	17.46 ± 4.08	32.80 ± 6.93	15.55 ± 3.96	22.86 ± 2.84	43.03 ± 3.41	21.20 ± 3.85	16.82 ± 4.66	35.82 ± 6.74	13.30 ± 5.65
	Filtered	25.55 ± 4.21	48.53 ± 4.56	23.57 ± 5.98	22.86 ± 5.48	41.27 ± 9.19	21.94 ± 5.74	27.63 ± 3.18	50.31 ± 3.45	26.71 ± 4.46	19.95 ± 5.51	41.52 ± 7.96	16.07 ± 6.98
	Noise=1Hz	27.15 ± 4.37	50.50 ± 4.62	25.00 ± 6.25	17.65 ± 0.83	34.66 ± 2.58	15.72 ± 0.77	24.57 ± 3.28	47.44 ± 3.96	21.21 ± 4.69	29.67 ± 3.85	54.43 ± 3.78	28.53 ± 5.89
	Noise-injection	31.12 ± 1.26	54.66 ± 1.08	31.01 ± 1.63	23.47 ± 2.22	41.86 ± 4.23	22.74 ± 2.18	30.44 ± 1.11	54.16 ± 1.25	30.04 ± 1.58	32.06 ± 0.61	55.65 ± 0.56	32.14 ± 0.92

Table 3. Quantitative results for CNN and ViT model on the N-Caltech101 datasets in detection problem using NN, EDnCNN, DIF and without filtration. Results represents the mean and standard deviation of mAP (mean average precision). **Bold** indicate the highest values for each model.




Figure 7. Results of classification on the N-Caltech101 [43] datasets with real camera noises.

tably, regardless of the filtering strategy, models trained with our proposed *Noise-injection* approach consistently outperform those trained on filtered data, even when using the best possible filter parameters. Furthermore, the results indicate that our method performs increasingly well as the filter thresholds rise, i.e. as fewer events are removed. This suggests that aggressive filtering may negatively impact performance by eliminating critical information.

The findings demonstrate that, even under optimal filtering conditions, the proposed method consistently achieves superior results, thereby highlighting its robustness and ability to effectively handle noisy event data.

10. Real Noise Analysis

In order to verify that our method also works with real noise, we employed genuine noise obtained from an event camera. To achieve this, an event stream was recorded from a sensor observing a static scene under constant illumination, thereby ensuring that the recorded data were solely related to noise. The noise intensity was varied by adjusting the

sensor’s event generation threshold.

For the evaluation, we used the same models as in Section 4.2, trained on the Original, Filtered, Noise=1Hz/px and Noise-injection datasets (based on a Poisson process approximation). The results for the N-Caltech101 dataset, tested on all models, are presented in Fig. 7.

As shown, our method consistently achieves the best and most stable performance across the CNN, ViT, and SNN models. For the GCN model, the results significantly exceed those of the Original and Filtered models, with only the Noise=1Hz/px model achieving higher accuracy under comparable noise levels (around 1Hz/px). For the ViT model, performance at lower noise frequencies is slightly better (by approximately 0.5%) using the Filtered approach; however, at higher noise levels, our method exhibits a clear and substantial advantage.

These findings demonstrate that our approach is also applicable to real noise from an event camera. Crucially, the performance of models trained on artificially generated disturbances successfully translates to real-world noise.

11. Timing results

Filtering, as an additional pre-processing step, requires additional computational resources and increases the overall processing time of the system. Although event reduction through filtering simplifies the generation of representations due to a reduced number of events, in the case of representations such as Event Count Image or Voxel Grid, these operations can be fully parallelised.

We performed an analysis of the average number of events processed for each filtering method, and the results are presented in Table 4. For NN and DIF filtering, we used a single Intel Xeon Platinum 8268 CPU processor core, while EDnCNN filtering was performed on an NVIDIA A100 GPU and used 16 AMD EPYC 7742 processor cores.

As can be seen from the analysis, the use of the EDnCNN network significantly drops the number of events processed compared to other methods, which has a significant impact on system latency in real-time applications. For the remaining methods, although the number of events processed per second is significantly higher, values below 2

million events per second remain relatively low compared to modern event sensors capable of generating hundreds of millions of events per second. The solution to this problem is hardware acceleration of filters using SoC FPGA systems, as demonstrated with the DIF filter. However, it should be noted that each additional pre-processing element implemented on the FPGA increases the memory and computational requirements. In our approach, the absence of filter implementation on FPGA could contribute positively to resource utilisation in embedded systems.

Filtration	Events per second
NN	1412501.03
DIF	1854422.15
EDnCNN	8387.66

Table 4. Number of events processed per second using NN, DIF and EDnCNN filtering.

12. Detail results

Tables 5, 6, 7 and 8 present detailed top-1 and top-3 accuracy results for all versions of the training data: *Original*, *Filtered*, *Noise=1Hz/px* and *Noise-injection*. The average and std values are presented in Table 2.

Figures 8 and 9 illustrate additional GradCAM and GradCAM++ activation map examples for the N-Caltech101 and Mini N-ImageNet datasets, comparing our *Noise-injection* method with no method applied. All examples show consistent patterns: increased input noise results in reduced activation intensity for GradCAM and dispersed activations in background regions for GradCAM++. In contrast, activations remain stable when using our *Noise-injection* method.

Noise level	N-Caltech101								N-Cars				N-ImageNet							
	NN		EDnCNN		DIF		w/o		NN	EDnCNN	DIF	w/o	NN		EDnCNN		DIF		w/o	
	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc.	Acc.	Acc.	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3
CNN																				
0.01	63.84	76.88	59.55	74.16	63.28	76.46	67.18	78.83	88.71	80.47	86.41	77.89	36.74	54.99	14.24	26.01	33.01	49.94	42.91	61.14
0.05	63.73	76.94	59.84	74.16	63.34	76.58	67.25	78.66	88.70	80.61	86.43	56.53	36.94	54.93	14.10	26.21	33.23	49.58	43.55	62.18
0.1	63.73	77.07	59.73	74.27	63.34	76.46	64.75	77.74	88.42	80.81	86.58	56.68	36.88	55.11	14.24	26.01	33.09	50.04	44.09	62.72
0.25	64.01	77.36	60.07	74.04	63.62	76.81	56.77	72.74	84.81	80.27	86.80	61.09	37.20	55.49	14.34	26.01	33.48	50.04	43.67	62.92
0.5	64.30	77.40	60.18	74.56	63.80	76.92	56.83	69.47	63.84	80.71	87.01	69.36	38.26	56.49	14.38	26.21	33.58	50.77	41.85	60.90
0.75	64.75	77.41	60.76	75.02	64.08	77.27	55.28	69.70	56.42	80.99	86.89	67.21	38.94	57.79	14.56	26.56	34.08	51.05	39.50	58.37
1	64.62	77.03	60.93	74.90	64.14	77.27	54.12	68.84	55.34	81.36	85.44	62.25	39.64	59.15	14.81	26.42	34.61	52.25	38.20	56.03
1.5	59.27	75.31	61.39	75.76	64.94	77.73	50.49	66.09	57.34	81.84	73.06	56.39	40.65	60.08	15.15	26.94	35.92	53.88	35.40	51.78
2	56.30	70.63	62.61	76.68	65.46	77.91	46.75	62.69	61.12	82.01	58.82	53.26	39.92	59.35	15.72	27.45	38.27	55.72	32.37	48.06
2.5	56.30	69.43	63.98	76.95	66.79	78.60	43.07	60.74	66.68	82.26	55.30	51.43	38.84	58.39	16.20	27.89	39.73	58.09	29.35	45.11
3	56.09	68.91	64.44	76.87	66.24	78.60	40.82	58.52	68.00	82.76	55.65	50.57	37.84	56.95	16.28	28.58	40.11	58.76	26.96	42.13
4	53.21	67.81	55.80	72.78	58.09	71.71	38.01	56.40	60.97	80.78	62.67	49.71	35.66	53.37	17.33	30.14	39.75	59.04	23.12	37.42
5	48.38	64.41	48.89	63.03	53.95	68.55	35.42	52.49	55.22	64.22	62.24	49.33	32.97	50.16	18.04	31.25	37.82	56.07	20.11	33.51
ViT																				
0.01	66.24	77.64	57.63	72.32	65.75	76.80	67.94	78.74	87.82	76.99	86.76	89.53	37.17	51.40	17.38	28.86	34.77	47.63	41.60	57.37
0.05	66.25	77.64	57.58	72.08	65.96	76.68	68.40	79.26	87.89	77.16	86.87	79.71	37.13	51.50	17.42	28.72	34.77	47.65	42.02	57.93
0.1	66.29	77.64	57.58	72.32	65.79	76.87	68.74	79.73	87.96	77.08	87.02	75.95	37.33	51.60	17.42	28.64	34.99	47.69	42.82	58.65
0.25	66.35	77.58	57.52	72.38	65.69	76.85	68.63	79.43	88.13	77.23	87.07	73.29	37.47	51.72	17.46	28.88	34.89	47.98	42.92	58.85
0.5	66.41	77.36	57.92	71.97	66.09	76.91	67.63	79.62	84.23	77.37	87.21	72.20	37.90	52.22	17.56	28.88	35.11	48.18	41.62	57.09
0.75	66.81	78.04	57.63	72.77	66.03	77.04	67.71	79.68	78.87	77.90	87.79	70.31	38.30	52.88	17.44	28.78	35.26	48.44	39.58	54.18
1	66.81	78.39	58.04	72.49	66.19	77.27	66.91	79.98	75.95	77.69	87.85	68.75	38.76	53.52	17.61	28.84	35.46	48.85	37.27	51.46
1.5	67.21	78.50	57.69	72.55	66.49	77.44	66.32	79.62	73.24	78.53	85.79	65.73	40.18	54.34	17.89	29.22	35.70	49.72	33.49	46.77
2	67.04	79.23	57.46	72.35	66.92	77.78	65.68	79.16	71.89	78.89	79.90	63.08	40.28	54.52	17.81	29.42	36.55	50.65	31.10	43.04
2.5	67.50	79.02	56.72	70.82	67.97	78.76	64.47	78.63	71.16	79.18	75.55	60.78	39.38	53.44	18.01	29.69	37.20	52.53	29.18	40.72
3	66.58	78.67	56.04	69.41	67.93	79.33	64.36	77.83	70.37	79.94	73.25	58.59	37.21	51.46	18.09	29.85	38.47	53.34	27.48	38.24
4	65.88	78.83	48.60	63.59	67.94	79.60	61.66	76.11	67.72	80.21	70.96	55.25	33.87	46.51	18.56	29.97	37.08	52.14	26.26	35.23
5	65.83	78.72	38.11	50.97	66.65	79.43	59.71	74.67	64.64	77.89	67.08	52.72	30.98	42.52	18.88	30.88	32.48	45.81	25.03	33.59
SNN																				
0.01	50.50	63.28	48.83	62.09	46.45	59.06	58.39	70.65	84.86	75.29	82.89	89.19	29.31	45.67	10.21	19.84	27.00	42.17	36.38	54.27
0.05	50.71	63.45	48.77	62.50	46.86	60.40	58.62	70.65	84.97	75.09	83.18	80.69	29.71	45.27	9.87	19.30	26.96	42.05	37.22	54.97
0.1	50.57	62.94	49.12	62.09	47.44	60.00	59.32	71.45	84.92	75.25	82.79	70.07	29.53	45.33	10.23	19.19	26.98	42.56	37.24	56.13
0.25	51.14	63.80	49.12	62.36	47.54	59.67	57.26	69.95	85.16	75.04	83.16	69.10	30.21	45.73	9.99	19.26	27.12	42.68	37.82	56.45
0.5	52.47	64.54	49.16	63.52	48.70	60.74	51.01	66.10	84.36	75.63	83.29	79.40	30.39	45.49	10.40	19.56	27.67	42.60	37.44	55.63
0.75	52.76	65.23	49.81	63.87	48.53	61.12	47.24	63.52	80.49	75.60	83.77	81.90	30.63	46.92	10.19	19.70	28.13	42.92	36.02	54.97
1	53.09	66.26	50.21	63.68	49.39	60.92	45.06	61.90	73.27	75.89	83.61	82.32	30.99	47.58	10.72	19.90	28.28	43.59	34.76	52.84
1.5	54.83	66.79	51.64	64.10	51.34	63.12	42.89	58.75	65.73	76.39	83.33	74.93	31.93	48.18	10.42	19.78	28.86	45.31	32.51	49.84
2	50.50	65.42	52.10	65.82	52.14	63.77	39.69	57.50	65.79	75.94	81.12	65.31	31.55	48.24	10.86	20.71	29.85	46.32	29.97	46.69
2.5	48.54	64.13	53.36	66.86	53.63	66.56	38.87	56.66	69.08	76.70	72.48	58.16	31.95	48.40	10.86	20.27	30.50	47.29	27.96	44.29
3	45.62	61.56	53.37	67.09	55.76	68.53	38.17	56.20	73.53	77.27	67.41	52.51	31.55	47.68	11.21	21.38	31.82	48.42	26.96	41.97
4	42.92	59.80	54.39	68.34	53.02	68.40	35.69	51.95	76.75	78.01	71.32	49.16	29.43	44.83	11.85	21.74	31.72	47.65	23.50	37.92
5	40.75	58.48	50.55	65.53	47.20	62.72	31.63	47.20	72.60	78.53	75.48	48.94	27.62	41.97	12.64	22.78	29.17	43.28	21.11	34.58
GCN																				
0.01	53.30	66.58	44.91	61.30	53.90	66.17	55.28	68.47	75.91	66.52	76.38	78.03	37.85	45.52	15.23	26.05	37.23	44.74	40.16	55.29
0.05	53.06	66.58	44.87	60.91	53.67	66.52	56.89	71.76	76.05	66.18	76.24	78.15	37.79	45.54	15.35	26.29	37.71	44.62	39.90	55.13
0.1	52.63	66.17	44.95	60.38	53.44	66.46	58.16	72.39	75.74	66.56	76.28	77.95	38.19	46.67	15.21	26.27	37.47	45.10	39.58	54.59
0.25	53.43	66.46	45.66	61.36	53.96	66.23	58.52	72.12	75.02	66.19	76.25	77.07	38.47	46.77	15.43	26.21	37.71	45.22	39.62	53.75
0.5	54.62	67.95	45.88	61.14	53.26	66.75	54.06	69.10	74.56	66.03	76.48	75.28	38.67	47.55	15.21	26.05	37.59	46.01	38.35	52.35
0.75	54.69	68.18	45.22	60.44	53.79	66.86	46.21	65.66	74.25	66.54	76.31	72.02	38.83	48.29	15.35	26.01	37.93	45.83	37.15	49.96
1	55.98	70.44	45.86	60.97	54.25	67.89	43.74	61.14	74.87	66.74	76.01	69.74	38.99	48.95	15.41	26.45	37.69	45.67	36.47	49.20
1.5	57.13	71.36	46.89	63.52	54.55	67.12	37.94	56.84	74.77	66.33	75.36	63.82	38.93	48.37	15.51	26.39	38.93	47.55	35.43	46.04
2	56.21	71.49	49.26	65.14	56.07	69.58	30.80	49.26	75.04	67.35	75.51	58.78	38.35	48.29	15.77	26.31	39.42	48.01	34.21	45.04
2.5	55.31	70.30	52.00	66.82	56.53	70.10	29.09	44.39	74.26	67.27	75.06	55.24	37.65	46.65	15.65	26.51	39.52	48.93	33.91	43.69
3	51.41	67.93	52.71	67.35	56.60	70.17	26.29	41.68	73.20	66.63	74.74	53.46	37.35	45.16	15.57	26.61	39.62	48.49	33.25	42.35
4	40.63	60.37	52.08	67.83	56.47	71.83	20.57	35.34	70.44	65.30	72.20	48.74	35.65	42.46	15.21	26.05	37.35	45.81	32.10	40.71
5	34.71	53.92	38.41	56.85	46.99	64.51	16.02	29.11	67.09	65.30</										

Noise level	N-Caltech101								N-Cars				N-ImageNet							
	NN		EDnCNN		DIF		w/o		NN	EDnCNN	DIF	w/o	NN		EDnCNN		DIF		w/o	
	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc.	Acc.	Acc.	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3
CNN																				
0.01	68.73	80.99	67.09	79.79	68.45	80.24	68.80	81.57	88.43	80.86	86.72	88.60	42.97	61.50	19.70	33.52	39.97	58.72	45.83	64.94
0.05	68.73	81.11	67.26	79.62	68.45	80.08	57.10	75.89	88.53	80.97	86.80	86.10	43.01	61.46	19.56	33.84	40.11	58.64	45.47	64.42
0.1	68.62	81.11	67.26	79.73	68.28	80.41	53.72	69.41	88.17	80.90	86.73	85.83	42.91	61.52	19.44	33.72	40.09	58.86	44.25	63.18
0.25	68.78	80.76	67.32	79.90	68.40	80.48	51.63	67.51	86.45	80.81	86.81	74.46	42.89	62.10	19.52	33.80	40.49	58.94	42.93	61.58
0.5	66.78	80.29	67.55	80.01	68.23	80.36	51.40	66.30	82.98	81.13	86.76	64.55	43.35	62.84	19.86	34.10	40.64	59.71	41.35	60.12
0.75	58.23	76.38	68.12	79.90	68.45	80.29	50.54	65.60	82.48	81.08	86.44	60.64	43.49	63.20	20.25	34.41	40.88	60.09	39.94	58.49
1	54.67	71.38	68.18	79.96	68.34	80.54	50.19	65.54	82.40	81.27	85.85	58.68	42.73	62.46	20.04	34.77	41.67	60.28	38.04	56.67
1.5	52.09	67.44	68.07	80.01	68.63	80.46	49.56	63.71	79.74	81.81	83.70	56.44	41.77	60.42	20.53	34.85	42.46	61.93	35.02	53.02
2	51.12	66.52	68.18	79.79	66.91	80.06	48.82	62.96	71.42	82.13	82.33	55.16	40.95	59.60	20.97	35.96	43.31	62.64	32.77	49.36
2.5	51.01	66.46	67.95	80.08	58.36	75.94	46.58	61.87	65.42	81.82	81.19	54.21	39.50	58.51	21.60	35.80	43.67	63.07	30.07	46.31
3	50.63	66.12	62.16	77.15	54.12	69.57	44.75	60.38	61.31	82.63	81.95	53.49	38.66	57.07	21.97	36.77	43.61	61.85	27.78	43.03
4	49.94	64.97	46.81	62.53	50.82	66.65	40.62	55.62	56.99	80.71	69.70	52.48	36.50	54.51	23.64	38.81	41.46	60.40	23.46	37.64
5	49.25	63.92	43.03	57.06	50.25	65.01	37.98	51.71	54.54	75.75	57.86	52.01	33.69	50.94	25.36	40.57	39.24	57.32	19.95	32.63
VIT																				
0.01	69.89	81.29	62.25	74.48	69.46	80.43	69.82	81.81	89.04	81.79	87.92	89.16	44.65	59.87	22.38	36.40	43.04	56.80	48.09	65.14
0.05	69.83	81.41	61.96	74.19	69.52	80.32	70.05	81.47	89.00	81.56	88.14	87.28	44.77	59.81	22.54	36.48	43.04	56.80	47.65	64.76
0.1	70.00	81.41	62.42	74.65	69.35	80.38	70.05	81.81	88.81	81.57	88.11	86.56	44.87	60.13	22.66	36.73	42.94	56.90	47.23	64.38
0.25	69.95	81.58	62.31	74.43	69.46	80.55	70.29	81.47	87.67	81.76	88.00	85.66	44.99	60.19	22.58	37.03	43.18	57.06	46.59	63.28
0.5	69.83	81.47	61.96	74.13	69.52	80.61	69.82	81.24	84.08	82.21	88.22	83.38	44.95	60.37	22.58	37.13	43.31	57.46	43.44	59.67
0.75	69.77	81.64	62.36	74.59	69.57	80.55	68.89	80.99	82.90	82.55	87.81	76.42	44.83	60.33	22.88	37.03	43.61	58.19	39.88	56.26
1	69.66	81.47	62.02	73.91	69.63	81.12	69.23	80.52	82.69	82.25	86.87	72.54	44.47	60.31	22.46	37.49	43.57	58.15	37.37	52.48
1.5	69.89	81.24	61.56	73.51	69.52	81.12	68.03	79.85	81.29	83.29	83.36	68.09	43.90	59.73	22.95	37.35	44.01	58.80	34.15	47.75
2	69.83	81.12	61.27	73.05	69.52	81.24	66.54	78.23	82.64	83.40	81.97	65.23	42.58	58.23	23.21	37.96	43.99	59.41	31.06	44.00
2.5	69.54	80.94	59.54	72.49	69.69	81.24	65.27	76.97	82.58	83.72	82.82	62.42	40.84	55.54	23.69	38.26	43.71	59.55	29.36	41.38
3	69.87	80.99	57.71	70.07	69.82	81.29	64.01	76.34	77.17	84.15	83.27	62.21	38.28	53.62	24.00	38.87	42.66	58.23	27.70	39.20
4	68.15	79.69	51.51	64.45	68.94	81.01	62.29	73.63	69.89	83.41	82.90	60.04	34.77	47.95	24.73	39.23	38.41	52.93	25.58	35.47
5	67.27	79.22	42.96	56.01	67.41	79.72	59.88	72.09	65.66	78.08	70.82	58.30	31.06	43.06	25.33	40.06	32.93	45.96	23.95	32.25
SNN																				
0.01	61.22	74.67	58.06	71.55	58.55	71.95	63.15	76.50	87.57	77.55	85.63	89.32	38.06	56.75	14.93	25.63	36.02	53.48	42.53	62.68
0.05	61.26	74.79	57.55	71.49	58.78	71.72	62.42	76.21	87.34	77.55	86.01	85.69	38.00	56.93	15.25	26.54	35.68	53.34	42.47	62.96
0.1	61.10	75.07	57.89	71.32	58.09	71.62	60.23	74.37	87.31	77.43	85.66	82.74	38.28	57.39	14.70	26.50	36.47	53.80	42.95	61.92
0.25	61.40	74.46	57.62	71.38	58.74	72.01	51.66	68.00	86.94	77.59	86.14	77.94	39.06	57.19	14.99	26.38	36.02	54.29	42.19	61.34
0.5	61.96	74.70	57.43	71.65	59.81	71.95	44.89	59.61	85.16	77.49	85.86	64.29	39.28	57.31	15.05	26.54	36.51	55.08	41.37	60.40
0.75	60.76	75.30	57.50	71.22	59.02	72.12	41.39	54.88	82.10	77.27	85.78	57.44	39.10	58.29	15.09	26.74	36.53	55.24	40.85	58.75
1	58.79	73.07	57.90	70.81	60.56	73.50	37.39	51.16	79.76	77.72	85.65	54.44	39.14	57.33	15.17	26.34	37.50	55.80	38.48	56.77
1.5	54.42	69.56	57.78	71.55	60.23	72.01	32.67	46.86	78.91	78.12	83.84	51.63	39.80	57.63	15.55	27.25	38.05	55.97	34.27	52.20
2	48.76	64.47	58.68	73.27	60.34	73.57	28.31	41.34	76.44	78.61	82.20	50.36	39.12	58.21	15.68	27.51	39.56	57.46	30.29	47.64
2.5	44.63	60.43	58.15	72.75	59.70	73.39	25.08	38.43	70.86	78.47	79.96	49.85	39.20	57.93	16.26	28.42	39.02	57.54	26.64	43.41
3	41.85	56.62	57.43	71.72	57.42	71.74	22.09	35.72	65.07	78.61	77.46	49.55	38.38	56.81	16.14	27.97	39.58	57.89	24.18	39.58
4	35.81	49.71	50.22	66.92	45.95	60.01	18.09	30.13	55.92	79.52	72.85	49.24	35.40	52.90	17.13	29.75	38.17	55.76	20.15	34.09
5	31.29	46.49	34.97	50.12	37.27	51.10	14.52	24.70	51.75	78.34	58.64	49.08	31.69	48.22	17.52	30.50	33.80	50.26	15.63	28.79
GCN																				
0.01	59.08	72.32	54.12	68.62	60.05	72.95	60.91	74.11	77.48	68.13	77.87	79.65	40.00	56.21	15.71	27.72	38.77	54.21	42.04	59.18
0.05	59.82	72.49	53.50	68.28	60.28	73.07	59.43	73.78	77.48	68.08	77.97	80.14	40.22	56.07	15.75	27.82	39.29	54.13	40.88	56.77
0.1	59.42	71.69	54.58	68.14	60.57	73.13	56.04	69.65	77.65	68.30	77.97	79.63	40.98	56.73	15.85	27.54	39.07	54.63	39.44	54.91
0.25	58.96	71.93	54.25	69.01	60.68	72.92	44.90	59.10	77.16	67.64	77.32	76.40	41.30	57.62	15.83	27.58	39.68	55.27	37.85	51.53
0.5	59.71	73.30	53.79	67.93	60.63	73.21	32.00	45.55	77.05	68.06	77.98	73.17	40.90	57.72	15.55	27.17	39.84	55.13	35.79	47.90
0.75	59.19	72.04	52.44	66.62	60.74	74.06	21.59	34.01	77.15	68.35	77.68	67.72	41.16	56.59	15.71	27.54	40.34	56.05	35.01	46.02
1	58.16	71.02	52.10	67.48	61.43	73.77	15.97	26.16	76.95	68.43	77.76	64.41	40.26	56.45	15.93	27.76	40.34	55.85	33.99	44.94
1.5	54.09	68.44	53.66	68.68	61.33	74.48	11.07	20.88	77.16	68.69	77.97	59.69	38.55	53.77	16.01	27.60	41.32	58.16	33.53	43.21
2	46.16	61.00	55.57	69.77	61.50	74.77	10.67	17.67	75.93	69.00	77.15	54.52	37.83	51.19	16.07	27.88	41.34	58.12	33.04	42.29
2.5	36.58	52.06	55.71	70.62	59.72	73.34	10.39	18.20	74.15	68.08	76.80	51.96	36.91	48.94	16.49	28.24	40.90	57.04	32.62	41.81
3	29.02	43.78	54.27	69.14	58.85	72.31	9.63	17.60	71.83	68.97	75.00	51.74	35.67	47.72	15.83	28.02	38.77	53.67	32.08	40.57
4	16.09	28.43	42.39	59.03	48.20	63.86	9.23	17.34	68.12	67.06	70.33	51.39	34.25	44.58	16.01	28.42	35.87	47.90	31.66	39.83
5	11.38	20.21	22.55	36.99	22.61	35.55	8.20	15.60	63.											

Noise level	N-Caltech101								N-Cars				N-ImageNet							
	NN		EDnCNN		DIF		w/o		NN	EDnCNN	DIF	w/o	NN		EDnCNN		DIF		w/o	
	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc.	Acc.	Acc.	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3
CNN																				
0.01	65.24	77.97	63.11	77.55	64.89	77.87	66.84	79.59	86.31	76.46	85.47	89.64	35.04	51.74	15.76	26.92	32.77	49.70	40.20	58.29
0.05	65.24	78.03	62.99	77.50	64.89	77.81	67.52	79.82	86.34	76.47	85.47	89.80	35.20	51.84	15.82	26.98	32.85	49.62	41.03	59.13
0.1	65.24	78.03	63.28	77.21	65.23	77.87	68.21	80.34	86.43	76.64	85.66	90.10	35.10	51.90	15.88	27.00	32.81	49.86	41.11	59.29
0.25	65.36	78.33	63.05	77.55	65.23	77.99	69.19	81.25	86.34	76.78	85.74	90.58	35.32	52.28	15.90	27.06	33.21	49.98	41.97	60.10
0.5	65.99	78.26	63.57	77.61	65.52	78.16	69.49	81.43	86.55	76.96	85.88	90.94	35.64	52.80	15.98	27.04	33.84	50.40	43.25	61.02
0.75	66.50	79.03	63.57	77.44	65.86	78.16	69.60	81.77	87.07	77.31	86.13	91.40	36.58	53.71	15.98	27.37	34.26	50.81	44.19	62.48
1	67.02	79.83	64.08	77.55	65.80	78.44	69.93	82.06	87.25	77.40	86.43	91.60	37.36	54.47	15.84	27.27	34.65	51.23	45.01	62.36
1.5	68.57	79.66	64.20	77.55	65.63	78.04	69.42	81.13	88.32	77.79	86.73	90.69	38.04	55.19	16.59	27.91	35.23	52.83	44.13	61.24
2	68.81	80.81	64.83	77.90	66.61	78.73	62.98	78.09	88.68	78.05	87.48	75.83	38.84	56.45	16.50	28.16	37.12	54.09	41.11	58.35
2.5	69.03	81.15	65.17	78.01	67.41	79.48	52.77	69.53	89.02	78.78	87.92	62.47	39.78	56.99	16.75	28.24	38.21	55.32	37.24	53.97
3	69.43	81.34	65.86	78.36	68.04	79.88	49.85	65.80	89.57	79.13	88.51	57.53	40.69	58.39	16.71	28.76	38.84	56.53	34.13	50.38
4	69.66	81.44	65.39	77.96	69.13	80.62	46.64	63.38	89.87	80.53	89.08	53.32	41.43	58.53	17.50	29.77	40.35	58.13	29.05	44.05
5	66.85	79.96	63.17	74.66	68.67	80.15	45.21	61.33	85.16	80.91	86.59	51.85	39.22	56.43	18.77	30.54	40.35	58.66	24.52	38.72
ViT																				
0.01	66.25	78.37	60.27	74.23	66.02	78.41	67.79	79.57	85.73	79.32	86.05	89.50	34.01	47.31	15.78	25.99	32.55	44.88	40.14	55.58
0.05	66.36	78.49	60.15	74.11	66.07	78.36	68.19	79.85	85.78	79.46	86.04	89.59	34.11	47.51	15.81	25.92	32.53	45.07	40.58	56.52
0.1	66.36	78.55	60.10	74.06	66.24	78.30	68.08	79.79	85.75	79.44	86.23	89.52	34.35	47.69	15.78	26.09	32.53	45.19	41.18	57.39
0.25	66.25	78.73	59.92	73.77	66.24	78.36	68.25	80.36	86.02	79.29	86.10	89.90	34.63	47.91	15.78	25.86	32.63	45.61	42.90	59.51
0.5	66.71	78.67	59.35	74.00	66.24	78.24	68.88	80.19	86.02	79.44	86.38	91.07	35.35	48.21	15.87	26.03	32.99	45.91	44.53	61.77
0.75	67.05	78.86	59.18	73.77	66.42	78.14	69.05	80.55	86.13	79.93	86.73	91.52	35.61	49.39	15.95	26.19	33.54	46.68	45.95	62.69
1	66.59	79.38	59.75	73.60	66.59	78.30	69.05	80.84	86.40	80.12	86.94	91.24	36.35	50.25	15.87	26.41	33.72	47.21	46.05	63.50
1.5	67.51	79.65	58.49	73.50	66.53	78.70	69.17	81.02	87.56	80.42	87.26	90.96	37.73	52.26	16.23	26.63	34.83	48.48	45.67	62.59
2	68.19	79.64	57.29	72.85	67.39	79.22	68.14	81.02	88.15	80.49	87.48	81.30	39.78	54.84	16.31	27.16	35.90	49.66	42.92	59.57
2.5	68.01	80.11	56.01	71.71	67.33	79.40	68.41	80.79	89.01	81.15	88.10	62.46	41.50	56.60	16.57	27.73	36.79	51.70	40.24	56.20
3	68.77	80.45	54.42	69.54	67.68	79.79	67.84	80.56	89.17	81.04	88.44	58.23	41.88	57.75	17.06	27.36	38.80	53.44	37.29	52.44
4	68.64	80.73	48.51	64.78	68.65	80.66	67.66	79.59	89.04	82.09	89.56	56.14	43.32	59.37	17.38	28.39	40.29	57.36	33.01	46.55
5	68.76	80.95	40.56	57.17	68.18	81.14	65.83	78.78	83.05	82.05	86.81	56.17	41.28	56.85	17.89	29.26	39.26	55.75	29.94	42.56
SNN																				
0.01	56.64	70.67	53.86	68.90	54.83	68.64	60.16	73.58	82.31	71.80	81.50	86.17	27.64	42.29	9.85	19.86	25.67	38.71	33.73	50.72
0.05	56.27	70.97	53.97	69.12	54.77	68.30	60.90	73.80	82.22	71.92	81.39	86.70	28.37	42.03	9.89	19.54	25.65	39.06	34.05	51.32
0.1	56.36	71.02	53.46	68.79	54.25	68.13	62.05	73.59	82.18	71.52	81.60	86.94	28.08	41.81	10.09	19.68	25.55	39.79	35.14	51.68
0.25	56.97	70.74	53.98	69.75	56.09	69.22	62.92	75.65	82.36	71.81	81.48	88.35	27.50	41.59	9.77	19.01	25.87	40.05	35.28	53.08
0.5	57.17	71.32	54.28	69.70	55.34	69.45	64.47	76.84	83.13	72.12	81.89	89.47	28.81	43.03	9.99	19.17	26.05	40.37	38.24	55.73
0.75	58.25	71.60	54.34	70.33	55.86	69.05	65.17	77.40	83.26	71.96	82.50	90.12	28.99	43.73	10.40	19.86	26.23	39.95	38.76	56.13
1	58.99	72.23	54.54	70.45	56.43	69.50	64.30	77.17	84.07	72.14	82.68	90.53	29.51	43.41	9.89	19.30	26.54	40.88	39.32	57.91
1.5	61.70	74.01	55.60	69.99	56.89	70.02	63.28	76.55	84.99	72.65	83.62	90.94	30.53	45.71	10.42	19.80	27.57	42.66	39.38	58.35
2	61.46	74.70	55.07	69.99	56.89	70.48	58.68	72.42	86.02	72.98	83.94	87.82	31.89	47.42	10.50	20.19	28.56	43.91	36.68	55.03
2.5	62.47	76.13	54.88	70.10	58.61	71.93	53.11	69.09	86.78	73.51	84.73	80.05	33.41	49.00	10.48	20.45	30.02	44.78	34.35	51.68
3	63.77	76.36	55.01	70.16	60.16	72.77	46.78	62.11	87.74	73.81	85.72	70.69	34.44	50.08	10.90	21.02	31.35	45.85	30.89	47.94
4	63.29	76.26	55.64	70.91	61.89	74.85	34.27	49.32	88.86	74.97	87.59	57.86	35.72	52.92	10.82	20.59	34.14	50.04	24.40	40.34
5	61.12	73.73	53.00	67.05	61.43	75.05	22.26	35.66	87.56	75.84	88.30	52.46	35.22	51.66	11.65	21.62	34.73	51.40	20.43	35.00
GCN																				
0.01	52.69	67.31	45.66	59.90	52.50	67.05	56.20	70.20	72.86	64.85	74.12	75.72	36.67	48.54	14.48	24.25	36.21	47.74	38.91	52.97
0.05	52.92	67.49	45.54	59.62	52.57	67.33	57.23	70.67	72.92	65.17	74.28	76.80	36.67	48.84	14.22	24.21	36.21	47.82	39.72	54.53
0.1	53.32	67.78	44.68	60.77	52.57	66.99	59.59	72.39	72.93	65.06	74.35	77.24	36.43	49.12	14.22	24.13	35.95	47.68	40.30	55.43
0.25	54.65	67.49	45.51	60.61	53.20	67.23	59.98	73.08	72.98	64.55	73.90	77.61	36.95	49.44	14.46	24.05	35.81	47.96	41.10	57.06
0.5	55.44	68.94	43.99	60.04	53.03	67.16	61.50	73.04	73.52	64.46	74.21	78.46	37.51	51.23	14.30	23.93	35.91	47.94	42.42	59.00
0.75	56.23	69.33	44.06	59.85	53.49	68.02	61.36	73.53	73.53	64.61	73.86	77.60	38.31	52.65	14.48	24.09	36.63	48.48	42.20	59.34
1	57.13	70.66	44.12	60.67	55.28	68.77	59.36	71.42	74.04	65.91	74.28	77.06	38.77	53.15	14.22	24.39	36.13	48.86	42.56	59.92
1.5	58.73	71.99	46.28	61.34	55.12	68.14	59.12	72.48	74.73	65.24	74.09	74.92	39.56	53.97	14.52	24.31	37.65	50.62	40.76	56.75
2	59.61	72.18	49.22	64.05	56.47	69.74	58.26	71.18	75.31	65.77	75.11	69.08	39.92	55.75	14.54	25.03	37.99	51.33	37.71	52.01
2.5	60.52	73.22	51.10	65.79	57.75	70.67	55.98	69.76	75.45	65.15	74.03	64.87	40.46	56.45	14.26	24.89	39.37	54.13	36.29	48.54
3	61.56	73.60	52.50	66.12	57.45	70.43	52.41	67.13	75.65	64.61	73.60	61.27	40.94	57.78	14.40	24.93	40.24	55.79	34.87	46.06
4	60.22	74.03	53.26	67.36	59.18	73.04	46.46	62.27	75.91	63.75	71.36	56.98	41.20	58.70	14.64	25.19	41.36	57.68	33.77	43.73
5	58.96	72.16	52.28	67.07	59.13	72.68	37.39	52.73	75.61	63.90										

Noise level	N-Caltech101								N-Cars				N-ImageNet							
	NN		EDnCNN		DIF		w/o		NN	EDnCNN	DIF	w/o	NN		EDnCNN		DIF		w/o	
	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc.	Acc.	Acc.	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3	Acc.	Acc. top-3
CNN																				
0.01	68.83	80.48	67.88	80.31	69.14	80.31	69.54	80.65	89.01	82.12	87.77	91.50	42.83	61.46	21.54	34.73	42.19	60.48	45.65	64.54
0.05	68.89	80.48	67.82	80.25	69.37	80.48	69.49	80.99	89.09	82.14	87.77	91.59	42.93	61.44	21.54	34.79	42.29	60.48	45.63	64.76
0.1	68.83	80.42	67.59	80.31	69.31	80.42	69.72	80.99	89.13	81.98	88.03	91.79	42.99	61.46	21.74	34.71	42.31	60.56	45.85	64.76
0.25	68.96	80.42	67.71	80.19	69.03	80.25	69.43	80.59	89.12	82.05	87.94	91.90	43.21	61.86	21.82	34.87	42.37	60.68	46.01	64.70
0.5	68.90	80.36	67.37	80.48	69.43	80.25	69.60	80.71	89.33	82.26	88.27	92.03	43.37	62.18	21.82	35.21	42.31	61.02	45.93	64.94
0.75	69.54	80.42	67.42	80.08	69.49	80.43	69.54	81.11	89.36	82.11	88.14	92.06	43.71	62.18	21.56	35.09	43.16	61.14	45.73	64.64
1	69.07	80.65	67.48	79.90	69.31	80.72	69.14	80.94	89.54	82.07	88.31	92.08	43.99	62.22	21.60	35.34	43.18	61.33	45.55	64.54
1.5	69.31	80.25	67.59	80.08	69.49	80.65	69.37	80.76	89.69	82.65	88.76	91.82	43.97	62.80	22.21	35.52	44.11	62.36	45.49	65.00
2	69.53	80.48	68.40	80.01	69.54	80.69	69.60	81.11	89.44	82.99	89.10	91.82	44.37	62.86	22.53	36.12	44.36	62.95	45.89	64.90
2.5	68.84	81.05	68.05	80.12	69.54	80.71	69.49	81.28	89.86	83.07	89.14	91.60	44.07	63.04	22.86	36.79	44.74	62.90	45.43	64.66
3	68.94	80.54	67.54	80.12	69.37	80.18	69.54	80.42	89.82	83.18	88.83	91.42	43.61	63.06	22.80	36.93	45.08	63.19	45.43	64.68
4	69.06	80.08	67.25	79.38	69.77	80.65	69.43	80.20	89.86	83.88	89.52	91.16	43.85	62.20	23.46	38.29	45.27	63.51	45.09	64.36
5	69.17	80.71	66.73	78.00	69.77	80.41	69.43	80.46	89.87	84.66	89.28	90.73	43.01	61.74	24.41	38.73	44.26	62.46	44.87	63.66
ViT																				
0.01	69.47	80.98	64.70	77.69	69.21	80.94	70.02	81.11	89.51	81.19	89.15	91.93	45.27	61.25	23.37	36.77	44.07	59.47	47.99	64.88
0.05	69.36	80.92	64.64	77.57	69.39	80.94	70.02	81.11	89.45	81.24	89.15	91.88	45.31	61.29	23.43	36.97	43.97	59.33	48.01	64.88
0.1	69.47	80.92	64.89	77.69	69.21	80.94	69.96	81.22	89.50	81.12	89.06	91.82	45.25	61.33	23.59	36.56	43.97	59.26	47.95	65.12
0.25	69.36	81.03	64.64	77.46	69.21	81.11	69.56	81.17	89.57	81.47	89.16	91.91	45.33	61.37	23.21	37.05	44.05	59.31	48.05	65.18
0.5	69.36	81.05	64.24	77.34	69.44	80.99	69.44	80.99	89.65	81.50	89.35	91.72	45.41	61.85	23.63	37.03	44.20	59.63	48.11	65.36
0.75	69.30	80.80	63.67	77.17	69.44	81.11	69.61	81.05	89.72	81.97	89.52	91.43	45.59	61.53	23.71	37.35	44.40	59.65	48.37	65.06
1	69.59	81.10	63.44	76.83	69.61	80.88	69.61	81.05	89.73	82.03	89.59	91.46	45.65	61.69	23.71	37.27	44.34	59.85	47.89	65.30
1.5	69.82	81.18	62.98	76.83	69.56	81.22	69.44	81.40	89.71	82.25	89.52	90.90	45.91	62.29	23.98	37.80	44.94	60.24	48.47	64.80
2	69.53	81.10	62.45	76.25	69.33	81.05	69.61	81.05	89.60	82.60	89.92	91.02	45.57	61.93	24.26	37.92	44.66	60.52	48.37	64.44
2.5	69.76	80.82	61.55	75.91	69.73	81.40	69.56	81.34	89.68	82.72	89.71	90.78	45.77	62.59	24.08	38.04	45.47	60.50	47.95	64.48
3	69.70	81.51	59.54	74.13	69.96	81.17	69.44	81.34	89.26	83.65	89.66	90.36	45.85	62.29	24.50	38.42	45.71	61.06	48.09	64.36
4	69.36	81.17	53.92	68.80	69.61	81.45	69.04	81.40	89.29	84.01	89.36	90.25	45.27	62.07	24.85	39.48	45.19	60.96	47.65	64.44
5	69.53	81.34	47.30	63.41	69.33	81.62	69.10	81.28	89.18	84.13	88.87	90.07	45.35	61.75	25.31	40.37	44.48	60.78	47.59	64.52
SNN																				
0.01	64.48	76.38	61.04	74.02	64.38	76.34	65.89	78.92	87.09	76.76	86.56	89.82	36.44	53.53	15.11	26.74	33.86	50.34	40.18	58.89
0.05	64.31	76.77	61.50	73.72	63.87	75.94	66.06	78.18	87.20	76.69	86.70	89.73	36.60	53.91	14.91	26.50	34.00	50.77	40.54	59.50
0.1	64.64	76.61	60.87	73.96	64.10	76.51	65.54	78.23	87.35	77.30	86.27	89.66	36.32	54.15	15.19	26.21	33.98	51.15	41.23	59.35
0.25	64.71	76.65	61.33	73.77	63.92	76.16	65.66	78.57	87.62	77.00	86.59	89.55	36.98	54.17	15.01	26.82	34.14	51.13	40.87	59.88
0.5	64.77	76.60	60.87	73.10	63.98	75.71	65.07	78.52	87.45	77.48	86.79	89.31	37.16	54.09	15.03	26.82	34.34	51.48	41.33	60.06
0.75	65.08	76.41	61.45	74.09	64.33	76.39	65.83	78.69	87.57	77.64	87.36	89.17	36.86	54.27	15.09	26.42	34.61	51.98	41.01	60.38
1	64.38	77.64	61.16	73.73	64.04	76.72	66.28	78.52	87.98	77.60	87.41	88.95	36.94	54.57	15.78	26.70	34.97	52.41	40.99	59.94
1.5	65.00	76.77	61.04	74.26	64.94	76.78	66.35	78.23	87.66	77.94	87.46	88.92	37.52	55.43	15.19	26.62	35.34	52.65	40.87	59.62
2	65.01	78.27	61.10	73.03	64.73	77.14	66.00	78.74	87.86	78.04	87.94	89.39	36.74	54.51	15.39	27.04	35.54	52.91	39.92	58.71
2.5	65.83	77.94	60.83	72.47	64.84	76.68	65.77	78.11	87.90	79.25	88.15	89.50	38.26	55.59	15.90	27.47	35.62	53.68	39.64	58.83
3	65.98	78.44	59.44	72.68	65.07	77.63	65.43	78.63	87.87	79.25	88.16	89.42	37.66	55.65	15.96	27.91	36.14	53.96	39.80	58.59
4	65.57	78.16	57.37	71.21	65.01	77.66	65.01	78.74	87.87	80.39	88.03	89.32	36.86	54.89	16.44	27.57	36.04	53.38	38.72	57.63
5	66.07	77.83	53.98	69.10	66.00	77.54	66.16	78.06	87.78	81.13	87.24	89.13	36.68	53.85	16.24	28.82	36.00	53.48	39.04	57.41
GCN																				
0.01	58.56	72.01	51.25	65.40	58.79	72.51	61.37	74.16	75.05	66.57	75.79	77.74	40.10	55.81	15.55	27.23	39.09	53.87	41.60	58.88
0.05	58.62	72.41	51.24	64.88	58.85	72.62	62.06	75.62	75.17	66.54	76.05	77.98	39.82	55.37	15.35	27.15	39.01	54.13	41.74	59.24
0.1	58.62	72.46	51.42	64.71	59.32	72.45	62.98	75.72	75.52	66.54	75.91	78.11	39.74	55.37	15.61	27.05	39.11	54.03	41.98	59.76
0.25	58.85	72.68	51.67	64.60	59.02	73.08	62.40	75.43	75.90	66.05	76.06	78.34	40.98	56.85	15.89	27.21	39.80	54.05	41.86	59.18
0.5	60.24	72.97	49.92	64.77	59.75	72.62	61.64	75.43	76.14	66.40	76.60	77.99	41.12	57.36	15.79	26.95	40.26	54.41	42.64	59.60
0.75	60.28	73.48	49.02	63.55	59.92	73.02	59.25	72.85	75.80	66.82	76.85	77.65	41.24	57.80	15.69	27.52	40.24	55.39	42.10	59.58
1	61.10	74.74	49.27	64.60	59.82	74.69	58.50	72.75	75.95	66.97	77.28	76.88	41.22	58.18	16.27	27.40	39.94	55.07	42.42	59.20
1.5	62.29	75.03	50.94	65.05	59.94	73.38	55.19	70.34	76.81	66.71	77.48	74.81	41.66	58.26	16.35	27.35	40.44	56.45	42.46	59.14
2	62.43	75.45	54.15	67.78	61.43	74.18	52.90	67.99	77.05	67.01	77.88	68.72	41.82	58.50	16.09	27.70	40.74	57.16	42.18	58.32
2.5	62.72	74.76	55.91	69.64	61.37	74.60	51.58	67.20	77.45	66.93	77.53	65.03	41.36	58.54	16.35	28.08	41.02	58.08	42.08	58.40
3	61.56	75.32	56.38	69.76	62.37	74.81	49.10	64.54	77.50	66.97	77.69	62.02	41.98	58.50	16.23	28.04	41.14	58.08	41.50	57.60
4	59.91	73.50	55.72	71.72	62.59	76.29	48.27	64.67	77.22	65.68	76.68	57.42	41.46	58.16	16.19	27.90	41.26	58.72	40.50	55.79
5	54.75	70.34	53.64	68.78	61.79	75.34	45.95	62.49	77.01	66.3										




Figure 8. Qualitative comparison using GradCAM and GradCam++ between trained CNN model on Mini N-ImageNet with and without our Noise-injection method for different noise levels.




Figure 9. Qualitative comparison using GradCAM and GradCAM++ between trained CNN model on N-Caltech101 with and without our Noise-injection method for different noise levels.