

Dermal Injections for the Treatment of Facial Lipodystrophy Syndrome (LDS)

250.5 Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Tracking Information

Publication Number

100-3

Manual Section Number

250.5

Manual Section Title

Dermal Injections for the Treatment of Facial Lipodystrophy Syndrome (LDS)

Version Number

1

Effective Date of this Version

03/23/2010

Implementation Date

07/06/2010

Description Information

Benefit Category

Physicians' Services

Please Note: This may not be an exhaustive list of all applicable Medicare benefit categories for this item or service.

Item/Service Description

A. General

Treatment of persons infected with the human immunodeficiency virus (HIV) or persons who have Acquired Immune Deficiency Syndrome (AIDS) may include highly active antiretroviral therapy (HAART). Drug reactions commonly associated with long-term use of HAART include metabolic complications such as, lipid abnormalities, e.g., hyperlipidemia, hyperglycemia, diabetes, lipodystrophy, and heart disease. Lipodystrophy is characterized by abnormal fat distribution in the body.

The LDS is often characterized by a loss of fat that results in a facial abnormality such as severely sunken cheeks. The patient's physical appearance may contribute to psychological conditions (e.g., depression) or adversely impact a patient's adherence to antiretroviral regimens (therefore jeopardizing their health) and both of these are important health-related outcomes of interest in this population. Therefore, improving a patient's physical appearance through the use of dermal injections could improve these health-related outcomes.

Indications and Limitations of Coverage

B. Nationally Covered Indications

Effective for claims with dates of service on and after March 23, 2010, dermal injections for LDS are only reasonable and necessary using dermal fillers approved by the Food and Drug Administration (FDA) for this purpose, and then only in HIV-infected beneficiaries when LDS caused by antiretroviral HIV treatment is a significant contributor to their depression.

C. Nationally Non-Covered Indications

1. Dermal fillers that are not approved by the FDA for the treatment of LDS.
2. Dermal fillers that are used for any indication other than LDS in HIV-infected individuals who manifest depression as a result of their antiretroviral HIV treatments.

D. Other

N/A

(This NCD last reviewed March 2010.)

Claims Processing Instructions

[TN 1978 \(Medicare Claims Processing\)](#) 

[TN 2105 \(Medicare Claims Processing\)](#) 

Transmittal Information

Transmittal Number

122

Coverage Transmittal Link

<https://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/Downloads/R122NCD.pdf> 

Revision History

09/2025 - Transmittal 13383 issued August 26, 2025, is being rescinded and replaced by Transmittal 13401, dated September 9, 2025, to add a new attachment to ensure the functionality of the NCD zip URL is working properly and to update the Policy section. All other information remains the same.

The purpose of this Change Request (CR) is to provide a quarterly maintenance update of ICD-10 coding conversions and other coding updates specific to National Coverage Determinations (NCDs). ([TN 13401](#) ) (CR14194)

12/2015 - This change request (CR) is the 3rd maintenance update of ICD-10 conversions/updates specific to national coverage determinations (NCDs). The majority of the NCDs included are a result of feedback received from previous ICD-10 NCD CR7818, CR8109, CR8197, CR8691, & CR9087. Some are the result of revisions required to other NCD-related CRs released separately that included ICD-10 coding. Implementation date: 01/04/2016 Effective date: 10/1/2015. ([TN 1580](#)) (CR9252)

08/2015 - This change request (CR) is the 3rd maintenance update of ICD-10 conversions/updates specific to national coverage determinations (NCDs). The majority of the NCDs included are a result of feedback received from previous ICD-10 NCD CR7818, CR8109, CR8197, CR8691, & CR9087. Some are the result of revisions required to other NCD-related CRs released separately that included ICD-10 coding. These updates do not expand, restrict, or alter existing coverage policy. Implementation date: 01/04/2016 Effective date: 10/1/2015. ([TN 1537](#)) (CR 9252)

05/2014 - CMS translated the information for this policy from ICD-9-CM/PCS to ICD-10-CM/PCS according to HIPAA standard medical data code set requirements and updated any necessary and related coding infrastructure. These updates do not expand, restrict, or alter existing coverage policy. Implementation date: 10/06/2014 Effective date: 10/1/2015. ([TN 1388](#)) ([TN 1388](#)) (CR 8691)

09/2012 - CMS translated the information for this policy from ICD-9-CM/PCS to ICD-10-CM/PCS according to HIPAA standard medical data code set requirements and updated any necessary and related coding infrastructure. These updates do not expand, restrict, or alter existing coverage policy. Implementation date: 01/07/2013 Effective date: 10/1/2015. ([TN 1122](#)) ([TN 1122](#)) (CR 7818)

06/2010 - Effective for claims with dates of service on or after March 23, 2010, dermal injections for facial LDS are only reasonable and necessary using dermal fillers approved by the Food and Drug Administration for this purpose, and then only in HIV-infected beneficiaries who manifest depression secondary to the physical stigma of HIV treatment. Effective date: 03/23/2010 Implementation date: 07/06/2010 [TN 122](#) (CR6953)

National Coverage Analyses (NCAs)

This NCD has been or is currently being reviewed under the National Coverage Determination process. The following are existing associations with NCAs, from the National Coverage Analyses database.

- [Original Consideration for Dermal injections for the treatment of facial lipodystrophy syndrome \(FLS\) \(CAG-00412N\)](#)

Additional Information

[Other Versions](#)

Title	Version	Effective Between	
Dermal Injections for the Treatment of Facial Lipodystrophy Syndrome (LDS)	1	03/23/2010 - N/A	You are here