

Repo Reality Check — 2026-courier

Commit: `ba23daa814bb9e0a9db32b908cdcd3e098bc3907`

Files scanned: 2147 · high 11 · medium 53 · low 48

Read-only scan; no code was executed. Secret findings show location and type only.

Secrets (12)

- **low** `github_token` — tests/test_apply_memory_update_proposal.py:83: test fixture shape (low entropy, in tests/)
- **low** `github_token` — tests/test_apply_memory_update_proposal.py:142: test fixture shape (low entropy, in tests/)
- **low** `github_token` — tests/test_evaluate_memory_proposal_for_auto_approval.py:86: test fixture shape (low entropy, in tests/)
- **low** `private_key_block` — tests/test_evaluate_memory_proposal_for_auto_approval.py:89: test fixture shape (low entropy, in tests/)
- **low** `github_token` — tests/test_register_social_channel.py:22: test fixture shape (low entropy, in tests/)
- **low** `github_token` — tests/test_run_antigravity_bridge.py:16: test fixture shape (low entropy, in tests/)
- **low** `openai_style_key` — tests/test_run_antigravity_bridge.py:17: test fixture shape (low entropy, in tests/)
- **low** `github_token` — tests/test_run_antigravity_bridge.py:73: test fixture shape (low entropy, in tests/)
- **low** `github_token` — tests/test_run_codex_bridge.py:17: test fixture shape (low entropy, in tests/)
- **low** `openai_style_key` — tests/test_run_codex_bridge.py:18: test fixture shape (low entropy, in tests/)
- **low** `github_token` — tests/test_run_codex_bridge.py:56: test fixture shape (low entropy, in tests/)

- **low** `private_key_block` — tests/test_run_content_production_pipeline.py:49: test fixture shape (low entropy, in tests/)

Safety (12)

- **high** `KILL_BY_NAME` — .carrier-wtv-20261007/scripts/check_local_safety.py:4: 1. Name-based process kills. Cleanup by executable name (`Stop-Process -Name`
- **high** `KILL_BY_NAME` — .carrier-wtv-20261007/scripts/check_local_safety.py:5: `python`, `taskkill /IM`, `pkill`, `killall`)` terminated unrelated
- **high** `KILL_BY_NAME` — .carrier-wtv-20261007/scripts/check_local_safety.py:34: `re.compile(r"Get-Process\b[^\n]*\b[^\n]*Stop-Process", re.I),`
- **high** `KILL_BY_NAME` — .carrier-wtv-20261007/scripts/windows_worker/stop.bat:3: `taskkill /F /IM Courier.exe 2>NUL`
- **high** `KILL_BY_NAME` — .wt-evidence/scripts/check_local_safety.py:4: 1. Name-based process kills. Cleanup by executable name (`Stop-Process -Name`
- **high** `KILL_BY_NAME` — .wt-evidence/scripts/check_local_safety.py:5: `python`, `taskkill /IM`, `pkill`, `killall`)` terminated unrelated
- **high** `KILL_BY_NAME` — .wt-evidence/scripts/check_local_safety.py:34: `re.compile(r"Get-Process\b[^\n]*\b[^\n]*Stop-Process", re.I),`
- **high** `KILL_BY_NAME` — .wt-evidence/scripts/windows_worker/stop.bat:3: `taskkill /F /IM Courier.exe 2>NUL`
- **high** `KILL_BY_NAME` — scripts/windows_worker/stop.bat:3: `taskkill /F /IM Courier.exe 2>NUL`
- **medium** `WILDCARD_BIND` — .carrier-wtv-20261007/deploy/run-supervisor.sh:23: `gunicorn -w 1 --threads 4 -b 0.0.0.0:8080 server.app:app &`
- **medium** `WILDCARD_BIND` — .wt-evidence/deploy/run-supervisor.sh:23: `gunicorn -w 1 --threads 4 -b 0.0.0.0:8080 server.app:app &`
- **medium** `WILDCARD_BIND` — deploy/run-supervisor.sh:23: `gunicorn -w 1 --threads 4 -b 0.0.0.0:8080 server.app:app &`

Hygiene (39)

- **high** `generated_or_private_file_tracked` — scripts/windows_worker/dist/libs/certifi/cacert.pem: tracked; usually belongs in .gitignore

- **medium** `binary_committed` — events/digital-assets/dist/FruitKI_3D_Commercial_Pack_v1.0.0.zip: 1 KiB without build provenance
- **medium** `binary_committed` — events/revenue-opportunities/offerings/kibey_ai_marketplace/dist/KIBEY_PILOT_DELIVERY_PACKAGE_v1.0.0.zip: 2 KiB without build provenance
- **medium** `generated_or_private_file_tracked` — pytest.log: tracked; usually belongs in .gitignore
- **medium** `binary_committed` — scripts/windows_worker/Courier.exe: 11 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/CourierWorker-v1.zip: 13787 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/Courier_Debug.exe: 9 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/Courier.exe: 9 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/libs/bin/bottle.exe: 45 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/libs/bin/cffi-gen-src.exe: 45 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/libs/bin/flask.exe: 45 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/libs/bin/idna.exe: 45 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/libs/bin/normalizer.exe: 45 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/libs/clr_loader/ffi/dlls/amd64/ClrLoader.dll: 10 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/libs/clr_loader/ffi/dlls/x86/ClrLoader.dll: 10 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/libs/pythonnet/runtime/Python.Runtime.dll: 440 KiB without build

provenance

- **medium** `binary_committed` —
scripts/windows_worker/dist/libs/webview/lib/Microsoft.Web.WebView2.Core.dll: 634 KiB
without build provenance
- **medium** `binary_committed` —
scripts/windows_worker/dist/libs/webview/lib/Microsoft.Web.WebView2.WinForms.dll: 38 KiB
without build provenance
- **medium** `binary_committed` —
scripts/windows_worker/dist/libs/webview/lib/WebBrowserInterop.x64.dll: 7 KiB without build
provenance
- **medium** `binary_committed` —
scripts/windows_worker/dist/libs/webview/lib/WebBrowserInterop.x86.dll: 7 KiB without build
provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/libs/webview/lib/pywebview-
android.jar: 13 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/libs/webview/lib/runtimes/win-
arm64/native/WebView2Loader.dll: 143 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/libs/webview/lib/runtimes/win-
x64/native/WebView2Loader.dll: 158 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/libs/webview/lib/runtimes/win-
x86/native/WebView2Loader.dll: 119 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/python/libcrypto-3.dll: 5070
KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/python/libffi-8.dll: 38 KiB
without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/python/libssl-3.dll: 768 KiB
without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/python/python.exe: 100 KiB
without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/python/python3.dll: 65 KiB
without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/python/python311.dll: 5664
KiB without build provenance

- **medium** `binary_committed` — scripts/windows_worker/dist/python/python311.zip: 4185 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/python/pythonw.exe: 99 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/python/sqlite3.dll: 1504 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/python/vcruntime140.dll: 116 KiB without build provenance
- **medium** `binary_committed` — scripts/windows_worker/dist/python/vcruntime140_1.dll: 48 KiB without build provenance
- **medium** `generated_or_private_file_tracked` — server/crash.log: tracked; usually belongs in .gitignore
- **medium** `generated_or_private_file_tracked` — server/server.log: tracked; usually belongs in .gitignore
- **medium** `generated_or_private_file_tracked` — test_failures.log: tracked; usually belongs in .gitignore
- **medium** `generated_or_private_file_tracked` — test_output.log: tracked; usually belongs in .gitignore

Supply (36)

- **low** `action_pinned_by_tag` — .github\workflows\courier-codex.yml:22: actions/checkout@v5
- **low** `action_pinned_by_tag` — .github\workflows\courier-codex.yml:57: actions/checkout@v5
- **low** `action_pinned_by_tag` — .github\workflows\courier-codex.yml:61: openai/codex-action@v1
- **low** `action_pinned_by_tag` — .github\workflows\courier-codex.yml:86: actions/checkout@v5
- **low** `action_pinned_by_tag` — .github\workflows\courier_motor.yml:22: actions/checkout@v4
- **low** `action_pinned_by_tag` — .github\workflows\courier_motor.yml:44: actions/checkout@v4

- **low** `action_pinned_by_tag` — .github\workflows\courier_motor.yml:49: actions/setup-python@v5
- **low** `action_pinned_by_tag` — .github\workflows\courier_worker.yml:27: actions/checkout@v4
- **low** `action_pinned_by_tag` — .github\workflows\courier_worker.yml:137: actions/upload-artifact@v4
- **low** `action_pinned_by_tag` — .github\workflows\deploy-pages.yml:32: actions/checkout@v4
- **low** `action_pinned_by_tag` — .github\workflows\deploy-pages.yml:43: actions/configure-pages@v4
- **low** `action_pinned_by_tag` — .github\workflows\deploy-pages.yml:46: actions/upload-pages-artifact@v3
- **low** `action_pinned_by_tag` — .github\workflows\deploy-pages.yml:52: actions/deploy-pages@v4
- **low** `action_pinned_by_tag` — .github\workflows\deploy-static.yml:21: actions/checkout@v5
- **low** `action_pinned_by_tag` — .github\workflows\github-ci.yml:25: actions/checkout@v4
- **low** `action_pinned_by_tag` — .github\workflows\github-ci.yml:30: actions/setup-python@v5
- **low** `action_pinned_by_tag` — .github\workflows\host-endurance-soak.yml:42: actions/checkout@v4
- **low** `action_pinned_by_tag` — .github\workflows\host-endurance-soak.yml:44: actions/setup-python@v5
- **low** `action_pinned_by_tag` — .github\workflows\host-endurance-soak.yml:65: actions/upload-artifact@v4
- **low** `action_pinned_by_tag` — .github\workflows\host-endurance-soak.yml:79: actions/checkout@v4
- **low** `action_pinned_by_tag` — .github\workflows\host-endurance-soak.yml:81: actions/download-artifact@v4
- **low** `action_pinned_by_tag` — .github\workflows\host-endurance-soak.yml:98: actions/upload-artifact@v4

- **low** `action_pinned_by_tag` — .github\workflows\revenue_v1_baseline.yml:38: actions/checkout@v4
- **low** `action_pinned_by_tag` — .github\workflows\revenue_v1_baseline.yml:96: actions/upload-artifact@v4
- **low** `action_pinned_by_tag` — .github\workflows\revenue_v1_baseline.yml:112: actions/checkout@v4
- **low** `action_pinned_by_tag` — .github\workflows\revenue_v1_baseline.yml:115: actions/download-artifact@v4
- **low** `action_pinned_by_tag` — .github\workflows\revenue_v1_baseline.yml:124: actions/upload-artifact@v4
- **low** `action_pinned_by_tag` — .github\workflows\revenue_v1_baseline.yml:138: actions/checkout@v4
- **low** `action_pinned_by_tag` — .github\workflows\revenue_v1_baseline.yml:141: actions/download-artifact@v4
- **low** `action_pinned_by_tag` — .github\workflows\revenue_v1_baseline.yml:146: actions/download-artifact@v4
- **low** `action_pinned_by_tag` — .github\workflows\revenue_v1_baseline.yml:200: actions/upload-artifact@v4
- **low** `action_pinned_by_tag` — .github\workflows\v1-ci.yml:33: actions/checkout@v4
- **low** `action_pinned_by_tag` — .github\workflows\v1-ci.yml:35: actions/setup-python@v5
- **low** `action_pinned_by_tag` — .github\workflows\v1-ci.yml:78: actions/upload-artifact@v4
- **low** `action_pinned_by_tag` — .github\workflows\v1-ci.yml:100: actions/checkout@v4
- **low** `action_pinned_by_tag` — .github\workflows\v1-ci.yml:101: actions/setup-node@v4

Workflows (13)

- **high** `ci_failed_env` — tests: Clean runner tests failed
- **medium** `timeout` — .github/workflows/courier-codex.yml: Missing timeout-minutes configuration.
- **medium** `concurrency` — .github/workflows/courier-codex.yml: Missing concurrency block.
- **medium** `mutation_risk` — .github/workflows/courier-codex.yml: git push detected in workflow.

- **medium** `timeout` — .github/workflows/courier_worker.yml: Missing timeout-minutes configuration.
- **medium** `timeout` — .github/workflows/deploy-pages.yml: Missing timeout-minutes configuration.
- **medium** `timeout` — .github/workflows/deploy-static.yml: Missing timeout-minutes configuration.
- **medium** `concurrency` — .github/workflows/deploy-static.yml: Missing concurrency block.
- **medium** `timeout` — .github/workflows/github-ci.yml: Missing timeout-minutes configuration.
- **medium** `concurrency` — .github/workflows/github-ci.yml: Missing concurrency block.
- **medium** `timeout` — .github/workflows/revenue_v1_baseline.yml: Missing timeout-minutes configuration.
- **medium** `concurrency` — .github/workflows/revenue_v1_baseline.yml: Missing concurrency block.
- **medium** `mutation_risk` — .github/workflows/revenue_v1_baseline.yml: git push detected in workflow.