```
"C:\Program Files\Microsoft\jdk-11.0.12.7-hotspot\bin\java.exe" "-javaagent:D:\Program\IntelliJ IDEA 2022 .2.3\lib\idea_rt.jar=51712:D:\Program\IntelliJ IDEA 2022.2.3\bin" -Dfile.encoding=UTF-8 -classpath "D:\
Documents \\ soen $6441 flgint_api_rebuilding \\ codes \\ java \\ project \\ target \\ classes; D: \\ Documents \\ soen $6441 flgint_api_rebuilding \\ codes \\ java \\ project \\ target \\ classes; D: \\ Documents \\ soen $6441 flgint_api_rebuilding \\ codes \\ java \\ project \\ target \\ classes; D: \\ Documents \\ soen $6441 flgint_api_rebuilding \\ codes \\ java \\ project \\ target \\ classes; D: \\ Documents \\ soen $6441 flgint_api_rebuilding \\ soen $6
sqlite-jdbc-3.36.0.3.jar; C: \Users \happym\. m2\repository \org\xerial\sqlite-jdbc\-3.36.0.3\sqlite-jdbc-3.36.0.3\
0.3.jar" project.Main
Input your command("q" to quit) > country
          "data": [
                    {
                               "country_name": "New Zealand",
                               "country_iso2": "NZ",
                               "country_iso3": "NZL",
                              "country_iso_numeric": "554",
"population": "4252277",
                               "capital": "Wellington",
                               "continent": "OC",
                               "currency_name": "Dollar",
"currency_code": "NZD",
                               "fips_code": "NZ",
                               "phone_prefix": "64"
                               "country_name": "Austria",
                              "country_iso3": "AUT"
                               "country_iso_numeric": "40",
                               "population": "8205000",
                               "capital": "Vienna",
                               "continent": "EU",
                               "currency_name": "Euro",
"currency_code": "EUR",
                               "fips_code": "AU",
                               "phone_prefix": "43"
                               "country_name": "Qatar",
                              "country_iso2": "QA",
"country_iso3": "QAT",
"country_iso_numeric": "634",
                               "population": "840926",
                               "capital": "Doha",
                               "continent": "AS",
                               "currency_name": "Rial",
                               "currency_code": "QAR",
                               "fips_code": "QA",
                               "phone_prefix": "974"
                    },
                               "country_name": "Hong Kong",
                               "country_iso2": "HK",
                               "country_iso3": "HKG",
                               "country_iso_numeric": "344",
                               "population": "6898686",
                               "capital": "Hong Kong",
                               "continent": "AS",
                               "currency_name": "Dollar",
                               "currency_code": "HKD",
                               "fips_code": "HK",
                               "phone_prefix": "852"
                               "country_name": "Singapore",
                              "country_iso3": "SGP"
                               "country_iso_numeric": "702",
                               "population": "4701069",
                               "capital": "Singapor",
"continent": "AS",
                               "currency_name": "Dollar",
                               "currency_code": "SGD",
                               "fips_code": "SN",
                               "phone_prefix": "65"
                               "country_name": "Switzerland",
```

"country_iso2": "CH",

```
"country_iso3": "CHE",
"country_iso_numeric": "756",
               "population": "7581000",
               "capital": "Berne",
               "continent": "EU",
               "currency_name": "Franc",
"currency_code": "CHF",
               "fips_code": "SZ",
               "phone_prefix": "41"
               "country_name": "China",
               "country_iso2": "CN",
"country_iso3": "CHN",
               "country_iso_numeric": "156",
               "population": "1330044000",
               "capital": "Beijing",
               "continent": "AS",
"currency_name": "Yuan Renminbi",
"currency_code": "CNY",
               "fips_code": "CH",
               "phone_prefix": "86"
          }
     ]
}
Input your command("q" to quit) > country?country_name=China
     "data": [
          {
               "country_name": "China",
               "country_iso2": "CN",
               "country_iso3": "CHN",
               "country_iso_numeric": "156",
               "population": "1330044000",
               "capital": "Beijing", "continent": "AS",
               "currency_name": "Yuan Renminbi",
"currency_code": "CNY",
               "fips_code": "CH",
               "phone_prefix": "86"
          }
     ]
}
Input your command("q" to quit) > city
{
     "data": [
          {
               "city_name": "Auckland",
"iata_code": "AKL",
               "country_iso2": "NZ"
               "latitude": "-36.84846",
"longitude": "174.763331",
               "timezone": "Pacific\/Auckland",
               "gmt": "12",
               "geoname_id": "2193733"
               "city_name": "Queenstown",
               "iata_code": "UEE",
               "country_iso2": "AT"
               "latitude": "-42.083332",
"longitude": "145.55",
"timezone": "Australia\/Hobart",
"gmt": "10",
               "geoname_id": "2152272"
               "city_name": "Wellington",
"iata_code": "WLG",
               "country_iso2": "NZ"
               "latitude": "-41.329037",
               "longitude": "174.81216",
               "timezone": "Pacific\/Auckland",
               "gmt": "12",
```

```
File - Main
                  "geoname_id": "2179537"
            },
                 "city_name": "Sydney",
"iata_code": "SYD",
                  "country_iso2": "AT",
                  "latitude": "-33.868901",
"longitude": "151.207091",
                  "timezone": "Australia\/Sydney",
                  "gmt": "10",
                  "geoname_id": "2147714"
                 "city_name": "Doha",
"iata_code": "DOH",
                  "country_iso2": "QA",
                 "latitude": "25.267569",
"longitude": "51.558067",
                  "timezone": "Asia\/Qatar",
                  "qmt": "3",
                  "geoname_id": "290030"
                 "city_name": "Hong Kong",
"iata_code": "HKG",
                  "country_iso2": "HK",
                 "latitude": "22.24786",
"longitude": "114.203384",
                  "timezone": "Asia\/Hong_Kong",
                  "gmt": "8",
                  "geoname_id": "1819729"
                 "city_name": "Singapore",
"iata_code": "SIN",
                  "country_iso2": "SG",
                 "latitude": "1.289437",
"longitude": "103.84998",
                  "timezone": "Asia\/Singapore",
                  "gmt": "8",
                  "geoname_id": "1880252"
                 "city_name": "Zurich",
"iata_code": "ZRH",
                  "country_iso2": "CH"
                  "latitude": "47.367347",
                 "longitude": "8.550002",
"timezone": "Europe\/Zurich",
                  "gmt": "1",
                  "geoname_id": "2657896"
                 "city_name": "Fuzhou",
"iata_code": "FOC",
                  "country_iso2": "CN",
                 "latitude": "25.93123",
"longitude": "119.66923",
                  "timezone": "Asia\/Shanghai",
                  "gmt": "8",
                  "geoname_id": "1810821"
                 "city_name": "Dalian",
"iata_code": "DLC",
                  "country_iso2": "CN",
                 "latitude": "38.96102",
"longitude": "121.53999",
                  "timezone": "Asia\/Shanghai",
                  "gmt": "8",
                  "geoname_id": "1814087"
           }
      ]
```

Input your command("q" to quit) > city?city_name=Dalian

}

```
File - Main
      "data": [
          {
                "city_name": "Dalian",
                "iata_code": "DLC",
                "country_iso2": "CN"
                "latitude": "38.96102",
"longitude": "121.53999",
                "timezone": "Asia\/Shanghai",
                "gmt": "8",
                "geoname_id": "1814087"
          }
      ]
 }
 Input your command("q" to quit) > airline
      "data": [
          {
                "airline_name": "Air New Zealand",
                "iata_code": "NZ",
                "iata_prefix_accounting": "86",
                "icao_code": "ANZ",
"callsign": "NEW ZEALAND",
                "type": "scheduled",
"status": "active",
                "fleet_size": "55",
                "fleet_average_age": "7.6",
                "date_founded": "1940",
                "hub_code": "AKL",
                "country_name": "New Zealand",
"country_iso2": "NZ"
                "airline_name": "Qantas",
                "iata_code": "QF",
                "iata_prefix_accounting": "81",
                "icao_code": "QFA",
"callsign": "Q LINK",
                "type": "scheduled",
                "status": "active",
                "fleet_size": "118",
                "fleet_average_age": "9.2",
                "date_founded": "1920",
                "hub_code": "TMW",
                "country_name": "Austria",
                "country_iso2": "AT"
                "airline_name": "Qatar Airways",
                "iata_code": "QR",
                "iata_prefix_accounting": "157",
                "icao_code": "QTR",
"callsign": "QATARI",
                "type": "scheduled",
"status": "active",
                "fleet_size": "176",
"fleet_average_age": "5.7",
                "date_founded": "1994",
                "hub_code": "DOH",
                "country_name": "Qatar",
"country_iso2": "QA"
                "airline_name": "Silkair",
                "iata_code": "MI",
                "iata_prefix_accounting": "629",
                "icao_code": "SLK",
"callsign": "SILKAIR",
                "type": "scheduled",
"status": "active",
                "fleet_size": "30",
                "fleet_average_age": "4.0",
                "date_founded": "1975",
                "hub_code": "SIN",
                "country_name": "Singapore",
```

```
File - Main
               "country_iso2": "SG"
          },
               "airline_name": "Sichuan Airlines",
               "iata_code": "3U",
               "iata_prefix_accounting": "876",
               "icao_code": "CSC",
"callsign": "SICHUAN",
               "type": "scheduled",
               "status": "active",
               "fleet_size": "107",
               "fleet_average_age": "4.8",
               "date_founded": "1986",
               "hub_code": "CTU",
               "country_name": "China",
               "country_iso2": "CN"
          }
     ]
 }
 Input your command("q" to quit) > airline?airline_name=Sichuan Airlines
     "data": [
          {
               "airline_name": "Sichuan Airlines",
               "iata_code": "3U",
               "iata_prefix_accounting": "876",
              "icao_code": "CSC",
"callsign": "SICHUAN",
               "type": "scheduled",
"status": "active",
               "fleet_size": "107",
               "fleet_average_age": "4.8",
               "date_founded": "1986",
               "hub_code": "CTU",
               "country_name": "China",
               "country_iso2": "CN"
          }
     ]
 }
 Input your command("q" to quit) > airline?iata=MI
     "data": [
          {
               "airline_name": "Silkair",
               "iata_code": "MI",
               "iata_prefix_accounting": "629",
               "icao_code": "SLK",
"callsign": "SILKAIR",
               "type": "scheduled",
"status": "active",
               "fleet_size": "30",
               "fleet_average_age": "4.0",
               "date_founded": "1975",
               "hub_code": "SIN",
               "country_name": "Singapore",
"country_iso2": "SG"
          }
     ]
 }
 Input your command("q" to quit) > airline?icao=SLK
     "data": [
          {
               "airline_name": "Silkair",
               "iata_code": "MI",
               "iata_prefix_accounting": "629",
               "icao_code": "SLK",
"callsign": "SILKAIR",
               "type": "scheduled",
               "status": "active",
               "fleet_size": "30",
               "fleet_average_age": "4.0",
               "date_founded": "1975",
```

```
File - Main
                "hub_code": "SIN",
                "country_name": "Singapore",
                "country_iso2": "SG"
          }
      ]
 }
 Input your command("q" to quit) > flight
      "data": [
          {
                "flight_date": "2022-11-13",
                "flight_status": "landed",
                "departure": {
                     "airport": "Auckland International",
                     "timezone": "Pacific\/Auckland",
                     "iata": "AKL",
"icao": "ANZ611",
                     "terminal": "D",
                     "gate": "30",
                     "delay": null,
                     "scheduled": "2022-11-13T02:00:00-05",
"estimated": "2022-11-13T02:00:00-05",
                     "actual": "2022-11-13T02:27:00-05",
                "arrival": {
                     "airport": "Queenstown",
"timezone": "Australia\/Hobart",
                     "iata": "UEE",
"icao": "YQNS"
                     "terminal": "D",
                     "gate": "null",
                     "baggage": "null",
                     "delay": null,
"scheduled": "2022-11-13T03:50:00-05",
"estimated": "2022-11-13T03:50:00-05",
                     "actual": "2022-11-13T04:00:00-05",
                "airline": {
                     "name": "Air New Zealand",
                     "iata": "NZ",
                     "icao": "ANZ"
                "flight": {
                     "number": "611",
                     "iata": "NZ611",
                     "icao": "ANZ611",
                "aircraft": {
                     "registration": "ZK-OYA",
                     "iata": "A21N"
                "live": null
                "flight_date": "2022-11-13",
                "flight_status": "landed",
                "departure": {
    "airport": "Wellington International",
                     "timezone": "Pacific\/Auckland",
                     "iata": "WLG",
"icao": "QFA162"
                     "terminal": "null",
                     "gate": "48",
"delay": null,
                     "scheduled": "2022-11-13T01:20:00-05",
"estimated": "2022-11-13T01:27:00-05",
                     "actual": "2022-11-13T01:27:00-05",
                "arrival": {
                     "airport": "Kingsford Smith",
                     "timezone": "Australia\/Sydney",
                     "iata": "SYD",
"icao": "YSSY",
```

"terminal": "1", "gate": "54",

```
"baggage": "2",
             "delay": null,
            "scheduled": "2022-11-13T03:00:00-05",
"estimated": "2022-11-13T03:00:00-05",
             "actual": "2022-11-13T02:32:00-05",
    },
"airline": {
    "name": "Qantas",
    "iata": "QF",
    "iaan": "QFA"
      },
"flight": {
"mher"
             "number": "162",
            "iata": "QF162",
"icao": "QFA162",
       "aircraft": {
            "registration": "VH-VZJ",
            "iata": "B738"
      },
"live": null
      "flight_date": "2022-11-13",
"flight_status": "active",
      "departure": {
            "airport": "Doha International",
"timezone": "Asia\/Qatar",
            "iata": "DOH",
"icao": "QTR818"
            "terminal": "null",
            "gate": "A9",
             "delay": null,
            "scheduled": "2022-11-12T21:20:00-05",
"estimated": "2022-11-12T21:20:00-05",
            "actual": "2022-11-12T21:51:00-05",
     },
"arrival": {
    innort'
            "airport": "Hong Kong International",
"timezone": "Asia\/Hong_Kong",
            "iata": "HKG",
"icao": "VHHH",
            "terminal": "1",
             "gate": "null",
             "baggage": "null",
            "delay": null,
            "scheduled": "2022-11-13T09:45:00-05",
"estimated": "2022-11-13T09:45:00-05",
"actual": "",
      "airline": {
    "name": "Qatar Airways",
    "iata": "QR",
    "icao": "QTR"
      "flight": {
            "number": "818",
            "iata": "QR818",
"icao": "QTR818",
       "aircraft": {
            "registration": "A7-BAA",
            "iata": "B77W"
     },
"live": {
            "updated": "2022-11-13",
"latitude": 22.92,
"longitude": 71.39,
            "altitude": 10668.0,
"direction": 82.0,
             "speed_horizontal": 1013.04,
             "speed_vertical": 0.0,
             "is_ground": false
      }
},
{
```

```
"flight_date": "2022-11-13",
      "flight_status": "active",
      "departure": {
           "airport": "Singapore Changi",
"timezone": "Asia\/Singapore",
           "iata": "SIN",
"icao": "SIA346",
            "terminal": "3",
           "gate": "null",
           "delay": null,
"scheduled": "2022-11-12T20:30:00-05",
"estimated": "2022-11-12T20:30:00-05",
            "actual": "2022-11-12T20:45:00-05",
      "arrival": {
           "airport": "Zurich",
"timezone": "Europe\/Zurich",
           "iata": "ZRH",
"icao": "LSZH",
           "terminal": "2",
           "gate": "null",
"baggage": "null",
           "delay": null,
           "scheduled": "2022-11-13T02:50:00-05",
"estimated": "2022-11-13T02:50:00-05",
           "actual": "",
     "name": "Silkair",
"iata": "MI",
"icao": "SLK"
     },
"flight": {
           "number": "346",
           "iata": "SQ346",
"icao": "SIA346",
     },
"aircraft": {
           "registration": "9V-SWH",
           "iata": "B77W"
     },
"live": {
           "updated": "2022-11-12",
           "latitude": 15.71,
"longitude": 76.82,
"altitude": 9753.6,
"direction": 308.01,
            "speed_horizontal": 947.304,
           "speed_vertical": 0.0,
            "is_ground": false
     }
},
      "flight_date": "2022-11-13",
      "flight_status": "scheduled",
      "departure": {
           "airport": "Fuzhou",
"timezone": "Asia\/Shanghai",
           "iata": "FOC",
"icao": "CSC2057",
            "terminal": "null",
           "gate": "null",
"delay": null,
           "scheduled": "2022-11-13T08:05:00-05",
"estimated": "2022-11-13T08:05:00-05",
"actual": "",
      "arrival": {
           "airport": "Dalian",
"timezone": "Asia\/Shanghai",
           "iata": "DLC",
"icao": "ZYTL",
            "terminal": "null",
           "gate": "null",
            "baggage": "null",
            "delay": null,
```

```
"scheduled": "2022-11-13T10:30:00-05",
                    "estimated": "2022-11-13T10:30:00-05",
                   "actual": "",
               "airline": {
                   "name": "Sichuan Airlines",
                   "iata": "3U",
               "flight": {
                   "number": "2057",
                   "iata": "3U2057",
                   "icao": "CSC2057",
               "aircraft": null,
               "live": null
         }
    ]
}
Input your command("q" to quit) > flight?flight_status=active
     "data": [
         {
               "flight_date": "2022-11-13",
               "flight_status": "active",
               "departure": {
    "airport": "Doha International",
                   "timezone": "Asia\/Qatar",
                   "iata": "DOH",
"icao": "QTR818"
                   "terminal": "null",
                   "gate": "A9",
"delay": null,
                   "scheduled": "2022-11-12T21:20:00-05",
"estimated": "2022-11-12T21:20:00-05",
                   "actual": "2022-11-12T21:51:00-05",
               "arrival": {
                   "airport": "Hong Kong International",
                    "timezone": "Asia\/Hong_Kong",
                   "iata": "HKG",
"icao": "VHHH",
                    "terminal": "1",
                    "gate": "null",
                   "baggage": "null",
                    "delay": null,
                   "scheduled": "2022-11-13T09:45:00-05",
"estimated": "2022-11-13T09:45:00-05",
                   "actual": "",
             },
"flight": {
                   "number": "818",
"iata": "QR818",
"icao": "QTR818",
              },
"aircraft": {
~:etrat
                   "registration": "A7-BAA",
                   "iata": "B77W"
              },
"live": {
                   "updated": "2022-11-13",
                   "latitude": 22.92,
                   "longitude": 71.39,
"altitude": 10668.0,
"direction": 82.0,
"speed_horizontal": 1013.04,
                    "speed_vertical": 0.0,
                   "is_ground": false
              }
         },
```

```
"flight_date": "2022-11-13",
                  "flight_status": "active",
                  "departure": {
                        "airport": "Singapore Changi",
"timezone": "Asia\/Singapore",
                        "iata": "SIN",
"icao": "SIA346",
                        "terminal": "3",
                        "gate": "null",
"delay": null,
                        "scheduled": "2022-11-12T20:30:00-05",
"estimated": "2022-11-12T20:30:00-05",
                        "actual": "2022-11-12T20:45:00-05",
                 },
"arrival": {
    "innort"
                        "airport": "Zurich",
"timezone": "Europe\/Zurich",
                        "iata": "ZRH",
"icao": "LSZH",
                        "terminal": "2<sup>"</sup>,
                        "gate": "null",
                        "baggage": "null",
                       "delay": null,
"scheduled": "2022-11-13T02:50:00-05",
"estimated": "2022-11-13T02:50:00-05",
                        "actual": "",
                 },
                  "airline": {
                        "name": "Silkair",
"iata": "MI",
                        "icao": "SLK"
                  "flight": {
                        "number": "346",
                        "iata": "SQ346",
"icao": "SIA346",
                  "aircraft": {
                        "registration": "9V-SWH",
                        "iata": "B77W"
                 },
"live": {
                       "updated": "2022-11-12",
"latitude": 15.71,
"longitude": 76.82,
                        "altitude": 9753.6,
"direction": 308.01,
                        "speed_horizontal": 947.304,
                        "speed_vertical": 0.0,
                        "is_ground": false
                 }
           }
     ]
}
Input your command("q" to quit) > flight?airline_name=Sichuan Airlines
{
      "data": [
            {
                  "flight_date": "2022-11-13",
                  "flight_status": "scheduled",
                  "departure": {
    "airport": "Fuzhou",
    "timezone": "Asia\/Shanghai",
                        "iata": "FOC",
"icao": "CSC2057"
                        "terminal": "null<sup>'</sup>,
                        "gate": "null",
"delay": null,
                       "scheduled": "2022-11-13T08:05:00-05",
"estimated": "2022-11-13T08:05:00-05",
"actual": "",
                 },
"arrival": {
```

File - Main

```
"airport": "Dalian",
"timezone": "Asia\/Shanghai",
                      "iata": "DLC",
"icao": "ZYTL",
                      "terminal": "null",
                      "gate": "null",
                      "baggage": "null",
                      "delay": null,
                     "scheduled": "2022-11-13T10:30:00-05",
"estimated": "2022-11-13T10:30:00-05",
"actual": "",
                "airline": {
    "name": "Sichuan Airlines",
    "iata": "3U",
    "......"
                      "icao": "CSC"
               },
"flight": {
                      "number": "2057",
                      "iata": "3U2057",
                      "icao": "CSC2057",
                "aircraft": null,
                "live": null
          }
     ]
}
Input your command("q" to quit) > flight?airline_iata=SQ346
     "data": [
     ]
}
Input your command("q" to quit) > flight?airline_iata=QR
     "data": [
           {
                "flight_date": "2022-11-13",
                "flight_status": "active",
                "departure": {
    "airport": "Doha International",
                      "timezone": "Asia\/Qatar",
                      "iata": "DOH",
"icao": "QTR818"
                      "terminal": "null",
                      "gate": "A9",
"delay": null,
                      "scheduled": "2022-11-12T21:20:00-05",
"estimated": "2022-11-12T21:20:00-05",
                      "actual": "2022-11-12T21:51:00-05",
                "arrival": {
                      "airport": "Hong Kong International",
                      "timezone": "Asia\/Hong_Kong",
                      "iata": "HKG",
"icao": "VHHH",
                      "terminal": "1",
                      "gate": "null",
                      "baggage": "null",
                     "delay": null,
"scheduled": "2022-11-13T09:45:00-05",
"estimated": "2022-11-13T09:45:00-05",
                      "actual": "",
                "airline": {
                      "name": "Qatar Airways",
"iata": "QR",
                      "icao": "QTR"
                },
"flight": {
                     "number": "818",
"iata": "QR818",
"icao": "QTR818",
                },
"aircraft": {
```

"registration": "9V-SWH",

"updated": "2022-11-12", "latitude": 15.71,

"longitude": 76.82, "altitude": 9753.6, "direction": 308.01, "speed_horizontal": 947.304, "speed_vertical": 0.0,

"iata": "B77W"

},
"live": {

```
Page 12 of 13
```

```
File - Main
                      "is_ground": false
                }
           }
      ]
 }
Input your command("q" to quit) > flight?status=active&flight_number=818
{ "result": "Unknown parameter" }
 Input your command("q" to quit) > flight?flight_status=active&flight_number=818
 {
      "data": [
           {
                 "flight_date": "2022-11-13",
                 "flight_status": "active",
                 "departure": {
                      "airport": "Doha International",
"timezone": "Asia\/Qatar",
                      "iata": "DOH",
"icao": "QTR818"
                      "terminal": "null",
                      "gate": "A9",
                      "delay": null,
                      "scheduled": "2022-11-12T21:20:00-05",
"estimated": "2022-11-12T21:20:00-05",
                      "actual": "2022-11-12T21:51:00-05",
                 "arrival": {
                      "airport": "Hong Kong International",
                      "timezone": "Asia\/Hong_Kong",
                      "iata": "HKG",
"icao": "VHHH",
                      "terminal": "1",
                      "gate": "null",
                      "baggage": "null",
                      "delay": null,
                      "scheduled": "2022-11-13T09:45:00-05",
"estimated": "2022-11-13T09:45:00-05",
"actual": "",
                 "airline": {
                      "name": "Qatar Airways",
"iata": "QR",
"icao": "QTR"
                },
"flight": {
                      "number": "818",
                      "iata": "QR818",
"icao": "QTR818",
                 "aircraft": {
                      "registration": "A7-BAA",
                      "iata": "B77W"
                },
"live": {
                      "updated": "2022-11-13",
"latitude": 22.92,
                      "longitude": 71.39,
                      "altitude": 10668.0,
"direction": 82.0,
"speed_horizontal": 1013.04,
                      "speed_vertical": 0.0,
                      "is_ground": false
                }
           }
      ]
 }
 Input your command("q" to quit) > q
 Process finished with exit code 0
```