


M0

```
Fit 1: Multilinear of L,P vs provided Mdot
Fit: -6.993238809787597 - 1.3364655902136757 logL + 2.2467912179044713 logP
R^2: 0.3300781252077509
```






Fit 2: Color Mdot vs Formula Mdot




Quality of Fit Line:
Fit: logMdot_Color=0.000 + 1.000 * logMdot_Formula
R^2: 0.33007812520775104

Fit 3: Mdot Residual (Color-Formula) vs logL



Quality of Residual Fit:
Fit: logMdot (Color) - logMdot (Formula)=0.000 + -0.000 * logL
R^2: -2.220446049250313e-16


Fit 4: Mdot Residual (Color-Formula) vs logP




Quality of Residual Fit:
Fit: logMdot (Color) - logMdot (Formula)=0.000 + -0.000 * logP
R^2: -2.220446049250313e-16


M1

```
Fit 1: Multilinear of L,P vs provided Mdot
Fit: -8.32608174401047 - 1.2322761473771735 logL + 3.0040850471573766 logP
R^2: 0.36248263199936703
```






Fit 2: Color Mdot vs Formula Mdot




Quality of Fit Line:
Fit: logMdot_Color=0.000 + 1.000 * logMdot_Formula
R^2: 0.3624826319993669

Fit 3: Mdot Residual (Color-Formula) vs logL



Quality of Residual Fit:
Fit: logMdot (Color) - logMdot (Formula)=0.000 + -0.000 * logL
R^2: 0.0


Fit 4: Mdot Residual (Color-Formula) vs logP




Quality of Residual Fit:
Fit: logMdot (Color) - logMdot (Formula)=0.000 + -0.000 * logP
R^2: 1.1102230246251565e-16


C0

```
Fit 1: Multilinear of L,P vs provided Mdot
Fit: -8.231962407103662 - 0.5556791536482312 logL + 1.4792793030395792 logP
R^2: 0.20845563216537522
```






Fit 2: Color Mdot vs Formula Mdot




Quality of Fit Line:
Fit: logMdot_Color=-0.000 + 1.000 * logMdot_Formula
R^2: 0.20845563216537488

Fit 3: Mdot Residual (Color-Formula) vs logL



Quality of Residual Fit:
Fit: logMdot (Color) - logMdot (Formula)=0.000 + -0.000 * logL
R^2: -2.220446049250313e-16


Fit 4: Mdot Residual (Color-Formula) vs logP




Quality of Residual Fit:
Fit: logMdot (Color) - logMdot (Formula)=0.000 + -0.000 * logP
R^2: 0.0


C0x

```
Fit 1: Multilinear of L,P vs provided Mdot
Fit: -9.056331709734723 - 0.6820128413291171 logL + 2.253545605588843 logP
R^2: 0.15532317908673432
```






Fit 2: Color Mdot vs Formula Mdot




Quality of Fit Line:
Fit: logMdot_Color=0.000 + 1.000 * logMdot_Formula
R^2: 0.15532317908673432

Fit 3: Mdot Residual (Color-Formula) vs logL




Quality of Residual Fit:
Fit: logMdot (Color) - logMdot (Formula)=-0.000 + -0.000 * logL
R^2: 0.0


Fit 4: Mdot Residual (Color-Formula) vs logP




Quality of Residual Fit:
Fit: logMdot (Color) - logMdot (Formula)=-0.000 + -0.000 * logP
R^2: -2.220446049250313e-16

Fit 1: Multilinear of L,P vs provided Mdot
Fit: -8.513457990118615 - 0.551611991775405 logL + 1.7812162289913067 logP
R^2: 0.2477451249379744






Fit 2: Color Mdot vs Formula Mdot




Quality of Fit Line:
Fit: logMdot_Color=-0.000 + 1.000 * logMdot_Formula
R^2: 0.24774512493797418

Fit 3: Mdot Residual (Color-Formula) vs logL



Quality of Residual Fit:
Fit: logMdot (Color) - logMdot (Formula)=0.000 + -0.000 * logL
R^2: 0.0

Fit 4: Mdot Residual (Color-Formula) vs logP



Quality of Residual Fit:
Fit: logMdot (Color) - logMdot (Formula)=-0.000 + -0.000 * logP
R^2: 2.220446049250313e-16