

A5
Update
Explorer
A5
q5_1.sql
Problems
Output
Debug Console
Terminal
Ports
zsh
Chat
auyon@Auyons-MacBook-Air A5 % psql -d ex603_data -P pager=off -e -f q5_1.sql
SELECT g.genre_name,
COUNT(DISTINCT mg.movie_id) AS movies,
COUNT(r.rating_id) AS ratings,
SUM(CASE WHEN r.rating_status = 'withdrawn'
THEN 1 ELSE 0 END) AS withdrawn,
ROUND(100.0 * SUM(CASE WHEN r.rating_status = 'withdrawn'
THEN 1 ELSE 0 END)
/ COUNT(r.rating_id), 1) AS failure_rate_pct
FROM genres g
JOIN movie_genres mg ON mg.genre_id = g.genre_id
JOIN ratings r ON r.movie_id = mg.movie_id
GROUP BY g.genre_name
ORDER BY failure_rate_pct DESC;
genre_name | movies | ratings | withdrawn | failure_rate_pct
Documentary | 3 | 39 | 9 | 23.1
Comedy | 5 | 82 | 15 | 18.3
Drama | 9 | 139 | 21 | 15.1
Sci-Fi | 4 | 49 | 7 | 14.3
Thriller | 4 | 76 | 9 | 11.8
(5 rows)
WITH activity AS (
SELECT movie_id,
COUNT(*) AS ratings,
SUM(CASE WHEN rating_status = 'withdrawn'
THEN 1 ELSE 0 END) AS withdrawn
FROM ratings
GROUP BY movie_id
)
SELECT f.movie_id AS flagged_movie,
f.origin_country AS f_country,
f.release_year AS f_year,
ROUND(100.0 * fa.withdrawn / fa.ratings, 1) AS f_fail_pct,
p.movie_id AS peer_movie,
p.origin_country AS p_country,
p.release_year AS p_year,
CASE WHEN f.origin_country = p.origin_country
AND f.release_year = p.release_year THEN 'country + year'
WHEN f.origin_country = p.origin_country THEN 'country'
ELSE 'year' END AS shared,
COALESCE(pa.ratings, 0) AS p_ratings,
ROUND(100.0 * pa.withdrawn / pa.ratings, 1) AS p_fail_pct
FROM movies f
JOIN movies p ON p.movie_id <> f.movie_id
AND (p.origin_country = f.origin_country
OR p.release_year = f.release_year)
JOIN activity fa ON fa.movie_id = f.movie_id
LEFT JOIN activity pa ON pa.movie_id = p.movie_id
WHERE f.movie_id IN (11, 9, 2)
ORDER BY f.movie_id DESC, p.movie_id;
flagged_movie | f_country | f_year | f_fail_pct | peer_movie | p_country | p_year | shared | p_ratings | p_fail_pct
11 | Brazil | 2017 | 31.3 | 3 | Brazil | 2023 | country | 13 | 23.1
11 | Brazil | 2017 | 31.3 | 5 | Brazil | 2023 | country | 18 | 16.7
11 | Brazil | 2017 | 31.3 | 12 | Brazil | 2017 | country + year | 17 | 11.8
9 | US | 2014 | 28.6 | 8 | UK | 2014 | year | 20 | 5.0
9 | US | 2014 | 28.6 | 13 | US | 2016 | country | 11 | 9.1
2 | Vietnam | 2023 | 25.0 | 1 | India | 2023 | year | 11 | 18.2
2 | Vietnam | 2023 | 25.0 | 3 | Brazil | 2023 | year | 13 | 23.1
2 | Vietnam | 2023 | 25.0 | 4 | UK | 2023 | year | 6 | 33.3
2 | Vietnam | 2023 | 25.0 | 5 | Brazil | 2023 | year | 18 | 16.7
2 | Vietnam | 2023 | 25.0 | 6 | Vietnam | 2008 | country | 21 | 19.0
(10 rows)
auyon@Auyons-MacBook-Air A5 %
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Tip: Use /create-agent to scaffold a custom agent for your workflow.
q5_1.sql:5
Describe what to build
Local
Default permissions
Outline
Timeline
Select Postgres Server
Ln 5, Col 60 (46 selected)
Spaces: 4
UTF-8
LF
MS SQL
Sign In