

EX603
Update
q3_1.sql
movies.sql
q3_2.sql
q3_3.sql
A3 > q3_3.sql
34 ORDER BY user_id;
35
36
37 -- --
38 -- Form 2: Common Table Expression with WITH
39 -- Step 1 becomes a named result, spam_users. A LEFT JOIN
40 -- keeps every user; users with no match in spam_users get
41 -- NULL on the right side, and those are the ones we want.
42 -- --
43 WITH spam_users AS (
44 SELECT DISTINCT user_id
45 FROM ratings
Problems
Output
Debug Console
Terminal
Ports
psql - a3
ex603_data=# -- C2 When the three are NOT equivalent: a NULL in the subquery list
-- makes NOT IN return an EMPTY result; the other two are unaffected.
-- The NULL is simulated with UNION ALL SELECT NULL (no data changed).
SELECT
(SELECT COUNT(*) FROM users
WHERE user_id NOT IN (SELECT user_id FROM ratings
WHERE withdrawn_reason = 'Spam detected'
UNION ALL SELECT NULL)) AS form1_not_in,
(SELECT COUNT(*) FROM users u
LEFT JOIN (SELECT user_id FROM ratings
WHERE withdrawn_reason = 'Spam detected'
UNION ALL SELECT NULL) s
ON s.user_id = u.user_id
WHERE s.user_id IS NULL) AS form2_cte_join,
(SELECT COUNT(*) FROM (
SELECT user_id FROM users
EXCEPT
(SELECT user_id FROM ratings
WHERE withdrawn_reason = 'Spam detected'
UNION ALL SELECT NULL)) x) AS form3_except;
form1_not_in | form2_cte_join | form3_except
0 | 20 | 20
(1 row)
ex603_data=#
0 0
Select Postgres Server
Ln 145, Col 80
Spaces: 4
UTF-8
LF
MS SQL
Sign In