

EX603
Update
q3_1.sql
movies.sql
q3_2.sql
q3_3.sql
A3 > q3_3.sql
ORDER BY user_id;
-- Form 2: Common Table Expression with WITH
-- Step 1 becomes a named result, spam_users. A LEFT JOIN
-- keeps every user; users with no match in spam_users get
-- NULL on the right side, and those are the ones we want.
WITH spam_users AS (
SELECT DISTINCT user_id
FROM ratings
Problems
Output
Debug Console
Terminal
Ports
psql - a3
ex603_data=# -- C1 Proof that the three result sets are identical (row by row, both directions)
WITH
form1 AS (
SELECT user_id, user_name
FROM users
WHERE user_id NOT IN (SELECT user_id FROM ratings
WHERE withdrawn_reason = 'Spam detected')
),
form2 AS (
SELECT u.user_id, u.user_name
FROM users u
LEFT JOIN (SELECT DISTINCT user_id FROM ratings
WHERE withdrawn_reason = 'Spam detected') s
ON s.user_id = u.user_id
WHERE s.user_id IS NULL
),
form3 AS (
SELECT user_id, user_name FROM users
EXCEPT
SELECT u.user_id, u.user_name
FROM users u JOIN ratings r ON r.user_id = u.user_id
WHERE r.withdrawn_reason = 'Spam detected'
)
SELECT (SELECT COUNT(*) FROM form1) AS form1_rows,
(SELECT COUNT(*) FROM form2) AS form2_rows,
(SELECT COUNT(*) FROM form3) AS form3_rows,
(SELECT COUNT(*) FROM (SELECT * FROM form1 EXCEPT SELECT * FROM form2) d) AS in1_not2,
(SELECT COUNT(*) FROM (SELECT * FROM form2 EXCEPT SELECT * FROM form1) d) AS in2_not1,
(SELECT COUNT(*) FROM (SELECT * FROM form1 EXCEPT SELECT * FROM form3) d) AS in1_not3,
(SELECT COUNT(*) FROM (SELECT * FROM form3 EXCEPT SELECT * FROM form1) d) AS in3_not1;
form1_rows | form2_rows | form3_rows | in1_not2 | in2_not1 | in1_not3 | in3_not1
20 | 20 | 20 | 0 | 0 | 0 | 0
(1 row)
ex603_data=#
0 0
Select Postgres Server
Ln 145, Col 80
Spaces: 4
UTF-8
LF
MS SQL
Sign In