

q3_1.sql
movies.sql
q3_2.sql
q3_3.sql
A3 > q3_2.sql
-- ==
-- Task 3.2: Find the bug
-- Theme 2: Movie / TV
-- Database: ex603_data (loaded from the provided movies.sql)
-- Run with: psql -d ex603_data -e -f q3_2.sql
--
-- Note: query B1 fails ON PURPOSE (that is the bug being
-- reproduced). psql reports the error and carries on with the
-- rest of the file, so the file still runs without editing.
--
-- RESULTS
-- A1 200 ratings; 34 have a withdrawn_reason, 166 are NULL.
-- A2 Broken query returns 22.
-- A3 22 (not spam) + 12 (spam) = 34, but the table holds 200.
--   The 166 NULL rows were dropped silently.
Problems
Output
Debug Console
Terminal
Ports
psql - a3
ex603_data=# -- B1 The failing query: alias used in WHERE
SELECT rating_id,
score,
CASE
WHEN score >= 4.5 THEN 'Loved it'
WHEN score >= 3.5 THEN 'Liked it'
WHEN score >= 2.5 THEN 'Mixed'
WHEN score >= 1.5 THEN 'Disliked it'
ELSE 'Hated it'
END AS score_band
FROM ratings
WHERE score_band = 'Loved it';
ERROR: column "score_band" does not exist
LINE 11: WHERE score_band = 'Loved it';
^
ex603_data=#
0 0
Select Postgres Server
Ln 148, Col 21
Spaces: 4
UTF-8
LF
MS SQL
Sign In