


The Craft of Clear Pages



The Craft of Clear Pages

A Practical Introduction to Beautiful Books

Forename Surname

Revery Press

2026

Copyright © 2026 Forename Surname

All rights reserved. No part of this publication may be reproduced or transmitted in any form without written permission of the author.

ISBN 000-0-000-00000-0

Typeset with $\text{\LaTeX}$ using the Revery TeX book template.

To everyone who reads to the last page.

Contents

Preface	ix
1 Getting Started	1
1.1 Writing text	1
1.1.1 Lists	1
1.2 Cross-references	1
1.3 Citations and the index	1
1.4 A little longer prose	2
1.5 Description lists	2
2 Mathematics	3
2.1 Symbols in the index	3
2.2 Statements and proofs	3
2.3 More display mathematics	4
3 Figures and Tables	5
3.1 Figures	5
3.2 Tables	5
3.3 A wrapped side figure	6
3.4 Spanning tables and grouped rows	6
4 Code Listings	9
5 Text Patterns	11
5.1 Quotations	11
5.2 Epigraphs	11
5.3 Citations, every common flavour	11
5.4 Footnotes in numbers	11
5.5 An index-rich close	12
A Notation	13
Bibliography	15
Index	17

Preface

This book was typeset with $\text{\LaTeX}$ using the Revery TeX book template. Replace this sample text with your own preface — or delete the whole section if your book does not need one.

Chapter 1

Getting Started

Welcome to your book. Everything you see on these pages is sample content that exists to show off the design and to stress-test the compiler. Replace it freely.

1.1 Writing text

Ordinary paragraphs need no markup at all: just write, and leave one blank line between paragraphs. *Italics*, **bold** and SMALL CAPS are inline commands; footnotes go at the bottom of the page.¹

Quotation marks are best typed with the `\enquote` command from *csquotes*, which adapts to the document language: “like this”, rather than by typing quote characters by hand.

1.1.1 Lists

Three kinds come built in, tuned by the *enumitem* package:

- an itemised list,
 - like this one;
 - nesting works to any sane depth.
1. an enumerated list,
 2. numbered automatically;
 3. cross-referenced anywhere as (3).

1.2 Cross-references

Every chapter, section, figure, table and equation can carry a `\label`; refer to it with `\ref` or `\eqref`. This chapter is Chapter 1, and the maths chapter is Chapter 2. Compile twice so the numbers settle.

The template also loads *cleveref*, which adds the type word for you: item 3 needs no typed “item”, and chapter 2 comes out as a full “chapter” reference. Use `\cref` mid-sentence and `\Cref` to open one.

1.3 Citations and the index

Cite anything in `references/reference.bib` by its key: the classic advice is Knuth [1], and modern practice is well summarised elsewhere [2, 3]. The full list is printed automatically in the back matter, numbered in order of first citation.

For the index, wrap any word in `\index`: this book talks about typesetting, page breaks and the index itself. Sub-entries use an exclamation mark: like so.

¹Like this one. Footnotes are numbered per chapter.

1.4 A little longer prose

Good book typography is invisible: the reader should feel the page, not notice it.² Three settings do most of that work in this template — measure (the line length set by the paper format), leading (the line spacing in TYPOGRAPHY) and the colour of the text block (how evenly the words grey the page).

The measure deserves respect. A line of running text wants between sixty and seventy-five characters; shorter tires the eye with turns, longer loses the return journey to the left margin. The margins in each `\GeomOpts` block are tuned with that in mind, which is why they differ per paper size.

1.5 Description lists

A third list kind, for term–definition pairs:

Measure the width of the text block, usually given in ems or characters per line.

Leading the baseline-to-baseline distance; the template’s default is the font’s own.

Folio the printed page number, set on the outer edge here.

The sources behind these terms, and everything else in this chapter, are collected in the bibliography: see [1, 2] for the typesetting machinery and foundry [5] for the fonts themselves.

²The classic reference here is Bringhurst [4], whose rules on measure, leading and rag still hold on screen as on paper.

Chapter 2

Mathematics

Inline maths such as $e^{i\pi} + 1 = 0$ sits in the running text; display maths gets its own line and number:

$$\int_{-\infty}^{\infty} e^{-x^2} dx = \sqrt{\pi}. \quad (2.1)$$

Equation (2.1) is referenced with `\eqref`. Multi-line derivations use `align`:

$$(a + b)^2 = a^2 + 2ab + b^2, \quad (2.2)$$

$$(a - b)^2 = a^2 - 2ab + b^2, \quad (2.3)$$

$$(a - b)(a + b) = a^2 - b^2. \quad (2.4)$$

Matrices and cases work through `amsmath`:

$$A = \begin{pmatrix} a_{11} & a_{12} & \cdots & a_{1n} \\ a_{21} & a_{22} & \cdots & a_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ a_{m1} & a_{m2} & \cdots & a_{mn} \end{pmatrix}, \quad f(x) = \begin{cases} x^2, & x \geq 0, \\ -x, & x < 0. \end{cases} \quad (2.5)$$

Theorem-like statements can be built with the classic `amsthm` machinery if your book needs it; for most trade books the styled paragraph below is enough.

2.1 Symbols in the index

Technical terms should reach the index as you introduce them: the Euler identity, Gaussian integrals and matrices all appear above.

2.2 Statements and proofs

Formal books state, then prove. The environments come from `amsthm`, styled in this template's navy-and-sans scheme:

Definition 2.1. A natural number $p > 1$ is *prime* if its only positive divisors are 1 and p itself.

Theorem 2.2 (Euclid). There are infinitely many primes.

Proof. Suppose $p_1, p_2, \dots, p_n$ were all the primes and consider $N = p_1 p_2 \cdots p_n + 1$. No p_i divides N , since each leaves remainder 1; yet $N > 1$ has a prime factor by Definition 2.1. Contradiction. $\square$

Example 2.3. The first few primes are 2, 3, 5, 7, 11, 13; by Theorem 2.2 the list never ends.

Note. Unnumbered remarks use the starred note environment — useful for asides that would clutter the numbering.

2.3 More display mathematics

Fractions, binomials and named operators behave as usual:

$$\binom{n}{k} = \frac{n!}{k!(n-k)!}, \quad \sum_{k=0}^n \binom{n}{k} = 2^n, \quad \lim_{x \rightarrow 0} \frac{\sin x}{x} = 1. \quad (2.6)$$

Text belongs inside maths through `\text`, which keeps the surrounding font:

$$f(x) = x^2 \quad \text{for all } x \in \mathbb{R}.$$

Both numbered forms cross-reference: combine (2.1) with (2.6) and you have most of a first calculus course.

Chapter 3

Figures and Tables

3.1 Figures

Drop your plots into `graphs/` and load them with `\includegraphics`; the placeholder below shows the frame the finished figure will occupy.






Figure 3.1. A placeholder for a data plot. Replace the `\placeholder` line with an `\includegraphics` pointing at `graphs/plot1.jpg`.

Figure 3.1 floats to the top of a page when that helps the layout; `[ht]` lets LaTeX choose between “here” and “top”. Side-by-side sub-figures work too:



(a) First panel.



(b) Second panel.

Figure 3.2. Two sub-figures sharing one number.

3.2 Tables

Booktabs rules (no vertical lines) are the professional standard:

Table 3.1 uses fixed columns; for text-heavy tables that must fit the measure exactly, use `tabularx`:

Table 3.1. *A small comparison table.*

Format	Trim size	Typical use
A4	210 × 297 mm	review drafts
B5	176 × 250 mm	digest editions
US Trade	152 × 229 mm	trade paperback


Table 3.2. *A tabularx table — the X column absorbs the spare width.*

Term	Meaning
Verso	The left-hand, even-numbered page of a spread.
Recto	The right-hand, odd-numbered page of a spread.
Folio	The page number itself, printed on the outer edge here.

3.3 A wrapped side figure

Narrow figures can sit beside the running text instead of floating away from it — useful for portraits and small diagrams:

Figure 3.3 occupies the right of the measure while these paragraphs flow around it. Keep wrapped figures narrow — about a third to two-fifths of the text width — so the remaining lines stay long enough to read comfortably. Two or three paragraphs is the most text that should share a column with a wrapfigure; beyond that the page starts to look pinched. Note how the wrapping has now finished: a section heading should never have to share its lines with a floating column, so leave enough prose after the figure to close the wrap before the next heading arrives.

**Figure 3.3.** *A figure wrapped by the text.*

3.4 Spanning tables and grouped rows

Two table problems come up constantly: cells that span several rows, and tables longer than a page. The first is `multirow's` job, shown in Table 3.3 — which, unlike the tables so far, is *not* a float: it is set exactly here with `\captionof`, so it can never drift away from the sentence that introduces it. Use this for small tables whose position matters; let everything else float.

Table 3.3. *Rows grouped under spanning cells.*

Family	Face	Weights
TeX Gyre	Pagella	regular, bold, italic
	Heros	regular, bold
	Termes	regular, bold, italic
Latin Modern	Roman	regular, bold
	Sans	regular, bold

The second problem — a table that outgrows the page — belongs to `longtable`, which breaks across pages and repeats its header on every continuation:

Table 3.4. *A long table that spans pages.*

Term	Definition
Ascender	The part of a letter that rises above the x-height, as in b, d, k.
Baseline	The invisible line on which letters appear to sit.
Descender	The part that drops below the baseline, as in p, q, y.
Kerning	Selective adjustment of space between specific letter pairs.
Ligature	Two or more letters cast as one glyph, such as fi or fl.
Serif	The small finishing stroke at the ends of a letter's main strokes.
Terminal	The often-rounded end of a stroke, as in the tail of an a.
X-height	The height of the lowercase letters, excluding ascenders.

Chapter 4

Code Listings

Technical books often carry source code. The *listings* package typesets it with line numbers, a frame and keyword colouring that match the book's accent scheme:

Listing 4.1. *A tiny Python function.*

```
1 def fibonacci(n):
2     """Return the n-th Fibonacci number."""
3     a, b = 0, 1
4     for _ in range(n):
5         a, b = b, a + b
6     return a
7
8 print([fibonacci(i) for i in range(10)])
```

Listing 4.1 floats like any figure when given the float option; inline snippets need no environment at all: `printf("%d\n", x);`.

Listing 4.2. *C, for good measure.*

```
1 #include <stdio.h>
2
3 int main(void) {
4     /* Hello from the listings package */
5     for (int i = 0; i < 3; i++)
6         printf("line %d\n", i);
7     return 0;
8 }
```

Long listings can break across pages (`breaklines=true` is already set), and captions place them in the optional List of Listings if you ever add `\lstlistoflistings` to the front matter. Without a language, the block typesets verbatim — right for config files and shell transcripts:

Listing 4.3. *A language-free (verbatim) listing.*

```
1 # build the book from a clean folder
2 rm -f main.aux main.toc main.bbl main.idx
3 xelatex main && bibtex main && xelatex main
4 makeindex main && xelatex main
```

Structured data reads well too:

Listing 4.4. *A JSON fragment.*

```
1 {
2     "title": "The Craft of Clear Pages",
3     "year": 2026,
4     "keywords": ["book", "sample", "latex"]
}
```

```
5 }
```

Listing 4.3 drives the full compile; listing 4.4 shows that braces survive intact inside any listing.

Chapter 5

Text Patterns

5.1 Quotations

Short quotations stay inline “like this one”; anything worth its own lines uses the quotation environment:

Typography exists to honour content.

— Bringhurst, 2004

A displayed extract from another work keeps its original lineation in the `verse` environment:

To see a World in a Grain of Sand
And a Heaven in a Wild Flower
 Hold Infinity in the palm of your hand
 And Eternity in an hour

5.2 Epigraphs

Chapter openings often carry a short attributed line above the first heading. There is no package for that here — just a styled block before the first section:

The form of a book must be answerable to the energy of its contents.

5.3 Citations, every common flavour

Biblatex offers one command per rhetorical situation, all reading the same `reference.bib`. In running prose, name the source: Knuth [1] designed TeX; Lamport [2] put LaTeX on top of it. Parenthetical asides take [3]; multiple sources collapse into one bracket [1, 2, 3].

When the year matters, write foundry [5] (2006); when the title itself is quoted, The TeXbook does the job. For a note at the bottom of the page, use a footnote citation¹ — the full entry prints below the line without interrupting the paragraph, a favourite in humanities and history titles.

Every cited work lands automatically in the back-matter bibliography, numbered in order of first appearance because the template sets `sorting=none`.

5.4 Footnotes in numbers

Dense scholarly prose leans on notes.² They should carry evidence,³ qualification,⁴ or a joke too good to cut⁵ — but never the argument itself. If a reader must open your note to follow the sentence, the sentence is in the wrong place.

¹4.

²Like this. Notes are per-chapter here, resetting with each `\chapter`.

³Or the source, as footnotes do.

⁴Or a polite disagreement.

⁵This one, arguably.

5.5 An index-rich close

Everything a reader might hunt for belongs in the index, nested where it helps: this closing section demonstrates sub-entries under a shared head, and a *see also* redirect. Compile, check `main.ind`, and trust nothing you have not seen on a page.

Appendix A

Notation

Appendices hold reference material: notation tables, worked proofs, glossaries, long source listings. A compact notation table makes a good first appendix:

Symbol	Meaning
$\mathbb{N}$	natural numbers
$\mathbb{Z}$	integers
$\mathbb{R}$	real numbers
$\in$	element of
$\subseteq$	subset of (possibly equal)
$\sum_{k=1}^n a_k$	the sum $a_1 + a_2 + \cdots + a_n$

Terms that readers may hunt for later belong in the index as well as in the text:.

Bibliography

- [1] Donald E. Knuth. *The TeXbook*. Reading, Massachusetts: Addison-Wesley, 1984.
- [2] Leslie Lamport. *LaTeX: A Document Preparation System*. 2nd ed. Addison-Wesley, 1994.
- [3] Anil Mittal. “What Makes a Good Book Layout?” In: *Journal of Typography* 12.3 (2005), pp. 45–58.
- [4] Robert Bringhurst. *The Elements of Typographic Style*. 3rd ed. Hartley & Marks, 2004.
- [5] Gust e foundry. *The TeX Gyre Collection of Fonts*. 2006. URL: <https://www.gust.org.pl/projects/e-foundry/tex-gyre>.

Index

appendix, 13

bibliography, 11

binomial coefficient, 4

book design, 12

 grids, 12

 margins, 12

citations, 11

Euler identity, 3

Gaussian integral, 3

index, 1

 sub-entries, 1

leading, 2

matrix, *see* linear algebra

measure, *see* line length

notation, 13

page breaks, 1

page layout, *see also* book design

preface, ix

prime number, 3

typesetting, 1

typography

 purpose, 11