Study	TE	seTE	Difference	SMD	95%-CI	Weight
Messner-Discovery et al.					[-1.22; -0.33]	12.2%
Shen et al.	-0.43	0.2420		-0.43	[-0.91; 0.04]	11.9%
Geyer et al.	0.10	0.1902		0.10	[-0.28; 0.47]	13.0%
Shu et al.	0.44	0.4169		0.44	[-0.38; 1.25]	8.2%
Messner-Validation et al.	0.46	0.2232	-	0.46	[0.02; 0.89]	12.3%
Sullivan et al.	0.48	0.2179		0.48	[0.05; 0.91]	12.4%
Overmyer et al.	0.50	0.2187		0.50	[0.07; 0.93]	12.4%
Babacic et al.	0.63	0.4480	-	- 0.63	[-0.25; 1.51]	7.7%
Geyer et al.	0.68	0.3289		0.68	[0.03; 1.32]	10.0%
Random effects model				0.20	[-0.15; 0.54]	100.0%
Prediction interval					[-0.94; 1.33]	
Heterogeneity: $I^2 = 76\%$, p	< 0.01			7	_ · · · · · · · · · · · · · · · · · · ·	

Standardised Mean

-1.5 -1 -0.5 0 0.5 1 1.5