

Current and experimental capabilities

September 10, 2026 / C01 through C07. Status labels apply to the feature, not the entire future product.

Feature / status	Capability and boundary
C01 / Fusion add-in and native execution Current preview	A local add-in executes short native Fusion API jobs through custom events on the application thread. Fusion can remain in the background. Scope: Fusion must remain open; one host serializes CAD work. This is not an independent headless CAD engine.
C02 / CLI and MCP tools Current preview	A command-line interface and standard MCP connection expose 17 tools with typed arguments and asynchronous job results. Scope: A queued or running job is not a completed change.
C03 / Explicit document binding Current preview	List open documents, create a new unsaved design and bind one project to one open document. Closed targets fail explicitly. Scope: Bindings and document handles reset with the add-in session; they are not durable revision IDs.
C04 / Geometry and parameter inspection Current preview	Read component/body counts, timeline count, user parameter names/expressions/units, body volumes and bounding dimensions. Scope: Inspection describes the CAD model, not physical measurements.
C05 / Unit-aware parameter changes Current preview	Change an existing user parameter with a Fusion expression after checking the expression against its unit. Scope: Dedicated constraint editing, hole-pattern and broader feature tools are not included.
C06 / Box and cylinder creation Current preview	Create a named component containing a sketched and extruded box or cylinder using millimeter dimensions. Scope: Basic primitives are a limited typed modeling surface, not full CAD coverage.
C07 / Native and exchange exports Current preview	Export F3D, STEP or STL to unique output locations; existing exports are preserved. Scope: F3D retains Fusion-native continuity. Exchange geometry does not promise native feature-history recovery.

AI-assisted workflows supported the creation of this project.

Current and experimental capabilities

September 10, 2026 / C08 through C13. Status labels apply to the feature, not the entire future product.

Feature / status	Capability and boundary
C08 / Real viewport images Current preview	Capture a 1280 x 960 PNG from the bound project, restore the prior camera/document and return the image through MCP. Scope: Images support visual review; exact dimensions and hidden geometry require structured checks.
C09 / Advanced Python and text commands Current preview	Opt-in access can invoke additional exposed Fusion APIs through trusted Python or native commands. Used for a recorded 12-component modeling workflow. Scope: Full access is unsandboxed and can reach other documents/files; it does not create missing Fusion APIs.
C10 / Native workspace and onboarding Current preview	A dark native HTML palette provides a project sidebar, Studio, Activity, Usage and Access views, plus a four-step first-use tutorial.
C11 / Project and build histories Current preview	Local SQLite conversation records separate projects and builds, retain visible replies and allow history export. Scope: Build labels are conversation partitions; they are not CAD branches or a versioned geometry graph.
C12 / Steering inbox and progress Current preview	Send requests, questions and updates to a project/build inbox; connected agents can read new messages and post visible outcomes. Scope: Inbox delivery requires polling. Linking a task is not automatic desktop chat dispatch.
C13 / Fair project scheduling Current preview	Independent project queues interleave fairly. Agents can plan concurrently while native CAD jobs run one at a time. Scope: This is not parallel native editing or a multi-agent coordinator.

AI-assisted workflows supported the creation of this project.

Current and experimental capabilities

September 10, 2026 / C14 through C19. Status labels apply to the feature, not the entire future product.

Feature / status	Capability and boundary
C14 / Interactive-command guard and restoration Current preview	Jobs wait while a native interactive command is active; targeted work restores the previously active document when possible. Scope: Background operation is supported for short jobs; it does not promise an entirely invisible application.
C15 / Pause, resume, stop and cancel Current preview	Project/global controls hold queues, resume scheduling or cancel queued work; individual queued jobs can also be cancelled. Scope: A running native operation finishes normally. Stop is not undo; Resume does not relaunch an agent.
C16 / Job outcomes and duplicate protection Current preview	Activity records expose queue/running/success/failure states. Request IDs suppress duplicate submissions within the add-in session. Scope: Queued jobs expire after 120 seconds, including while paused. Failed mutations may leave partial changes; crash recovery is not established.
C17 / Per-project model and effort selection Current preview	Save a provider, exact model and supported reasoning effort independently for each project. A running job keeps its original selection. Scope: Changing a preference affects the next run; existing linked tasks retain their own settings.
C18 / Live Codex model discovery Current preview	Refresh the installed client catalog and available reasoning efforts; Windows catalog reads and native selection were verified. Scope: Catalog presence does not guarantee account entitlement or capacity for every model.
C19 / User-started agent runs Current preview	Start a new bounded CLI run from the palette with a saved model and recent build context. Windows Codex inspection, images and replies were verified. Scope: Runs use provider allowances. Three-, five- and fifteen-minute limits bound time, not money; runs are not restart-resumable.

AI-assisted workflows supported the creation of this project.

Current and experimental capabilities

September 10, 2026 / C20 through C25. Status labels apply to the feature, not the entire future product.

Feature / status	Capability and boundary
C20 / Run controls and visible records Current preview	Retain model/effort, run state, visible replies, session reference and provider-reported usage. Pause/Stop ends managed inference at the next control check. Scope: Up to 20 recent build messages seed a new run. Completion means the provider finished, not that engineering acceptance passed.
C21 / Managed project targeting Current preview	Managed MCP is pinned to its project, hides document creation/binding/global controls and rejects cross-project job lookup or cancellation. Scope: These interface limits do not sandbox full Fusion scripting.
C22 / External task linking Current preview	Discover local Codex task records or save manual Claude references and copy project connection instructions. Scope: Existing tasks start or continue in their own client. A Claude Desktop URL does not expose Claude Code usage logs.
C23 / Claude connection and run adapters Implemented / unverified	MCP registration paths cover Claude Desktop and Claude Code. The managed Claude Code launcher accepts an exact model ID. Scope: Claude Code was absent on the validation host; live Claude inference remains unverified.
C24 / Local model experiment Experimental	A bounded text/tool loop can use an already-running local OpenAI-compatible model server with an exact model ID. Scope: No weights are included or downloaded; no real local model was tested, and viewport images are not supplied to this adapter.
C25 / Granular operation permissions Current preview	Inspect/model/export permissions are configurable; advanced access is off by default. Queued work rechecks permission at execution. Scope: Revocation was verified; unrestricted scripting still carries the host user privileges.

AI-assisted workflows supported the creation of this project.

Current and experimental capabilities

September 10, 2026 / C26 through C31. Status labels apply to the feature, not the entire future product.

Feature / status	Capability and boundary
C26 / Local storage and connection controls Current preview	Settings, histories, optional traces and exports stay in local stores. MCP uses stdio; authenticated HTTP binds to loopback and rejects browser origins. Scope: Chosen provider runs receive their prompts, recent context and requested tool results under provider settings.
C27 / Usage visibility Current preview	Show available Codex account windows and retained linked Codex/Claude Code session tokens for today and lifetime; missing values remain unknown. Scope: Account limits are shared. Session totals are not exact incremental Formivect billing, billed credits or a token-to-plan-percentage conversion.
C28 / Opt-in learning records Current preview	Record local operation episodes only when enabled; review them as accepted/rejected with provenance and evidence. Scope: Recording is off by default and does not update model weights.
C29 / Reviewed dataset export Current preview	Export eligible rights-approved human/licensed/local examples as train/validation JSONL and a manifest, split by entire projects. Scope: Closed-provider/unknown traces and mixed-provider projects are excluded. This is early corpus preparation, not complete data governance.
C30 / Portable personal preview Current preview	Windows/Mac installer files, backup of an existing add-in, provider registration choices and preserved local history support personal testing. Scope: Windows installation/native use are verified; Mac native use and full Fusion restart are not. The unsigned application package remains privately distributed.
C31 / Free preview interface Current preview	The personal preview has no Formivect account, payment screen or Python package dependencies. Scope: Fusion, Python and chosen provider access remain prerequisites. No public commercial price or unrestricted software license is announced.

AI-assisted workflows supported the creation of this project.