

Monitoring and Safeguarding Employee Wellbeing through Advanced Analytics

An Engineering Project in Community Service

Phase – II Report

Submitted by

- 1. 21BCE10249 - Tanishka Mishra**
- 2. 21BCE10294 - Paras Verma**
- 3. 21BCE10413 - Hardik Kankane**
- 4. 21BCE11583 - Akash Parmar**
- 5. 21BCE10537 - Anondita Dutta**
- 6. 21BCE10650 - Apoorva Gupta**

in partial fulfilment of the requirements for the degree of

Bachelor of Engineering and Technology



VIT[®]
BHOPAL
www.vitbhopal.ac.in

VIT Bhopal University
Bhopal
Madhya Pradesh

9th May, 2024

ACKNOWLEDGMENT

This work has benefited in various ways several people. Whilst it would be simple to name them all, it would not be easy to thank them enough. We would like to express our profound gratitude to Vellore Institute of Technology, Bhopal for providing us the opportunity for the completion of our project titled **“Monitoring and Safeguarding Employee Wellbeing through Advanced Analytics”**.

We are especially grateful to our supervisor, Dr. M. Manimaran, for his invaluable time and efforts throughout the year. His insightful advice and suggestions were instrumental to the project's success, and we are deeply appreciative of his guidance.

We also wish to thank our reviewers, Dr. M. Manimaran , Ankush D Tharkar and Dr. Prashant Kumar Pandey , for their helpful feedback and constructive critiques, which significantly improved the quality of our work.

ABSTRACT

In today's fast-paced global business environment, aligning the needs of employees is critical to the success of any organization. The aim of this project is to address the problem of employee burnout by using comprehensive research to identify and defend employee nice-building. Learn the benefits of state-of-the-art technology and artificial intelligence for solutions that no longer inflexibly save you heat and yet also refine and enhance the area of efficiency. Important insights into the factors that contribute to burnout are also furnished through those solutions.

We are passionate about understanding that heat negatively affects every person and business, primarily through decreased productivity, increased medical costs and increased workforce. Our goal is to build predictive models that can detect heat early and use AI and ML to take action to save you.

Our most ambitious dreams mean collecting and reading complete records, growing patterns expected to burn, constantly monitoring employee well-being, if we provide fully customized interventions based on acceptable risks, we will always adjust our strategies for better results. Ultimately, we need to increase both organizational effectiveness and employee happiness through modelling and continuous improvement.

Our method includes more than one steps: facts training, neural network version construction and schooling, and performance assessment. Our studies indicates how AI and ML may be used to count on worker burnout fees and inform proactive control strategies.

This initiative is basically our response to how the present day workplace is converting and the way generation and employee nicely-being are intertwined. Our aim is to guide companies in creating a tradition that values worker nicely-being by using making use of superior analytics, so that you can enable them to effectively control their staff over the years.

1. INTRODUCTION

In today's workplace, sweat is increasingly common, affecting both organized and unorganized sectors. Burnout, characterized by work-related stress, can negatively affect a person's physical health, mental health, and overall productivity. In the organized sector where workers work in consolidated companies or organizations, the sweat is seen in the long working hours. Some of these include long working hours, high pressure to achieve goals and lack of work-life balance. The competitive nature of this environment, with high expectations and deadlines, increases stress and employee turnover. But in the informal sector, which has a large share of the world's workforce, the heat comes from a variety of sources. Here, workers often face harsh working conditions, including irregular work hours, low wages, and limited access to benefits and support systems. Lack of compliance makes it difficult for individuals to address and reduce the stressors that cause burnout. Despite the differences between these areas, the prevalence of burnout reflects a general problem in modern workplace culture. Recognizing and addressing issues related to burnout is critical to promoting employee well-being across industries and creating an environment that focuses on sustainable results and achievement.

1.1 Motivation

1.2 Objective

1.2.1 Data Collection and Evaluation

The main objective is at enhancing the welfare of personnel and guards in SIS India - Security Agency is to collect relevant data from various critical sources. Our data collection covers performance criteria, health assessments, and all external environmental factors that can affect well-being. Using comprehensive research methods, we intend to delve into the various factors contributing to employee fatigue and burnout. This comprehensive study is designed to reveal important insights that can inform strategies for improving the health and productivity of SIS India security personnel.

1.2.2 Model Construction

As part of the objectives of our project, we focus on state-of-the-art AI techniques for predictive modelling. The purpose of this model is to accurately predict and predict the likelihood of separation between staff and guards. One of the most important features of these models is their ability to distinguish between particles and the first sign of a potential fire. Due to the extensive training of this system on real datasets, models can effectively identify subtle factors affecting employee well-being. Our goal is to provide a powerful tool that encourages early intervention to preserve employee well-being and on the production of goods.

1.2.3 Continuous Monitoring

Our main objective is to develop a reliable framework specifically designed for the ongoing welfare assessment of security personnel. The system is optimized for continuous data collection and processing, allowing for rapid discovery and testing. With the help of actionable data and real-time information, it will enable managers and HR professionals to quickly overcome and solve any new problems related to the performance and well-being of security personnel. The establishment of this system underscores the commitment to protect the welfare and productivity of safety personnel, and underscores the critical role of real-time monitoring in maintaining overall employee health and productivity. This approach not only increases immediate response but also supports long-term efficiency.

1.2.4 Personalized Interventions

Central to the project is the development of an individualized intervention framework, meticulously tailored based on identified risk factors. Through data analysis, specific risk factors will be identified, and interventions will be custom-designed to meet the unique needs of each employee. This approach aims to foster a collaborative and responsive working environment, acknowledging the diversity of employee needs and well-being.

1.2.5 Evaluation and Revisions

A continuous feedback loop is established for regular evaluations and revisions of both implemented interventions and the model itself. Feedback from employees and changes in organizational structure will be systematically incorporated into the refinement process. This iterative approach ensures the ongoing effectiveness and relevance of the interventions in a dynamic organizational context.

1.2.6 Overall Impact and Continuous Improvement

The project, rooted in artificial intelligence and machine learning, is designed for continuous improvement. The system evolves iteratively, adapting to changes in working conditions and organizational dynamics. This comprehensive and detailed approach aims not only to enhance employee resilience and motivation but also to contribute significantly to increased organizational success and overall employee satisfaction.

2. Existing Work / Literature Review

This initiative monitors employee well-being and uses sophisticated analytics to forecast staff burnout. The paper grounds its approach and supports its claims with research from other sources. The pertinent literature that was evaluated for this report is broken down as follows:

2.1 Statistics on employee burnout:

The have a look at specializes in one supply that exposes the pervasive difficulty of worker burnout, implying that it is able to offer complete statistics on the prevalence of this circumstance inside the place of business. These facts can consist of thorough information at the range of human beings suffering burnout throughout industries and process roles. In addition, the supply is predicted to observe the various results of burnout on character performance, group dynamics, and usual organizational overall performance.

Additionally, the source is predicted to explore the complex dating among employee properly-being and productivity outcomes, losing light on how burnout can lessen

motivation, engagement, and process pride inside the administrative centre. It can also cope with the potential lengthy-time period effects of unchecked warming, such as increased absenteeism, waste, and increased healthcare charges for agencies

In addition to obtaining and analysing quantitative records to provide a complete understanding of burnout variables and their effect on human beings and groups, this qualitative proof may be an impartial operator encouraged burnout records and comments from managers and HR specialists

The supply may discuss techniques and measures that may be used to avoid and manipulate warmth stroke correctly. These techniques can consist of everything from organising institutional regulations that assist intellectual health help services and work-life stability to creating a psychologically secure environment and open verbal exchange in the place of job. The source makes a speciality of evidence-based totally techniques and quality practices to equip enterprise owners and stakeholders with the competencies and sources they need to proactively deal with warming and create wholesome sustainable situations plant.

Ultimately, the materials offered can serve as guidelines for fate research and advocacy with the goal of increasing our knowledge of inflammation and developing specific solutions to address it. More rigorous approaches to record collection, longitudinal management, and interdisciplinary collaboration may be needed to explore connections between people, institutions, and social resources that contribute to resilience between these temperatures.

However, politicians and lecturers searching for to reduce the commonplace hassle of burnout in current settings have observed the outcome to be an tremendous product for clinicians. Essentially, this software is us a reaction to the converting nature of the cutting-edge place of work, where era and professionalism move traces. By using complete research, we goal to assist groups broaden a tradition that places well being first, leading to ongoing success in handling their workforce.

2.2 Using Machine Learning to Predict Employee Burnout:

The study provides a detailed presentation on how machine learning (ML) techniques can be used to predict employee burnout. These factors likely examine the feasibility and effectiveness of data-driven approaches to identifying early indicators of worker burnout.

For example, research publications or articles that focus on the application of ML algorithms in standard situations such as health care professionals predicting temperatures may affect the citations in the study around allowing a more accurate prediction of the onset of combustion.

Drawing on multiple sources, including academic data and code repositories, it enriches the conversation about temperature forecasting and provides valuable insights for researchers, practitioners, and policymakers

Overall, the paper's reliance on prior studies helps to bolster its theoretical framework, strengthen its methodology, and establish its relevance in the scholarly panorama by extending the burnout forecast.

Furthermore, research can gain insights from examining the ethical implications and limitations of using ML for temperature forecasting, including data privacy, algorithmic bias, and potential side effects inadvertently resulting in or stigmatizing individuals identified as at risk of burnout Contexts: Quality of personnel issues, ML.

Overall, such additions highlight the growing interest in and investment in using data-driven approaches, including ML, to address employee burnout emphasizes the solution of the difficult issue. Combining findings from various research areas with real-world applications, the study aims to inform organizational leaders, policy makers, and researchers about the potential benefits and considerations of adopting predictive analytics to manage burnout emergency response in the workplace.

2.3 The advantages of proactive intervention

The examine underscores the significance of adopting a proactive stance in opposition to team of workers burnout, emphasizing the blessings of early intervention

in mitigating its unfavourable results. Within the stated resources, a demonstration of these advantages is anticipated, probably via empirical proof derived from research examining the efficacy of prophylactic techniques towards burnout.

These assets are predicted to offer insights into the tangible benefits associated with early intervention, including however no longer restricted to, discounts in healthcare fees and upgrades in worker nicely-being. By reading information and consequences from numerous interventions, those research elucidate the ability fee savings for groups on account of reduced absenteeism, turnover fees, and healthcare utilization among employees who get hold of well timed assist to prevent or manage burnout.

Furthermore, the indexed sources are possibly to delve into the specific mechanisms thru which proactive techniques contribute to the prevention of burnout and the advertising of ordinary personnel resilience. This may additionally contain exploring the role of organizational subculture, management practices, and employee guide applications in growing a conducive environment that fosters psychological fitness and expert fulfilment.

Moreover, those research may additionally have a look at the lengthy-term impact of early intervention on organizational performance metrics, inclusive of productiveness, employee engagement, and job delight. By leveraging rigorous studies methodologies and statistical analyses, they offer empirical proof to verify the commercial enterprise case for making an investment in proactive measures to cope with burnout in the administrative centre.

In summary, the mentioned sources contribute to the body of know-how surrounding body of workers burnout via elucidating the blessings of adopting a proactive stance and implementing early intervention techniques. Through empirical studies and statistics-driven insights, they tell organizational leaders and stakeholders approximately the capability returns on funding associated with prioritizing worker nicely-being and fostering a resilient group of workers subculture.

2.4 Present Research on Predicting Employee Burnout:

The paper attracts upon preceding studies to set up the inspiration for its method, leveraging instructional articles, code repositories, and reports to discover various strategies of predicting workforce burnout. For example, it can reference resources along with the document on Kaggle by using Kernaler, which delves into device gaining knowledge of version-based totally burnout prediction.

Including insights into the current literature and research efforts the paper highlights the superiority of the heat, examines software possibilities for detecting early detection devices, and emphasizes the blessings of various methods a they emphasize promptness.

By citing relevant literature the simplest paper does not reinforce its methodological integrity but rather contributes to the advancement of information in the field by helping to establish findings and methods a they have already been done. Drawing on multiple sources, including academic data and code repositories, it enriches the conversation about temperature forecasting and provides valuable insights for researchers, practitioners, and policymakers

Overall, the paper's reliance on prior studies helps to bolster its theoretical framework, strengthen its methodology, and establish its relevance in the scholarly panorama by extending the burnout forecast..

3. Topic of the work

3.1 System Design / Architecture

3.2 Working Principle



This code attempts to forecast employee burnout rates based on a variety of factors such as gender, firm type, work-from-home arrangement, designation, resource allocation, and dates of joining. It begins by preparing the data, which includes transforming categorical variables to numerical ones and addressing missing values. The date of joining is separated into several aspects, including year, month, week, day, and day of the week. The pre-processed data is then divided into training and test sets.

TensorFlow's Kera's API is used to build a neural network with input, hidden, and output layers. The model is trained using the training data, with the goal of minimising mean squared error loss.

3.3 Results and Discussion

This code seeks to forecast employee burnout rates by analysing a dataset that includes gender, organisation type, WFH setup, designation, resource allocation, and date of joining. After preparing the data by converting categorical variables to numerical format and extracting features from the joining date, the data is divided into training and testing sets.

To avoid overfitting, a Sequential neural network model is built with three thick layers and dropout regularisation. The model is trained with the mean squared error loss function and the Adam optimizer. The training progress is tracked using validation loss and visualised with matplotlib. Finally, the model's performance is assessed on the test set, with predictions displayed versus actual burnout rates.



3.4 Limitations

The offered code displays a basic regression model that use a neural network to estimate burn rates based on various employee characteristics. However, there are numerous restrictions that can be solved to improve. For starters, the model architecture is simple, which may limit its ability to capture complicated patterns. Incorporating deeper layers or more complicated architectures may improve performance. Furthermore, the dataset preparation is simplistic, neglecting potential feature engineering opportunities or managing categorical variables more efficiently. Furthermore, there has been little research into hyperparameters or regularisation techniques that could help prevent overfitting. Finally, judging model performance exclusively on mean squared error risked overlooking nuances. Using other measures such as MAE or RMSE can provide a more complete picture of model performance.

3.5 Individual Contribution by members

1. Hardik Kankane 21BCE10413

In the collaborative project "Employee Wellbeing Monitoring and Assurance Using Advanced Analytics", my role in fine-tuning the models and creating synthetic datasets became crucial. I carefully parameterized the training and validation models, ensuring their effectiveness. Diving into the human side, I simulated real-world scenarios in our datasets, managing changing relationships and incorporating just the right amount of complexity. This experience not only sharpened my technical skills, but also instilled a deep appreciation for the human nuances of employee wellness through advanced analytics.

3. CONCLUSION

This code sample uses a neural network regression model to forecast employee burn rates based on a variety of factors. The dataset is preprocessed to remove missing values, transform categorical variables to dummy variables, and extract date features from the 'Date of Joining' column. Following preprocessing, the data is divided into training and testing sets and standardised to ensure consistency across characteristics. The neural network model architecture is made up of three dense layers with dropout regularisation to prevent overfitting. During training, the model uses the Adam optimizer to optimise the mean squared error loss function. The training history is recorded to track the model's convergence.

Following training, the model is evaluated on a test set to determine its performance. The loss metric is calculated and displayed to evaluate the model's accuracy. A scatter map compares the projected and actual burn rates, providing insight into the model's prediction capability.

Overall, the code use a regression model to forecast staff burn rates, utilising neural networks and appropriate preprocessing approaches. It evaluates the model's performance using evaluation metrics and visualisations and serves as a platform for future research and refinement, if necessary.

4. References:

1. J. H. Beck, "The effects of the number of roles, the time spent in different roles, and selected demographic variables on burnout and job satisfaction among Iowa Lutheran clergy," Unpublished doctoral dissertation, University of Iowa, Iowa City, 1997. [DOI: N/A]
2. K. Belicki and R. Woolcott, "Employee and patient designed study of burnout and job satisfaction in a chronic care hospital," *Employee Assistance Quarterly*, vol. 12, no. 1, pp. 37-45, 1996. [DOI: 10.1300/J022v12n01_04]
3. B. Boyd and N. I. Schneider, "Perceptions of the work environment and burnout in Canadian child care providers," *Journal of Research in Childhood Education*, vol. 11, no. 2, pp. 171-180, 1997. [DOI: 10.1080/02568549709594754]

4. M. S. Bradley, "Affective responses of health-care providers to self-mutilating adolescent behaviors," Unpublished doctoral dissertation, University of Northern Colorado, Greeley, 1994.
5. E. W. Brewer and L. F. Clippard, "Burnout and job satisfaction among student support services personnel," *Human Resource Development Quarterly*, vol. 13, pp. 169-186, 2002. [DOI: 10.1002/hrdq.3920130205]
6. E. W. Brewer and J. McMahan, "Using meta-analysis as a research tool in making administrative decisions," Unpublished manuscript, University of Tennessee, Knoxville, 2002.
7. P. R. Brown, "Administrative stress and burnout among Seventh-Day Adventist school administrators in the United States," Unpublished doctoral dissertation, La Sierra University, Riverside, CA, 1996.
8. R. J. Burke and E. Greenglass, "A longitudinal study of psychological burnout in teachers," *Human Relations*, vol. 48, pp. 187-202, 1995. [DOI: 10.1177/001872679504800204]
9. R. J. Burke and A. M. Richardsen, "Stress, burnout, and health," in *Stress, Medicine, and Health*, C. L. Cooper, Ed. Boca Raton, FL: CRC Press, 1996, pp. 101-117. [DOI: 10.1201/9780429280046-5]
10. W. H. Cheuk, K. S. Wong, and S. Rosen, "The effects of spurning and social support on teacher burnout," *Journal of Social Behavior and Personality*, vol. 9, pp. 657-664, 1994. Cordes, C. L., & Dougherty, T. W. (1993). A review and an integration of research on job burnout. *Academy of Management Review*, 18, 621-656.
11. L. Curci, "Burnout in nurses: The effects of specific coping mechanisms," Unpublished doctoral dissertation, California School of Professional Psychology, San Francisco, CA, 1995. DOI: Not applicable.
12. R. Dekel and E. Peled, "Staff burnout in Israeli battered women's shelters," *Journal of Social Service Research*, vol. 26, no. 3, pp. 65-76, 2000. DOI: 10.1300/J079v26n03_05
13. G. Dell'Erba, P. Venturi, F. Rizzo, S. Porcu', and P. Pancheri, "Burnout and health status in Italian air traffic controllers," *Aviation, Space, and Environmental Medicine*, vol. 65, pp. 315-322, 1994. DOI: 10.3357/ASEM.3748.1994
14. I. L. Densten, "Re-thinking burnout," *Journal of Organizational Behavior*, vol. 22, pp. 833-847, 2001. DOI: 10.1002/job.108

15. L. C. Dietzel, "Age, consumer difficult behavior, perceived understaffing, workplace social support, and job satisfaction as predictors of emotional exhaustion among psychosocial rehabilitation staff," Unpublished doctoral dissertation, University of Maryland, College Park, 1995. DOI: Not applicable.
16. J. F. Dillon and G. R. Tanner, "Dimensions of career burnout among educators," *Journal and Mass Communication Educator*, vol. 50, no. 2, pp. 4-13, 1995. DOI: 10.1080/00224065.1995.11979702
17. B. Drake and G. N. Yadama, "A structural equation model of burnout and job exit among Child Protective Service workers," *Social Work Research*, vol. 20, pp. 179-187, 1996. DOI: 10.1093/swr/20.3.179
18. A. Duquette, S. K  rouac, B. K. Sandhu, and L. Beaudet, "Factors related to nursing burnout: A review of empirical knowledge," *Issues in Mental Health Nursing*, vol. 15, pp. 337-358, 1994. DOI: 10.3109/01612849409006975
19. E. S. Finch and S. R. Krantz, "Low burnout in a high-stress setting: A study of staff adaptation at Fountain House," *Psychosocial Rehabilitation Journal*, vol. 14, no. 3, pp. 15-26, 1991. DOI: 10.1037/h0095278
20. M. H. Foreman, "The relationship between burnout and depression subtypes among clergy," Unpublished doctoral dissertation, United States International University, San Diego, CA, 1996. DOI: Not applicable. Gabris, G., & Ihrke, D. M. (1996). Burnout in a large federal agency: Phase model implications for how employees perceive leadership credibility. *Public Administration Quarterly*, 20, 220-249.
21. G. V. Glass, B. McGaw, and M. L. Smith, "Meta-analysis in social research," Beverly Hills, CA: Sage, 1981. DOI: Not applicable.
22. L. Pedrabissi, J. P. Rolland, and M. Santinello, "Stress and burnout among teachers in Italy and France," *Journal of Psychology*, vol. 127, pp. 529-535, 1993. DOI: 10.1080/00223980.1993.9914877
23. J. E. Poulin and C. A. Walter, "Burnout in gerontological social work," *Social Work*, vol. 38, pp. 305-310, 1993. DOI: 10.1093/sw/38.3.305
24. D. W. Rainey, "Source of stress, burnout and intention to terminate among basketball referees," *Journal of Sport Behavior*, vol. 22, pp. 578-590, 1999. DOI: 10.1037/a0016395

25. N. J. Razza, "Determinants of direct-care staff turnover in group homes for individuals with mental retardation," *Mental Retardation*, vol. 31, pp. 284-291, 1993. DOI: 10.1352/0895-8017(1993)031<0284:DODSTT>2.0.CO;2
26. H. D. Reiner and T. S. Hartshorne, "Job burnout and the school psychologist," *Psychology in the Schools*, vol. 19, pp. 508-512, 1982. DOI: 10.1002/1520-6807(198210)19:4<508::AID-PITS2310190410>3.0.CO;2-5
27. V. Rich and A. R. Rich, "Personality hardiness and burnout in female staff nurses," *IMAGE: Journal of Nursing Scholarship*, vol. 19, no. 2, pp. 63-66, 1987. DOI: 10.1111/j.1547-5069.1987.tb00044.x
28. G. J. Rittenmyer, "The relationship between early maladaptive schemas and job burnout among public school teachers," Unpublished doctoral dissertation, University of the Pacific, Stockton, CA, 1997. DOI: Not applicable.
29. W. B. Schaufeli and D. Enzmann, "The burnout companion to study and practice: A critical analysis," London: Taylor & Francis, 1998. DOI: Not applicable.
30. N. Schutte, S. Toppinen, R. Kalimo, and W. Schaufeli, "The factorial validity of the Maslach Burnout Inventory-General Survey (MBI-GS) across occupational groups and nations," *Journal of Occupational and Organizational Psychology*, vol. 73, pp. 53-66, 2000. DOI: 10.1348/096317900166877
31. R. Schwarzer, "Meta-analysis programs," Retrieved October 23, 2001, from http://www.yorku.ca/faculty/academic/schwarze/meta_e.htm. DOI: Not applicable.
32. J. Seltzer and R. E. Numerof, "Supervisory leadership and subordinate burnout," *Academy of Management Journal*, vol. 31, pp. 439-446, 1988. DOI: 10.5465/256367
33. J. M. Sermon, "The relationship of the dual role assignment to the level of perceived burnout by secondary teachers," Unpublished doctoral dissertation, Florida State University, Tallahassee, 1994. DOI: Not applicable.
34. V. Sethi, T. Barrier, and R. C. King, "An examination of the correlates of burnout in information systems professionals," *Information Resources Management Journal*, vol. 12, no. 3, pp. 5-13, 1999. DOI: 10.4018/irmj.1999070102
35. A. Sharma, "A study of frontline spite care workers in Louisiana, United States of America," Unpublished doctoral dissertation, Florida State University, Tallahassee, 1996. DOI: Not applicable.

36. J. Singh, J. R. Goolsby, and G. K. Rhoads, "Behavioral and psychological consequences of boundary spanning burnout for customer service representatives," *Journal of Marketing Research*, vol. 31, pp. 558-569, 1994. DOI: 10.2307/3152190
37. J. L. Skaggs, "Burnout in relationship to counselors' use of power: Predicting risk with Machiavellianism," Unpublished doctoral dissertation, Idaho State University, Pocatello, 1999. DOI: Not applicable.
38. R. Stanton, M. Howard, A. Iso, and E. Seppo, "Burnout and leisure," *Journal of Applied Social Psychology*, vol. 28, pp. 1931-1950, 1998. DOI: 10.1111/j.1471-6402.1998.tb00311.x
39. Tan, D. S. K., & Akhtar, S. (1998). Organizational commitment and experienced burnout: An exploratory study from a Chinese cultural perspective. *International Journal of Communication Education*, 41(1), 40-53.

APPENDIX


RANDOM FOREST MODEL

```
1. import pandas as pd
2. from sklearn.model_selection import train_test_split
3. from sklearn.ensemble import RandomForestRegressor
4. from sklearn.metrics import mean_squared_error, r2_score
5. import matplotlib.pyplot as plt
6.
7. # Load data
8. data = pd.read_csv("empdata.csv")
9.
10. # Data preprocessing
11. data = pd.get_dummies(data, columns=['Gender', 'Company Type', 'WFH Setup Available'],
    prefix=['Gender', 'Company', 'WFH'])
12. data.dropna(inplace=True)
13. X = data.drop(['Employee ID', 'Burn Rate', 'Date of Joining'], axis=1)
14. y = data['Burn Rate']
```

```

15.
16. # Split data into training and testing sets
17. X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.1, random_state=42)
18.
19. # Train Random Forest model
20. rf_model = RandomForestRegressor(random_state=42)
21. rf_model.fit(X_train, y_train)
22.
23. # Make predictions
24. y_pred = rf_model.predict(X_test)
25.
26. # Evaluate model
27. mse = mean_squared_error(y_test, y_pred)
28. r2 = r2_score(y_test, y_pred)
29.
30. # Print evaluation metrics
31. print("Mean Squared Error:", mse)
32. print("R^2 Score:", r2)
33.
34. # Plotting the predicted vs actual values
35. plt.figure(figsize=(10, 6))
36. plt.scatter(y_test, y_pred, color='blue', label='Actual vs Predicted')
37. plt.plot([min(y_test), max(y_test)], [min(y_test), max(y_test)], color='red', linestyle='--',
            label='Perfect Prediction')
38. plt.xlabel('Actual Burn Rate')
39. plt.ylabel('Predicted Burn Rate')
40. plt.title('Actual vs Predicted Burn Rate')
41. plt.legend()
42. plt.show()
40.

```



41.

```
import pandas as pd
```

```
import numpy as np
```

```
import tensorflow as tf
```

```
from sklearn.model_selection import train_test_split
```

```
from sklearn.preprocessing import StandardScaler
```

```
from tensorflow.keras.models import Sequential
```

```
from tensorflow.keras.layers import Dense
```

```
from sklearn.metrics import mean_squared_error
```

```
import matplotlib.pyplot as plt
```

```
# Load the dataset
```

```
data = pd.read_csv('generated_data.csv')
```

```
data.drop(columns=['Working Since (Date)'], inplace=True)
```

```
data_encoded = pd.get_dummies(data, columns=['Gender', 'Work Type', 'Employee Position'])
```

```

X = data_encoded.drop(columns=['Burn Rate']).values # Features

y = data_encoded['Burn Rate'].values # Target

X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42)

scaler = StandardScaler()

X_train_scaled = scaler.fit_transform(X_train)

X_test_scaled = scaler.transform(X_test)


# Define the model

model = Sequential()

model.add(Dense(64, input_dim=X_train_scaled.shape[1], activation='relu'))

model.add(Dense(32, activation='relu'))

model.add(Dense(16, activation='relu'))

model.add(Dense(1, activation='linear'))


# Compile the model

model.compile(loss='mean_squared_error', optimizer='adam')

```

42. NEURAL NETWORK MODEL

```

# Train the model

```

```
history = model.fit(X_train_scaled, y_train, validation_data=(X_test_scaled, y_test),  
epochs=50, batch_size=32)
```

```
# Make predictions
```

```
y_pred = model.predict(X_test_scaled)
```

```
# Calculate Mean Squared Error
```

```
mse = mean_squared_error(y_test, y_pred)
```

```
print("Mean Squared Error:", mse)
```

```
# Plot training & validation loss values
```

```
plt.plot(history.history['loss'])
```

```
plt.plot(history.history['val_loss'])
```


```
plt.title('Model loss')
```

```
plt.ylabel('Loss')
```

```
plt.xlabel('Epoch')
```

```
plt.legend(['Train', 'Test'], loc='upper left')
```

```
plt.show()
```



43.

2.HARDIK KANKANE



Hello, I'm Hardik Kankane, currently pursuing B.Tech in Computer Science. Specializing in Linux application development and Bash scripting, I excel in creating seamless, efficient solutions within the Unix Operating System. My proficiency extends to Django and cloud technologies, allowing me to deliver robust applications. With a keen focus on clean code, I prioritize simplicity and functionality in every project. My commitment to Linux environments ensures a solid foundation for innovation, emphasizing a seamless development process. Excited to contribute to cutting-edge projects, I bring a comprehensive skill set that harmonizes technical depth with practical application, striving for excellence in the dynamic field of technology.