Information For the Use of
Bepotastine (1.5% w/v) Eye Drops

Bepostyle Eye Drop

Bepostyle Eye Drops

Composition:

Each mL contains:

- **Bepotastine** – 1.5% w/v

Pharmacological Action:

Bepotastine is a **selective histamine H1-receptor antagonist** with anti-allergic activity.

- **Antihistaminic Action:** Blocks H1 receptors and reduces the effects of histamine released during allergic reactions.
- **Mast Cell Stabilization:** Helps inhibit the release of inflammatory mediators from mast cells.
- **Anti-Allergic Action:** Reduces ocular itching, redness, watering, and irritation associated with allergic conjunctival conditions.
- **Rapid Symptomatic Relief:** Acts locally on the ocular surface to control allergy-related symptoms.

Indications:

Bepostyle Eye Drops is indicated for the treatment of:

- **Allergic Conjunctivitis**
- **Ocular Itching associated with Allergic Eye Disease**
- **Seasonal Allergic Conjunctivitis**
- **Perennial Allergic Conjunctivitis**
- Other histamine-mediated allergic ocular conditions as prescribed by an ophthalmologist

---

Dosage and Administration:

- **Recommended Dose:** Instill **1 drop into the affected eye(s) twice daily** or as directed by the ophthalmologist.
- Wash hands thoroughly before use.
- Tilt the head back and gently pull down the lower eyelid.
- Instill the prescribed drop without touching the dropper tip to the eye, eyelids, or surrounding surfaces.
- Close the eye gently after instillation.

- If using other ophthalmic preparations, maintain an appropriate interval between applications.
- Contact lenses should generally be removed before instillation and may be reinserted after an appropriate interval as advised.

Precautions:

- For **ophthalmic use only**.
- Avoid touching the dropper tip to any surface to prevent contamination.
- Bepotastine is intended primarily for allergic ocular symptoms and should not be used to treat bacterial, viral, or fungal eye infections.
- Temporary blurred vision may occur after instillation; avoid driving or operating machinery until vision becomes clear.
- Discontinue use and seek medical advice if significant irritation or hypersensitivity develops.
- **Pregnancy and Lactation:** Use only when clearly indicated and under medical supervision.

Contraindications:

- Known hypersensitivity to **bepotastine** or any component of the formulation.
- Use should be avoided in patients who have previously experienced a serious allergic reaction to bepotastine-containing preparations.

Adverse Reactions:

Common:

- Mild eye irritation
- Burning or stinging after instillation
- Headache
- Eye redness
- Temporary blurred vision
- Unpleasant taste following administration in some patients

Less Common but Serious:

- Significant ocular irritation
- Eyelid swelling
- Severe hypersensitivity reactions
- Angioedema or anaphylaxis, rarely

Seek medical attention if severe swelling, difficulty breathing, or significant visual changes occur.

Drug Interactions:

- No major clinically significant systemic drug interactions are generally expected with topical ophthalmic bepotastine.
- If multiple ophthalmic medicines are being used, administer them separately with an appropriate interval.
- Inform the ophthalmologist about all prescription, OTC, and other ophthalmic medicines being used.

Storage:

- Store in a cool, dry place below **25°C**.
- Protect from direct sunlight and excessive heat.
- Keep the bottle tightly closed when not in use.
- Do not touch the dropper tip to any surface.
- Keep out of reach of children.

Note:

This information is intended as a general prescribing guide. **Bepostyle Eye Drops should be used according to the directions of a qualified ophthalmologist.** It is intended for the symptomatic management of allergic ocular conditions, particularly ocular itching.

Important: Please verify the approved product specification for **Bepotastine 1.5% w/v** before finalizing the IP literature, including the exact salt/formulation and approved dosing schedule.

Manufactured in India for:

Cafoli™
LIFECARE

Cafoli Lifecare Pvt. Ltd.
(An ISO 9001: 2015 Certified Co.)
Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113
Corporate Office :
Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113
TM: Trademark Applied for