Cardistep CR 10 Tablet

Cardistep CR 10 Tablet

Composition:

Each controlled-release tablet contains:

- **Carvedilol IP** – 10 mg

Pharmacological Action:

Carvedilol is a **non-selective beta-adrenergic and alpha-1 adrenergic receptor blocker** that reduces cardiac workload and promotes peripheral vasodilation.

- **Beta-Blockade:** Decreases heart rate and myocardial contractility, reducing cardiac workload and oxygen demand.
- **Alpha-1 Blockade:** Produces peripheral vasodilation and reduces systemic vascular resistance.
- **Antihypertensive Action:** Helps lower elevated blood pressure through combined cardiac and vascular effects.
- **Cardioprotective Action:** In suitable patients with chronic heart failure and left ventricular dysfunction, it helps reduce cardiac workload and supports improved cardiac function.

Indications:

Cardistep CR 10 Tablet is indicated for the management of:

- **Hypertension**
- **Chronic Stable Heart Failure**
- **Left Ventricular Dysfunction following Myocardial Infarction**
- **Angina Pectoris**, when prescribed by the physician

Dosage and Administration:

- **Recommended Dose:** As directed by the physician. Dosage should be individualized according to the patient's clinical condition and response.
- **Administration:** Swallow the controlled-release tablet whole with water. Do not crush or chew unless specifically permitted for the particular formulation.
- Take with food as advised, particularly in patients with heart failure, to reduce the risk of postural hypotension.
- Treatment is generally initiated at a low dose and gradually increased under medical supervision.

- Do not discontinue treatment abruptly without medical advice.

Precautions:

- Monitor **blood pressure and heart rate** during treatment.
- Use cautiously in patients with **diabetes mellitus**, as carvedilol may mask some symptoms of hypoglycemia.
- Use with caution in patients with **asthma or bronchospastic disease**.
- Patients with liver impairment require careful medical assessment.
- Rise slowly from sitting or lying positions to reduce dizziness or postural hypotension.
- Abrupt discontinuation should be avoided, particularly in patients with coronary artery disease.
- **Pregnancy and Lactation:** Use only when clearly indicated and under medical supervision.

Contraindications:

- Known hypersensitivity to carvedilol or any component of the formulation.
- **Bronchial asthma** or significant bronchospastic conditions.
- Severe bradycardia.
- Second- or third-degree AV block without a functioning pacemaker.
- Cardiogenic shock or decompensated heart failure requiring intravenous inotropic therapy.
- Severe hepatic impairment.

Adverse Reactions:

Common:

- Dizziness
- Fatigue
- Headache
- Hypotension
- Bradycardia
- Diarrhea
- Nausea

Less Common but Serious:

- Excessive bradycardia
- Severe hypotension
- Worsening heart failure
- Bronchospasm
- Syncope
- Hypoglycemia or masking of hypoglycemic symptoms

Drug Interactions:

- Other **beta-blockers** or heart-rate-lowering medicines may increase the risk of bradycardia.
- **Verapamil and diltiazem** may enhance effects on cardiac conduction and heart rate.
- May enhance the blood-pressure-lowering effects of other antihypertensive medicines.
- May mask symptoms of hypoglycemia in patients receiving antidiabetic therapy.
- Caution is advised with **digoxin**, as combined use may increase the risk of bradycardia or conduction disturbances.

Storage:

- Store in a cool, dry place below **25°C**.
- Protect from moisture and direct sunlight.
- Keep out of reach of children.

Note:

This information is intended as a general prescribing guide. Cardistep CR 10 Tablet should be used under the supervision of a registered medical practitioner. The dosage and duration should be individualized according to the patient's cardiovascular condition, blood pressure, heart rate, and clinical response.

Manufactured in India for:

Cafoli™ LIFECARE

Cafoli Lifecare Pvt. Ltd.
(An ISO 9001: 2015 Certified Co.)
Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113
Corporate Office :
Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113
TM: Trademark Applied for