Information For the Use of
Ambroxol (10mg) + Guaifenesin (25mg) + Terbutaline (0.5mg) Syrup

Cufsniff AM Junior Syrup

Brand Name: Cufsniff AM Junior Syrup
Dosage Form: Syrup
Composition:
Each 5 ml contains:
- **Ambroxol Hydrochloride IP 10 mg**
- **Guaifenesin IP 25 mg**
- **Terbutaline Sulphate IP equivalent to Terbutaline 0.5 mg**
- **Flavoured syrup base q.s.**

Description:
Cufsniff AM Junior Syrup is a combination of Ambroxol, a mucolytic agent; Guaifenesin, an expectorant; and Terbutaline, a bronchodilator. It is indicated for the symptomatic treatment of productive cough associated with respiratory tract disorders accompanied by excessive mucus secretion and bronchospasm. It helps in loosening thick mucus, facilitating its expectoration, relaxing bronchial smooth muscles, and improving airflow for easier breathing.

Indications:
Indicated for the treatment of:
- **Productive (wet) cough with mucus**
- **Acute and chronic bronchitis**
- **Bronchial asthma associated with mucus retention**
- **Chronic obstructive airway diseases with excessive secretions**
- **Respiratory tract infections associated with productive cough**

It helps in thinning mucus, relieving chest congestion, improving airway patency, and facilitating easier expectoration.

Dosage & Administration:
Dosage should be as directed by the physician.
Shake the bottle well before use.
Measure the prescribed dose using a calibrated measuring cup or spoon.
Maintain adequate fluid intake during therapy to facilitate mucus clearance.

Pharmacological Action:
- **Ambroxol is a mucolytic agent that reduces the viscosity of bronchial secretions, facilitating mucus clearance.**
- **Guaifenesin acts as an expectorant by increasing the volume and reducing the viscosity of respiratory secretions, making them easier to expel.**
- **Terbutaline is a selective β_2-adrenergic agonist that relaxes bronchial smooth muscles, producing bronchodilation and improving airflow.**

Together, these mechanisms provide effective relief from productive cough, chest congestion, and bronchospasm.

Side Effects:
Common side effects include nausea, vomiting, diarrhea, stomach discomfort, headache, dizziness, tremor, palpitations, nervousness, and skin rash. Most adverse effects are mild and transient.

Precautions & Warnings:

• Use with caution in patients with cardiovascular disorders, hypertension, hyperthyroidism, diabetes mellitus, hepatic impairment, or renal impairment

• Do not exceed the recommended dosage

• Use cautiously in children and only under medical supervision

• Discontinue treatment and consult the physician if symptoms persist or worsen

• Pregnancy and lactation use should be based on physician advice

---

Drug Interactions:

Concomitant use with beta-blockers may reduce the bronchodilator effect of Terbutaline.

Use cautiously with other sympathomimetic agents, diuretics, corticosteroids, and xanthine derivatives due to the potential for additive adverse effects.

Storage:

Store below 25°C in a cool, dry place.

Protect from light.

Do not freeze.

Keep the bottle tightly closed after use.

Keep out of reach of children.

Manufactured in India for:

Cafoli™
LIFECARE

Cafoli Lifecare Pvt. Ltd.

(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113

Corporate Office :

Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113

TM: Trademark Applied for