Epihype SR 150 Tablet

EPIHYPE SR 150 TABLET

Eperisone 150 mg Sustained-Release (SR) Tablet

1. Composition

Each sustained-release tablet contains:

Eperisone Hydrochloride — equivalent to Eperisone 150 mg
Excipients — q.s.

Confirm the salt expression and sustained-release formulation against the approved product specifications.

2. Pharmacological Action

Eperisone is a centrally acting skeletal muscle relaxant. It helps reduce increased muscle tone and muscle spasms by acting on neural pathways involved in muscle reflexes. It may help relieve associated pain and improve mobility in selected musculoskeletal conditions.

3. Indications

Eperisone may be prescribed for symptomatic relief of:

- Painful muscle spasms
- Muscle stiffness associated with musculoskeletal disorders
- Muscular discomfort associated with selected spinal conditions
- Other conditions involving increased muscle tone, as assessed by the physician

Use only for indications approved for the specific product and formulation.

4. Dosage and Administration

Take orally as directed by the treating physician.

- Follow the prescribed dose and schedule for the sustained-release formulation.
- Swallow the tablet whole with water; do not crush, chew or split it unless the product instructions specifically permit this.
- Do not exceed the prescribed dose.
- The dose and duration depend on the patient's condition and response to treatment.

5. Precautions

- May cause dizziness, weakness or drowsiness; use caution when driving or operating machinery until the effects are known.
- Use cautiously in patients with liver impairment.
- Inform the physician about all medicines being taken, especially those that may cause dizziness or drowsiness.
- Discontinue and seek medical advice if a significant allergic reaction or other serious adverse effect occurs.

6. Contraindications

Do not use in patients with known hypersensitivity to eperisone or any component of the formulation. Check the approved product information for additional contraindications.

7. Adverse Reactions

Possible adverse effects include:

- Dizziness or light-headedness
- Weakness or fatigue
- Gastrointestinal discomfort, nausea or abdominal symptoms
- Skin rash or itching

Rare but serious reactions may include severe hypersensitivity or liver-related abnormalities. Seek medical attention if symptoms are severe or persistent.

8. Drug Interactions

The interaction profile should be checked against the approved prescribing information. Inform the treating physician about all prescription medicines, over-the-counter products and supplements, particularly medicines that may cause dizziness or drowsiness.

9. Pregnancy and Lactation

Use during pregnancy or breastfeeding only when specifically advised by a qualified healthcare professional after assessing potential benefits and risks.

10. Storage

Store according to the approved product label, protected from moisture, excessive heat and direct sunlight. Keep out of reach of children.

11. Note

For oral use only. To be sold by retail on the prescription of a Registered Medical Practitioner, where required by applicable regulations.

Important: This is a draft product-literature template, not an official approved package insert. Confirm the exact salt, SR release characteristics, approved indications, dosage, warnings and legal wording against the current approved Indian prescribing information for Epihype SR 150 Tablet before printing or distribution.

Manufactured in India for:

Cafoli Lifecare Pvt. Ltd.
(An ISO 9001: 2015 Certified Co.)
Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113
Corporate Office :
Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113
TM: Trademark Applied for