Information For the Use of
Sodium Hyaluronate (0.18% w/v) with Other Ingredients Eye Drops

# Lubicom HL Plus Eye Drop

## LUBICOM HL PLUS EYE DROP

### Composition

Each mL contains:

**Sodium Hyaluronate 0.18% w/v**
Excipients … q.s.

### Pharmacological Action

**Sodium Hyaluronate** is a high-molecular-weight polysaccharide with viscoelastic and water-retaining properties. When applied topically to the eye, it forms a lubricating and protective layer over the ocular surface.

It helps improve tear-film stability, moisturise the corneal and conjunctival surfaces and reduce friction associated with blinking. This provides soothing and prolonged relief from symptoms of ocular surface dryness and irritation.

### Indications

Lubicom HL Plus Eye Drop may be used for symptomatic relief of:

- Dry and irritated eyes
- Burning or stinging associated with ocular dryness
- Foreign-body sensation
- Ocular discomfort due to tear-film insufficiency
- Dryness associated with prolonged screen use
- Environmental exposure such as dust, wind or air conditioning
- Contact-lens-associated ocular dryness, when appropriate

It acts as a **lubricating/artificial tear preparation** for the ocular surface.

### Dosage and Administration

**Adults and elderly:**
Instil **1 drop into the affected eye(s) 3–4 times daily or as required**, or as directed by the physician.

The frequency may be adjusted according to the severity of ocular dryness and individual response.

**Method of administration:**

- For ophthalmic use only.
- Wash hands before use.
- Tilt the head back and gently pull down the lower eyelid.
- Instil the prescribed number of drops into the conjunctival sac.
- Avoid touching the dropper tip to the eye, eyelids or any other surface.
- Close the container immediately after use.

If more than one ophthalmic preparation is being used, allow an interval of **at least 5 minutes** between different eye drops. Eye ointments should generally be applied last.

## Precautions

- For **external ophthalmic use only**; do not swallow or inject.
- Do not allow the dropper tip to contact the eye or other surfaces to prevent contamination.
- If the solution becomes cloudy, changes colour or contains visible particles, do not use it.
- Temporary blurred vision may occur immediately after instillation. Patients should avoid driving or operating machinery until vision becomes clear.
- If persistent redness, eye pain, visual changes, marked irritation or worsening symptoms occur, discontinue use and consult an ophthalmologist.
- Patients with persistent or recurrent dry-eye symptoms should undergo appropriate ophthalmic evaluation.

**Contact lenses:**
If the formulation contains a preservative such as benzalkonium chloride, contact lenses should generally be removed before instillation and reinserted after the interval specified for that formulation. Preservative-free presentations may have different instructions.

## Contraindications

Lubicom HL Plus Eye Drop is contraindicated in patients with:

- Known hypersensitivity to **sodium hyaluronate** or any component of the formulation.
- Any additional contraindication specified in the approved product-specific prescribing information.

## Adverse Reactions

**Common/possible:**

- Transient stinging or burning
- Mild ocular irritation
- Temporary blurred vision immediately after instillation
- Foreign-body sensation

**Rare/possible:**

- Ocular redness
- Itching
- Excessive watering
- Hypersensitivity or local allergic reaction

If significant or persistent ocular irritation occurs, discontinue use and seek medical advice.

## Drug Interactions

No significant systemic drug interactions are generally expected with topical sodium hyaluronate because of its local ophthalmic action.

When used with other topical ophthalmic medicines:

- Maintain an interval of **at least 5 minutes** between different eye drops.
- If an ophthalmic ointment is being used, it should generally be applied after the eye drops.

## Pregnancy and Lactation

Sodium hyaluronate ophthalmic preparations may be used during pregnancy or lactation **when considered necessary by a healthcare professional**. Because product-specific excipients and preservative systems may differ, the approved product information should be followed.

## Storage

Store in a **cool, dry place**, protected from excessive heat and direct sunlight.

Keep the container tightly closed when not in use.

Do not freeze.

Keep out of reach of children.

Follow the product-specific instructions regarding the period for use after opening.

## Note

**For ophthalmic use only.**

Lubicom HL Plus Eye Drop is intended for lubrication and symptomatic relief of ocular surface dryness. Persistent, severe or unexplained eye symptoms should be evaluated by an ophthalmologist.

Manufactured in India for:

**Cafoli Lifecare Pvt. Ltd.**
**(An ISO 9001: 2015 Certified Co.)**
Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113
**Corporate Office :**
Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113
TM: Trademark Applied for