Information For the Use of
Griseofulvin (250mg) Tablets

Grislim 250 Tablet

GRISLIM 250 TABLET

Griseofulvin (250 mg)

1. Composition

Each tablet contains:
Griseofulvin 250 mg
Excipients q.s.

2. Pharmacological Action

Griseofulvin is an **oral antifungal agent** active against dermatophytes. It inhibits fungal cell division by interfering with the mitotic spindle and binds to keratin precursor cells, making newly formed keratin resistant to fungal invasion.

It is primarily effective against dermatophyte infections caused by **Trichophyton, Microsporum and Epidermophyton** species.

3. Indications

Griseofulvin is indicated for the treatment of dermatophyte infections involving:

- **Tinea corporis** (ringworm of the body)
- **Tinea cruris** (ringworm of the groin)
- **Tinea pedis** (athlete's foot)
- **Tinea capitis** (scalp ringworm)
- **Tinea barbae**
- **Tinea unguium / onychomycosis** caused by susceptible dermatophytes

Treatment selection should be based on the site and severity of infection.

4. Dosage and Administration

The dosage depends on the type and severity of infection, formulation and patient factors.

Adults: Griseofulvin is commonly administered in divided daily doses; the exact dose should be determined according to the approved product information and physician's advice.

The tablet should be taken **with or after a fatty meal** to improve absorption.

Treatment should be continued for the prescribed duration and generally until the infected tissue has been replaced by healthy tissue. Therapy for scalp and nail infections may require several weeks to months.

5. Precautions

- Use cautiously in patients with **hepatic impairment**.
- Periodic liver function monitoring may be appropriate during prolonged therapy.
- Griseofulvin may cause **photosensitivity**; excessive exposure to sunlight should be avoided.
- It may cause dizziness or headache; caution is advised while driving or operating machinery if affected.
- Griseofulvin may reduce the effectiveness of **oral contraceptives**; additional contraceptive precautions may be required during treatment and for the period specified in the approved product information.
- Patients receiving prolonged treatment should be monitored clinically for adverse effects.
- Inform the physician if the patient has a history of **systemic lupus erythematosus** or lupus-like disorders.

6. Contraindications

Griseofulvin is contraindicated in patients with:

- Known hypersensitivity to **griseofulvin** or any component of the formulation.
- **Severe hepatic disease**.
- **Porphyria**.
- Systemic lupus erythematosus or lupus-like syndromes, unless specifically considered appropriate by the treating physician.
- Pregnancy, particularly during the first trimester, unless specifically prescribed after appropriate risk assessment.

7. Adverse Reactions

Possible adverse reactions include:

- Headache
- Nausea and vomiting
- Diarrhoea or abdominal discomfort
- Dizziness
- Fatigue
- Skin rash
- Photosensitivity

Rare but serious reactions may include **hepatotoxicity, severe skin reactions, hypersensitivity reactions and blood dyscrasias**.

8. Drug Interactions

Important interactions include:

- **Warfarin:** griseofulvin may reduce anticoagulant effect; appropriate monitoring of anticoagulation is advised.
- **Oral contraceptives:** effectiveness may be reduced; additional contraceptive measures may be required.
- **Barbiturates** such as phenobarbital may reduce griseofulvin absorption or effectiveness.
- Other medicines that affect hepatic enzymes may alter griseofulvin exposure.

Inform the physician about all prescription, OTC and herbal medicines being taken.

9. Storage

Store below **30°C**, protected from light and moisture.

Keep out of reach of children.

10. Note / Important

Griseofulvin is an **oral antifungal medicine used primarily for dermatophyte infections**. It is not effective against all types of fungal infections, including many Candida and systemic fungal infections.

Treatment duration varies according to the site of infection. Complete the prescribed course even if symptoms improve earlier.

For use under medical supervision.

Keep out of reach of children.

Manufactured in India for:

Cafoli™
LIFECARE

Cafoli Lifecare Pvt. Ltd.
(An ISO 9001: 2015 Certified Co.)
Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113
Corporate Office :
Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113
TM: Trademark Applied for