Information For the Use of
Hyoscine Butylbromide 10 mg Tablet

Butyhype 10 Tablets

Butyhype 10 Tablets

Composition:

Each tablet contains:

- **Hyoscine Butylbromide IP** – 10 mg

Pharmacological Action:

Hyoscine Butylbromide is an **antispasmodic agent** that acts primarily on the smooth muscles of the gastrointestinal and genitourinary tracts.

- **Anticholinergic Action:** Blocks muscarinic acetylcholine receptors on smooth muscle.
- **Antispasmodic Effect:** Relaxes gastrointestinal and genitourinary smooth muscle, reducing painful spasms.
- **Spasm Relief:** Helps relieve abdominal and visceral pain associated with smooth-muscle spasms.
- **Peripheral Action:** Has limited penetration into the central nervous system, reducing typical central anticholinergic effects.

Indications:

Butyhype 10 Tablets is indicated for the symptomatic relief of pain associated with smooth-muscle spasms, including:

- **Abdominal Cramps**
- **Intestinal Spasms**
- **Irritable Bowel Syndrome (IBS)-associated Spasm**
- **Biliary Spasm**
- **Renal/Ureteric Spasm**
- **Bladder Spasm**

Dosage and Administration:

- **Recommended Dose:** One tablet **3–5 times daily** or as directed by the physician.
- **Administration:** Swallow the tablet whole with water.
- It may be taken with or without food.
- Use for the shortest duration necessary unless otherwise advised by the physician.
- If severe or unexplained abdominal pain persists, medical evaluation is recommended.

Precautions:

- Use cautiously in patients with **glaucoma**, particularly narrow-angle glaucoma.
- Use with caution in patients with **prostatic enlargement and urinary retention**.
- Caution is advised in patients with **tachycardia or cardiac arrhythmias**.
- Use cautiously in patients with suspected or known **intestinal obstruction**.
- Persistent abdominal pain accompanied by fever, vomiting, blood in stool, fainting, or severe tenderness requires prompt medical evaluation.
- **Pregnancy and Lactation:** Use only when clearly indicated and under medical supervision.

Contraindications:

- Known hypersensitivity to Hyoscine Butylbromide or any component of the formulation.
- **Myasthenia gravis**
- **Narrow-angle glaucoma**
- Suspected or confirmed **mechanical gastrointestinal obstruction**
- Paralytic ileus
- Severe urinary retention associated with prostatic enlargement
- Tachycardia where anticholinergic effects may be clinically significant

---

Adverse Reactions:

Common:

- Dry mouth
- Constipation
- Blurred vision
- Increased heart rate
- Dizziness

Less Common but Serious:

- Urinary retention
- Increased intraocular pressure
- Severe allergic reactions
- Anaphylaxis (rare)

Patients should seek immediate medical attention for difficulty breathing, severe allergic symptoms, inability to pass urine, or severe persistent abdominal pain.

Drug Interactions:

- Other **anticholinergic medicines** may increase anticholinergic adverse effects.
- Concomitant use with medicines having anticholinergic properties, including some **antidepressants, antihistamines, antipsychotics, and antiparkinsonian medicines**, may increase dry mouth, constipation, urinary retention, or blurred vision.
- May enhance the anticholinergic effects of certain medicines used for gastrointestinal disorders.
- Inform the physician about all prescription, OTC, and herbal medicines being used.

Storage:

- Store in a cool, dry place below **25°C**.
- Protect from moisture and direct sunlight.
- Keep out of reach of children.

Note:

This information is intended as a general prescribing guide. Butyhype 10 Tablets should be used under the supervision of a registered medical practitioner. Hyoscine Butylbromide provides symptomatic relief of smooth-muscle spasm; persistent, severe, or unexplained abdominal pain should be medically evaluated rather than treated solely with an antispasmodic.

Because Butyhype 10 provides symptomatic relief rather than treating the underlying cause, persistent or severe abdominal pain warrants review of red-flag symptoms requiring urgent medical assessment rather than continued self-treatment.

Manufactured in India for:

Cafoli™
LIFECARE

Cafoli Lifecare Pvt. Ltd.
(An ISO 9001: 2015 Certified Co.)
Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113
Corporate Office :
Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113
TM: Trademark Applied for