Information For the Use of
Levofloxacin (1.5% w/v) Eye Drop

lexoziff Plus Eye Drop

Lexoziff Plus Eye Drops

Composition:

Each mL contains:

- **Levofloxacin** – 1.5% w/v

Pharmacological Action:

Levofloxacin is a **fluoroquinolone antibacterial agent** that provides broad-spectrum antibacterial activity against susceptible ocular pathogens.

- **Antibacterial Action:** Inhibits bacterial DNA gyrase and topoisomerase IV, enzymes essential for bacterial DNA replication and repair.
- **Bactericidal Effect:** Disruption of bacterial DNA synthesis leads to bacterial cell death.
- **Broad-Spectrum Activity:** Active against various Gram-positive and Gram-negative bacteria responsible for ocular infections.
- **Local Action:** When administered topically, it delivers antibacterial activity directly to the ocular surface.

Indications:

Lexoziff Plus Eye Drops is indicated for the treatment of **susceptible bacterial infections of the eye**, including:

- **Bacterial Conjunctivitis**
- **Bacterial Keratitis**
- **Corneal Ulcer associated with susceptible bacteria**
- **Blepharoconjunctivitis**
- Other susceptible superficial ocular infections as prescribed by an ophthalmologist

---

Dosage and Administration:

- **Recommended Dose:** Instill the prescribed number of drops into the affected eye(s) as directed by the ophthalmologist.
- Wash hands thoroughly before use.
- Tilt the head back and gently pull down the lower eyelid before instillation.
- Avoid touching the dropper tip to the eye, eyelids, or surrounding surfaces.

- Close the eye gently after administration.
- If more than one ophthalmic preparation is being used, maintain an appropriate interval between applications.
- Complete the prescribed course even if symptoms improve early, unless advised otherwise by the physician.

Precautions:

- For **ophthalmic use only**.
- Use only for bacterial infections; unnecessary use may contribute to antimicrobial resistance.
- Discontinue and seek medical advice if significant allergic symptoms develop.
- Prolonged use may result in overgrowth of non-susceptible organisms, including fungi.
- Contact lenses should generally be avoided during active ocular infection unless specifically advised by the ophthalmologist.
- Use cautiously in patients with a history of hypersensitivity to quinolone antibiotics.
- **Pregnancy and Lactation:** Use only when clearly indicated and under medical supervision.

Contraindications:

- Known hypersensitivity to **levofloxacin, other quinolone antibiotics**, or any component of the formulation.
- Previous serious hypersensitivity reaction to fluoroquinolones.

Adverse Reactions:

Common:

- Temporary burning or stinging
- Eye irritation
- Mild redness
- Watery eyes
- Temporary blurred vision immediately after instillation

Less Common but Serious:

- Severe hypersensitivity reactions
- Significant ocular irritation
- Corneal complications
- Superinfection with non-susceptible organisms following prolonged use

Patients should seek medical attention for severe eye pain, worsening redness, swelling, reduced vision, or significant allergic symptoms.

Drug Interactions:

- No clinically significant systemic drug interactions are generally expected with topical ophthalmic levofloxacin because systemic exposure is low.
- If multiple eye drops are prescribed, administer them separately with an appropriate interval.
- Inform the ophthalmologist about other ophthalmic and systemic medicines being used.

Storage:

- Store in a cool, dry place below **25°C**.
- Protect from direct sunlight and excessive heat.
- Keep the bottle tightly closed when not in use.
- Do not touch the dropper tip to any surface.
- Keep out of reach of children.

Note:

This information is intended as a general prescribing guide. Lexoziff Plus Eye Drops should be used under the supervision of a qualified ophthalmologist. It is intended for **bacterial ocular infections** and should not be used unnecessarily for viral or fungal eye conditions.

Important: Please verify the approved product specification for **Levofloxacin 1.5% w/v** before finalizing the IP literature, including the exact levofloxacin salt and labeled concentration.

Because the approved specification for Lexoziff Plus Eye Drops is still unverified, verify the exact levofloxacin salt, concentration, and approved dosing schedule before finalizing the product literature.

Manufactured in India for:

Cafoli™ LIFECARE

Cafoli Lifecare Pvt. Ltd.
(An ISO 9001: 2015 Certified Co.)
Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113

Corporate Office :
Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113
TM: Trademark Applied for