Information For the Use of
Sodium Hyaluronate (0.1% w/v) Eye Drop

Lubicom HL Eye Drop

Lubicom HL Eye Drops

Composition:

Each mL contains:

- **Sodium Hyaluronate** – 0.1% w/v

Pharmacological Action:

Sodium Hyaluronate is a **viscoelastic, hydrophilic polymer** that helps stabilize and protect the ocular surface.

- **Lubricating Action:** Forms a protective moisture-retaining layer over the ocular surface.
- **Tear Film Stabilization:** Helps improve tear-film stability and reduce excessive tear evaporation.
- **Mucosal Protection:** Provides a soothing protective coating over the corneal and conjunctival surfaces.
- **Prolonged Hydration:** Retains water on the ocular surface, helping relieve dryness and irritation.

Indications:

Lubicom HL Eye Drops is indicated for the temporary relief of symptoms associated with **dry and irritated eyes**, including:

- **Dry Eye Syndrome**
- **Ocular Surface Dryness**
- **Burning and Stinging of the Eyes**
- **Foreign Body Sensation**
- **Eye Irritation due to Environmental Conditions**
- **Discomfort associated with prolonged screen use or contact lens wear**, when appropriate

---

Dosage and Administration:

- **Recommended Dose:** Instill **1 drop into the affected eye(s) as required** or as directed by the physician.
- Wash hands before use.
- Tilt the head back and gently pull down the lower eyelid before instillation.
- Avoid touching the dropper tip to the eye, eyelids, or surrounding surfaces.

- Blink gently after instillation to distribute the solution evenly.
- If using other ophthalmic preparations, maintain an appropriate interval between applications.

Precautions:

- For **ophthalmic use only**.
- Do not touch the dropper tip to any surface to avoid contamination.
- Remove contact lenses before application if advised for the particular formulation; lenses may generally be reinserted after an appropriate interval.
- If persistent eye pain, redness, irritation, or visual disturbance occurs, consult an ophthalmologist.
- Discontinue use and seek medical advice if significant hypersensitivity symptoms develop.
- **Pregnancy and Lactation:** May be used when considered appropriate; consult a healthcare professional if required.

Contraindications:

- Known hypersensitivity to **Sodium Hyaluronate** or any component of the formulation.
- Do not use if the solution becomes visibly contaminated or the container is damaged.

Adverse Reactions:

Common:

- Mild transient burning or stinging
- Temporary blurred vision immediately after instillation
- Mild eye irritation

Rare:

- Eye redness
- Itching
- Hypersensitivity reactions

If symptoms persist or worsen, discontinue use and seek medical advice.

Drug Interactions:

- No significant systemic drug interactions are expected because Sodium Hyaluronate acts locally on the ocular surface.
- If multiple eye drops are being used, administer them separately with an appropriate time interval.

- Follow the ophthalmologist's instructions regarding the order and timing of different ophthalmic preparations.

Storage:

- Store in a cool, dry place below **25°C**.
- Protect from direct sunlight and excessive heat.
- Keep the container tightly closed when not in use.
- Avoid touching the dropper tip to any surface.
- Keep out of reach of children.

Note:

This information is intended as a general prescribing guide. Lubicom HL Eye Drops should be used according to the directions provided by the physician or ophthalmologist. If symptoms of dry eye persist or are accompanied by significant pain, redness, discharge, or vision changes, appropriate ophthalmic evaluation is recommended.

Manufactured in India for:

Cafoli™
LIFECARE

Cafoli Lifecare Pvt. Ltd.
(An ISO 9001: 2015 Certified Co.)
Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113
Corporate Office :
Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113
TM: Trademark Applied for