Information For the Use of
Minocycline (100mg) Tablets

Minoclub 100 Tablet

MINOCLUB 100 TABLET

Minocycline (100 mg)

1. Composition

Each film-coated tablet contains:
Minocycline Hydrochloride equivalent to Minocycline 100 mg
Excipients q.s.

2. Pharmacological Action

Minocycline is a **tetracycline-class antibiotic**. It inhibits bacterial protein synthesis by binding to the 30S ribosomal subunit, thereby preventing the incorporation of amino acids into growing bacterial proteins and inhibiting the growth of susceptible bacteria.

3. Indications

Minocycline 100 mg is indicated for susceptible bacterial infections, including:

- **Acne vulgaris** and inflammatory acne.
- Certain respiratory tract infections.
- Selected skin and soft-tissue infections.
- Certain genitourinary infections caused by susceptible organisms.
- Other bacterial infections caused by organisms susceptible to minocycline.

Antibiotic therapy should be selected according to the suspected or confirmed causative organism and its susceptibility.

4. Dosage and Administration

Adults: The dose depends on the indication, severity of infection and clinical response. A commonly used adult regimen may be **100 mg once or twice daily**, as directed by the physician.

Swallow the tablet whole with plenty of water. It may be taken with or without food; taking it with food may help reduce gastrointestinal irritation.

Avoid taking minocycline at the same time as **antacids containing aluminium, calcium or magnesium, iron preparations, or mineral supplements**, as these may reduce its absorption.

5. Precautions

- Use cautiously in patients with **hepatic impairment**.
- Minocycline may cause dizziness, vertigo or light-headedness; caution is advised when driving or operating machinery.
- Prolonged treatment may require appropriate clinical monitoring.
- Avoid excessive exposure to sunlight because tetracyclines may cause photosensitivity.
- Long-term use may cause pigmentation of the skin, nails, mucous membranes or teeth.
- Discontinue treatment and seek medical attention for severe headache with visual disturbances, significant skin reactions, or symptoms suggestive of liver injury.
- Prolonged antibiotic therapy may result in overgrowth of non-susceptible organisms.

6. Contraindications

Minocycline is contraindicated in:

- Patients with known hypersensitivity to **minocycline, tetracyclines**, or any component of the formulation.
- **Pregnancy**, because tetracyclines may affect fetal bone and tooth development.
- **Breastfeeding**, unless specifically advised by the physician.
- Children below **8 years of age**, except when specifically indicated under medical supervision.

7. Adverse Reactions

Possible adverse reactions include:

- Nausea, vomiting and diarrhoea
- Abdominal discomfort
- Dizziness or vertigo
- Headache
- Photosensitivity and skin rash
- Skin, nail, mucosal or dental pigmentation

Rare but serious reactions may include **hepatotoxicity, intracranial hypertension, severe hypersensitivity reactions, autoimmune reactions and serious skin reactions**.

8. Drug Interactions

Minocycline absorption may be reduced by:

- Aluminium-, calcium- or magnesium-containing antacids
- Iron-containing preparations
- Calcium and other mineral supplements

Caution may also be required with **anticoagulants, isotretinoin and medicines affecting hepatic function**.

Inform the physician about all prescription, OTC and herbal medicines being taken.

9. Storage

Store below **30°C**, protected from light and moisture.

Keep out of reach of children.

10. Note / Important

Minocycline is an antibiotic for **susceptible bacterial infections** and should not be used for viral infections.

The dose and duration should be individualized according to the indication and physician's advice. Complete the prescribed course unless otherwise directed.

For use under medical supervision.

Keep out of reach of children.

Manufactured in India for:

Cafoli Lifecare Pvt. Ltd.
(An ISO 9001: 2015 Certified Co.)
Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113
Corporate Office :
Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113
TM: Trademark Applied for