Information For the Use of
Olmesartan medoxomil 20 mg + amlodipine 5 mg tablet

Olmeslide AM Tablet

Brand Name: Olmeslide AM Tablet
Dosage Form: Tablet
Composition:
Each film-coated tablet contains:
• Olmesartan Medoxomil IP 20 mg
• Amlodipine Besylate IP equivalent to Amlodipine 5 mg

Description:
Olmeslide AM Tablet is a fixed-dose combination of Olmesartan Medoxomil, an angiotensin II receptor blocker (ARB), and Amlodipine, a calcium channel blocker. It is indicated for the management of hypertension in patients requiring combination therapy for optimal blood pressure control. It helps in relaxing blood vessels, improving blood flow, and reducing cardiovascular workload.

Indications:
Indicated for the treatment of:
• Essential hypertension
• Hypertension inadequately controlled with monotherapy
It helps in effectively controlling blood pressure and reducing the risk of cardiovascular complications such as stroke and myocardial infarction.

Dosage & Administration:
Dosage should be as directed by the physician.
The tablet may be taken with or without food, preferably at the same time each day.
Regular monitoring of blood pressure is recommended during therapy.

Pharmacological Action:

- **Olmesartan Medoxomil blocks angiotensin II AT1 receptors, resulting in vasodilation and reduced aldosterone secretion.**
- **Amlodipine inhibits calcium ion influx into vascular smooth muscle cells, causing peripheral arterial vasodilation.**

Together, these mechanisms provide sustained blood pressure reduction and improved cardiovascular function.

Side Effects:
Common side effects include dizziness, headache, fatigue, ankle edema, flushing, and nausea.
Rarely, hypotension, palpitations, or hypersensitivity reactions may occur.

Precautions & Warnings:
• Use with caution in patients with hepatic or renal impairment
• Monitor blood pressure regularly during treatment
• Risk of hypotension may increase in volume-depleted patients
• Use cautiously in elderly patients

• Not recommended during pregnancy

Drug Interactions:
May interact with other antihypertensive agents, NSAIDs, potassium supplements, and CYP3A4 inhibitors.
Concurrent use with alcohol may enhance hypotensive effects.

Storage:
Store below 25°C in a cool, dry place.
Protect from light and moisture.
Keep out of reach of children.

Manufactured in India for:

Cafoli™
LIFECARE

Cafoli Lifecare Pvt. Ltd.
(An ISO 9001: 2015 Certified Co.)
Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113
Corporate Office :
Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113
TM: Trademark Applied for