Information For the Use of
Povidone Iodine 10% Solution

Povidyle Solution

POVIDYLE SOLUTION

Povidone-Iodine 10% w/v Solution

COMPOSITION

Each 100 ml contains:

Povidone-Iodine I.P. 10% w/v
Available Iodine: approximately 1% w/v
Aqueous Base q.s.

Confirm the available iodine specification and vehicle against the approved product formula before printing.

PHARMACOLOGICAL ACTION

Povidone-Iodine is a broad-spectrum antiseptic that releases free iodine, which oxidizes and inactivates essential microbial proteins and cellular components. It exhibits activity against a wide range of bacteria, fungi, viruses and certain protozoa, helping reduce microbial contamination on the skin.

INDICATIONS

Povidyle Solution may be used for:

- Antiseptic preparation of skin before minor procedures.
- Cleansing and disinfection of intact skin.
- Preoperative skin antisepsis, where appropriate for the formulation.
- Antiseptic cleansing of minor cuts, abrasions and superficial wounds, when indicated by the product label.
- Reduction of microbial contamination of the skin.
- General topical antiseptic use as directed by a healthcare professional.

DOSAGE AND ADMINISTRATION

- For external use only.
- Apply to the affected skin or intended preparation site according to the product label.
- If required, clean the area before application.
- Allow the solution to remain in contact for the contact time specified in the approved instructions.

- For preoperative skin preparation, follow the institutional protocol and ensure the preparation is suitable for the intended site.
- Avoid contact with the eyes, ears, mouth and other mucous membranes unless the formulation is specifically approved for that use.
- Do not use over large areas or for prolonged periods without medical advice.

PRECAUTIONS

- For external use only; do not swallow.
- Avoid contact with the eyes. If accidental contact occurs, rinse thoroughly with water.
- Use cautiously in patients with thyroid disorders.
- Prolonged or repeated use over extensive areas may result in iodine absorption and affect thyroid function, particularly in infants and patients with renal impairment.
- Seek medical advice before use in pregnancy or lactation when repeated or extensive application is anticipated.
- Discontinue use if persistent irritation, redness, rash or swelling develops.
- Avoid pooling beneath the patient during procedures because prolonged contact may cause skin irritation or chemical burns.
- Do not mix with other antiseptics unless compatibility has been established.

CONTRAINDICATIONS

- Hypersensitivity to povidone-iodine or any formulation component.
- Use in patients with certain thyroid disorders should be assessed by a healthcare professional.
- Avoid routine use in neonates or over extensive areas in infants unless specifically directed by a clinician.
- Do not use for applications not permitted by the approved product label.

ADVERSE REACTIONS

Common

- Local irritation
- Redness
- Burning or stinging
- Dryness
- Contact dermatitis

Rare / Serious

- Allergic or hypersensitivity reactions
- Severe skin irritation or chemical burns, particularly with prolonged contact or pooling
- Thyroid dysfunction following substantial or repeated iodine absorption

DRUG INTERACTIONS

- Avoid simultaneous use with other topical antiseptics unless compatibility is confirmed.
- Povidone-iodine may be incompatible with certain enzyme-based wound preparations and some topical products.
- Repeated or extensive use may affect thyroid-function testing and interpretation.
- Inform the healthcare professional if the patient is receiving radioactive iodine investigations or treatment.

USE IN PREGNANCY AND LACTATION

Use only when necessary and according to medical advice, especially with repeated application or treatment over large areas. Significant iodine absorption may affect fetal or neonatal thyroid function.

STORAGE

- Store in a cool, dry place, protected from excessive heat and direct sunlight.
- Keep the container tightly closed.
- Keep out of reach of children.
- Do not use after the expiry date.

NOTE

Povidyle Solution is intended for topical antiseptic use. The appropriate application depends on the approved formulation and intended site. **Do not assume that a skin solution is suitable for ophthalmic, oral, vaginal or other mucosal use.**

For professional use only.

Manufactured in India for:

Cafoli™
LIFECARE

Cafoli Lifecare Pvt. Ltd.
(An ISO 9001: 2015 Certified Co.)
Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113
Corporate Office :
Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113
TM: Trademark Applied for