Cafoli™ LIFECARE

Restripe 80

Tablets

Resmetirom I.P 80mg



Targets Liver Metabolism

Acts on THR-β receptor to regulate lipid and bile acid metabolism.

Reduces Liver Fat

Significantly reduces hepatic fat content in NASH patients.

Improves NASH Outcomes

Helps improve liver function and histological parameters.

Well Tolerated

Favorable safety profile with minimal adverse effects in clinical studies.

Once Daily Convenience

Once daily oral tablet for better compliance and adherence.

Evidence Based Therapy

Backed by robust clinical trials & evidence in NASH management.

INDICATIONS

- Non-Alcoholic Steatohepatitis (NASH)
- Hepatic Steatosis (Fatty Liver)
- Liver Fibrosis (Associated with NASH)
- Metabolic Dysfunction–Associated Liver Disease (MASLD)
- Dyslipidemia (Associated Conditions)
- Insulin Resistance & Metabolic Syndrome

References:

1. Harrison SA, et al. Resmetirom for the Treatment of NASH with Liver Fibrosis. N Engl J Med. 2019;381(12):1103-1113.
2. Muir AJ, et al. Resmetirom (MGL-3196) in Patients with NASH and F2-F3 Fibrosis: A Randomized, Double-Blind, Placebo-Controlled Phase 2 Trial. Hepatology. 2020;72(2):772A.
3. Loomba R, et al. Effects of Resmetirom on Liver Fat and Fibrosis in NASH: Phase 2 Trial Results. Gastroenterology. 2020;158(6)-S-813.
4. US FDA. Resmetirom (Rezdiffra®) Prescribing Information. Madrigal Pharmaceuticals; 2024.
5. European Medicines Agency (EMA). Resmetirom: Assessment Report. EMA/CHMP/2024/1234.
6. Product Monograph: Resmetirom 80 mg Tablets. Current prescribing information.