Valaclo 1000 Tablets

VALACLO 1000 TABLET

Valacyclovir IP (1000 mg)

1. Composition

Each film-coated tablet contains:
Valacyclovir Hydrochloride equivalent to Valacyclovir 1000 mg
Excipients q.s.

2. Pharmacological Action

Valacyclovir is the oral prodrug of **acyclovir**. After oral administration, it is rapidly converted to acyclovir, which is subsequently phosphorylated to its active form.

Acyclovir triphosphate inhibits viral DNA polymerase and interferes with viral DNA replication. Valacyclovir has activity primarily against **Herpes simplex virus (HSV)** and **Varicella-zoster virus (VZV)**.

3. Indications

Valacyclovir 1000 mg is indicated for the treatment and management of susceptible herpesvirus infections, including:

- **Herpes zoster (shingles)**.
- Herpes simplex infections, including genital herpes.
- Treatment of recurrent genital herpes when higher-dose therapy is appropriate.
- Suppression of recurrent genital herpes in selected patients.
- Other approved herpesvirus indications according to the prescribing information.

4. Dosage and Administration

The dosage depends on the **indication, age, immune status and renal function**.

Adults: Common treatment regimens may use **1 g at appropriate intervals**, depending on the infection being treated.

For herpes zoster, a commonly used adult regimen is **1 g three times daily for 7 days**, when treatment is initiated promptly and when appropriate for the patient.

For other herpesvirus infections, the dose and duration differ and should be determined according to the approved prescribing information.

The tablet may be taken **with or without food** and should be swallowed with sufficient water.

Dose adjustment is required in patients with renal impairment.

5. Precautions

- Maintain adequate hydration during treatment, particularly in elderly patients and those at increased risk of renal impairment.
- Adjust the dose according to **renal function**.
- Use cautiously in elderly patients because of increased susceptibility to renal and neurological adverse effects.
- Monitor patients with significant renal impairment or those receiving other potentially nephrotoxic medicines.
- Neurological adverse effects such as confusion, hallucinations, agitation or seizures may occur, particularly when excessive doses are used in patients with renal impairment.
- Valacyclovir reduces symptoms and viral shedding but does **not eradicate latent herpesvirus**.
- In genital herpes, appropriate precautions should be taken to reduce the risk of transmission.

6. Contraindications

Valacyclovir is contraindicated in patients with:

- Known hypersensitivity to **valacyclovir, acyclovir**, or any component of the formulation.
- Previous clinically significant hypersensitivity reaction associated with valacyclovir or acyclovir.

7. Adverse Reactions

Common adverse reactions include:

- Headache
- Nausea
- Abdominal discomfort
- Vomiting
- Diarrhoea

Less common or serious reactions may include:

- **Acute kidney injury or renal impairment**
- Confusion, hallucinations, agitation or seizures
- Severe hypersensitivity reactions
- Serious skin reactions, rarely

8. Drug Interactions

Caution is advised with:

- **Nephrotoxic medicines**, which may increase the risk of renal impairment.
- Medicines that affect renal function or renal tubular secretion.
- Other medicines associated with neurological adverse effects, particularly in patients with impaired renal function.

The physician should be informed about all prescription, OTC and herbal medicines being used.

9. Storage

Store below **30°C**, protected from light and moisture.

Keep out of reach of children.

10. Note / Important

Valacyclovir is an **antiviral medicine** and is most effective when started promptly after the onset of symptoms.

The appropriate dose and duration vary substantially according to the indication. **Renal function should be considered before selecting the dose**, especially in elderly or renally impaired patients.

For use under medical supervision.

Keep out of reach of children.

Manufactured in India for:

Cafoli Lifecare Pvt. Ltd.
(An ISO 9001: 2015 Certified Co.)
Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113
Corporate Office :
Plot no. 307, Industrial Area Phase-2,
Panchkula, Haryana -134113
TM: Trademark Applied for