GUJARAT TECHNOLOGICAL UNIVERSITY

Chandkheda, Ahmedabad

2025

SAL EDUCATION CAMPUS

SAL Engineering and Technical Institute

"MUSICORA"

A Report

Submitted By

CHUDASAMA HARDITA HITESHBHAI 231263107006

Under Subject of

SUMMER INTERNSHIP (3170001)

Of

BACHELOR OF ENGINEERING

In

Computer Engineering

Under the guidance of

Prof. Amitkumar J. Patel

Academic Year
2025-26

SAL ENGINEERING AND TECHNICAL INSTITUTE

Computer Engineering, Ahmedabad

2025

CERTIFICATE

Date:

This is to certify that the "**MUSIORA**" has been carried out by **CHUDASAMA HARDITA HITESHBHAI (231263107006)** under my guidance in completion of Summer Internship in Computer Engineering Branch 7th Semester of Gujarat Technological University, Ahmedabad during the academic Year 2025-26.

Prof. Amitkumar J. Patel	**Prof. Madhuri Parekh**
Internal Guide	Head of Department
IT Department	CE & CSE Department
SETI	SETI

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to CreArt Solutions Pvt. Ltd. for providing me with the opportunity to complete this 14-day internship in Web Development. This project gave me a platform to explore and enhance my knowledge in web development using HTML, CSS, and JavaScript.

I am also thankful to my college and respected faculty members for their constant guidance, encouragement, and valuable support, which motivated me to successfully complete this project. Their suggestions and feedback were extremely helpful in improving my technical skills.

Lastly, I would like to thank my family and friends for their continuous motivation, cooperation, and moral support throughout this journey, which helped me stay focused and complete the project effectively.

ABSTRACT

MUSICORA (MUSIC-APP)

The Musicora project is a web-based music application created to bring simplicity and creativity into the way users interact with digital music. It provides access to albums, playlists, and artist profiles through an intuitive interface designed for smooth navigation. The platform integrates a search feature to help users quickly discover songs and collections, while its responsive design ensures compatibility across devices. Musicora is not only a prototype for showcasing music content but also a scalable foundation for future improvements, such as personalized recommendations, audio streaming, and interactive user accounts.

INDEX

NO.	TASK	PAGE NO.
	CERTIFICATE	
	ACKNOWLEDGEMENT	
	ABSTRACT	
CHAPTER 1	INTRODUCTION	1
CHAPTER 2	DAY TO DAY WORK	2
	2.1 Day 1:Laptop Setup and Project Folder Structure	2
	2.2 Day 2:Learning HTML Basics	4
	2.3 Day 3:CSS Styling and Layouts	5
	2.4 Day 4:Responsive Navigation Bar with Menu Links	9
	2.5 Day 5:Homepage Layout with Hero Section and Buttons	10
	2.6 Day 6:Albums Page with Album Cards and Cover Images	14
	2.7 Day 7:Artists Page with Profiles, Photos, and Descriptions	17
	2.8 Day 8:Playlist Page Displaying Categorized Music Playlists	19
	2.9 Day 9:Favorites Page with Heart Button and Play Controls	21
	2.10 Day 10:Search Bar with Real-Time Suggestions	25
	2.11 Day 11:Responsive Website View on Mobile Device	27
	2.12 Day 12:Debugging and Testing	28
	2.13 Day 13:Audio Integration	29
	2.14 Day 14:Final Touches	30
CHAPTER 3	CONCLUSION	31
	Conclusion	31
	Reference	32

LIST OF FIGURES

Sr.no.	Figure Name	Page no.
2.1	Installation VS Code	3
2.2	Project Folder Structure	3
2.3	Html Code	4
2.4 - 2.5	CSS Code	8
2.6	Navigation Bar	9
2.7 - 2.15	Home Page	11 - 13
2.16 - 2.21	Albums Page	15 - 16
2.22 - 2.24	Artists Page	17 - 18
2.25 - 2.28	Playlist Page	19 - 20
2.29 - 2.32	Favorites Page	22-24
2.33 - 2.35	Search Bar	25-26
2.36	Responsive Design	27
2.37	Contact Page	28

CHAPTER 1

INTRODUCTION

In today's digital era, music streaming has become one of the most popular forms of entertainment. People prefer platforms that provide instant access to songs, smooth navigation, and visually appealing designs. Unlike traditional methods like CDs or radio, online platforms allow users to explore music from anywhere at any time, making convenience and accessibility essential for modern users.

The Musicora project is developed as a prototype music streaming website that focuses on delivering a simple yet engaging music discovery experience. Built using HTML, CSS, and JavaScript, the platform ensures responsiveness across desktops, tablets, and mobile devices. Users can explore featured albums, discover popular artists through profiles, and browse curated playlists organized by moods or genres. The real-time search bar further enhances accessibility, allowing instant results while navigating the website.

Musicora emphasizes interactivity and user engagement. Features such as play/pause controls, the ability to add songs to favorites, and hover effects make the website dynamic and engaging. The combination of clean layouts, consistent styling, and smooth functionality demonstrates how front-end technologies can be used to build a user-friendly and visually appealing music platform. As a prototype, Musicora provides a solid foundation for developing a complete music streaming solution in the future.

CHAPTER 2

DAY1 TO DAY 14 ACTIVITY DESCRIPTION

2.1 Day 1 – Laptop Setup and Project Folder Structure

On the second day of my internship, the focus was on preparing the development environment and organizing the project workflow. The day began with an orientation session where I was briefed about the objectives of the internship and what was expected from me over the upcoming days. I learned about the overall structure of the project and the technologies I would be using, primarily **HTML, CSS, and JavaScript**.

After understanding the project requirements, I set up my **laptop** for web development. This included installing **Visual Studio Code (VS Code)** as the code editor, configuring **browsers** like Chrome and Firefox for testing, and adding useful **extensions** in VS Code to enhance productivity, such as **Live Server** for real-time preview of web pages and **Prettier** for automatic code formatting.

Once the software setup was complete, I created a **project folder structure** to keep all files organized. The folders included separate directories for **HTML pages, CSS stylesheets, JavaScript scripts, images, and other assets**. This structure ensures that as the project grows, files remain easy to locate and maintain.



Figure 2.1 Installation VS Code



Figure 2.2 Folder Stucture

2.2 Day 2 – Learning HTML Basics

What is Frontend?

The frontend is the user interface of a website or application — the part that users interact with directly. It includes everything that is visible in the browser: buttons, forms, text, images, and navigation menus.

Front-end developers use languages and tools such as:

- HTML – for page structure
- CSS – for styling and layout
- JavaScript – for interactivity

On the very first day of my internship project, I focused on learning the fundamentals of HTML(HyperText Markup Language), which is the backbone of every website. I explored the structure of an HTML document, including the <html>, <head>, and <body> tags, and understood how each element plays a crucial role in building web pages.

I practiced creating simple web pages using basic elements such as headings (<h1> to <h6>), paragraphs (<p>), links (<a>), images (<img>), and lists (<ul>, <ol>, <li>). This hands-on practice helped me gain clarity on how content is displayed on a webpage. I also experimented with attributes like src for images and href for hyperlinks.



Figure 2.3 Html Code

2.3 Day 3 – CSS Styling and Layouts

What is CSS?

CSS (Cascading Style Sheets) is a language used to **style and format the layout of HTML elements** on a webpage. It allows web developers to control the **colors, fonts, spacing, positioning, and overall visual appearance** of a website, making it more attractive and user-friendly.

*** Types of CSS**

There are three main types of CSS that can be applied to HTML:

1. Inline CSS

Applied directly within an HTML element using the style attribute.

Syntax:

```
<p style="color: blue; font-size: 16px;">Hello World!</p>
```

Advantages: Quick for small changes.

Disadvantages: Hard to maintain for large projects.

2. Internal CSS (Embedded CSS)

Defined within the <style> tag inside the <head> section of an HTML file.

Syntax:

```
<head>
<style>
p {
color: red;
font-size: 18px;
}
</style>
</head>
```

Advantages: Useful for styling a single webpage.

Disadvantages: Not reusable across multiple pages.

3. External CSS

Stored in a **separate .css file** and linked to the HTML using the <link> tag.

Syntax:

```
<head>
<link rel="stylesheet" href="style.css">
</head>
/* style.css */
p {
color: green;
font-size: 20px;
}
```

Advantages: Can be applied to multiple webpages, easier to maintain.

Disadvantages: Requires an extra HTTP request to load the CSS file.

→ **Attributes (Properties) of CSS :** CSS uses **properties (attributes)** to define styles.

Some common CSS attributes include:

1. Color and Background

color: Sets the text color

background-color: Sets the background color

2. Text and Font

font-family: Sets the font style

font-size: Sets the size of the text

font-weight: Makes text bold or light

text-align: Aligns text (left, center, right)

3. Box Model (Spacing and Borders)

margin: Space outside an element

padding: Space inside an element

border: Adds border around an element

4. Positioning and Layout

display: Controls how an element is displayed (block, inline, flex, grid)

position: Controls element positioning (static, relative, absolute, fixed)

top, bottom, left, right: Used with position to place elements

5. Other Styling Attributes

width and height: Size of element

border-radius: Round corners of an element

opacity: Transparency of an element

overflow: How to handle content overflow (hidden, scroll, visible)

On the third day of my internship, I focused on learning **CSS** to style the HTML elements I had previously created. CSS is an essential tool for improving the **visual appeal and user experience** of a website.

I started by experimenting with **typography**, changing fonts and font sizes to make headings and paragraphs more readable and visually appealing. I also explored **colors**, both for text and backgrounds, to create an engaging and harmonious color scheme.

Additionally, I learned how to add **borders, margins, and padding** to elements, which helped me control the spacing and layout of content on the page.

To better target elements, I practiced using **classes and IDs**, which allowed me to style specific elements without affecting others. I also experimented with **CSS layout techniques**, such as using **flexbox and grid**, to arrange content neatly and responsively.



Figure 2.4 CSS Code



Figure 2.5 CSS Output

2.4 Day 4 – Navigation Bar Design

*** What is a Navigation Bar?**

→ A **navigation bar (navbar)** is a **user interface element** that provides a set of **links to different pages or sections** of a website. It helps users **navigate the website easily** and improves the overall user experience. Navigation bars can be **horizontal (top of the page)** or **vertical (side of the page)** and are often made responsive to fit different screen sizes.

On the fourth day of my internship, I focused on creating a navigation bar for the website. A navigation bar, often called a nav bar, is a section of a website that contains links to different pages and helps users move easily through the website. It is a crucial part of the user interface because it allows visitors to find content quickly and navigate efficiently.

I designed a responsive navigation bar that included links to important pages such as Home, Albums, Artists, Playlists, and Contact. Using CSS flex-box, I arranged the menu items horizontally on larger screens, ensuring that the layout was clean and visually appealing. I also used media queries to make the nav bar responsive, so it adjusts properly on smaller screens, such as tablets and mobile devices.

By the end of the day, I had a functional, responsive, and visually consistent navigation menu that enhanced the usability and professional look of the website.

Figure 2.6 Navigation Bar

2.5 Day 5 – Homepage Design

On the fifth day of my internship, I focused on designing the **homepage** of the website. The homepage serves as the **first impression** for visitors, so it was important to make it both **attractive and user-friendly**.

I created a **hero section** at the top of the page that included a **welcoming message**, a visually appealing **banner image**, and **buttons** that guide users to explore different sections like **Albums** and **Playlists**. This section was designed to immediately catch the user's attention and encourage interaction.

To make the homepage **organized and easy to navigate**, I divided the content into logical sections. Each section had proper spacing, headings, and visual cues to ensure a smooth flow for the visitor.

I also experimented with **fonts, colors, and spacing**, making the homepage visually appealing while maintaining readability and a clean layout.

By the end of the day, I had designed a **homepage that was both functional and attractive**, providing users with an engaging starting point for exploring the website.



Figure 2.7 Home Page Html Code



Figure 2.8 Home Page Html Code



Figure 2.9 Home Page Html Code



```
*{
    margin: 0px;
    padding: 0px;
    box-sizing: border-box;
}

body {
  background: linear-gradient(120deg, #000000, #443a3be3);
  color: rgb(212,188,188);
  min-height: 100vh;
  font-size: larger;
  line-height: 1.6;
}

/* --- General Header Styling --- */
header {
  background-color: rgba(19, 19, 17, 0.9);
  padding: 15px 30px;
  display: flex;
  justify-content: space-between;
  align-items: center;
  position: sticky;
  top: 0;
  z-index: 1000;
}

header h2 {
  font-family: Arial, Helvetica, sans-serif;
  font-size: 26px;
  font-weight: bold;
  color: rgb(230, 173, 173);
}

header nav ul {
  list-style: none;
  display: flex;
  gap: 25px;
}

header nav ul li a {
  text-decoration: none;
  color: rgb(230, 173, 173);
  font-weight: 600;
  transition: 0.3s;
}

header nav ul li a:hover {
  color: rgb(235, 148, 128);
  text-decoration: underline solid rgb(211, 168, 211);
}

/* --- Tablet (≤ 1000px) --- */
@media screen and (max-width: 1000px) {
```

Figure 2.10 Home Page CSS Code



```
@media screen and (max-width: 1000px) {
  header nav ul {
    gap: 15px;
  }
}

/* --- Mobile (≤ 768px) --- */
@media screen and (max-width: 768px) {
  header {
    flex-direction: column;
    align-items: flex-start;
  }

  header nav {
    width: 100%;
    margin-top: 10px;
  }

  header nav ul {
    flex-direction: column;
    width: 100%;
    gap: 10px;
  }

  header nav ul li a {
    display: block;
    width: 100%;
    padding: 10px;
    border-radius: 8px;
  }

  header nav ul li a:hover {
    background: rgba(255, 255, 255, 0.1);
  }
}


.hero {
  background: url("images/music-bg.jpg") center/cover no-repeat;
  height: 250px;
  display: flex;
  align-items: center;
  justify-content: center;
  text-align: center;
  color: #fff;
}

.hero-text h1 {
  font-size: 48px;
  margin-bottom: 15px;
}

.hero-text p {
  font-size: 18px;
  margin-bottom: 20px;
```

Figure 2.11 Home Page CSS Code



```
.hero-text p {
  margin-bottom: 20px;
}

.btn {
  background: rgb(200,148,148);
  color: white;
  padding: 12px 25px;
  border-radius: 10px;
  text-decoration: none;
  font-weight: bold;
  transition: 0.3s;
}

.btn:hover {
  background: #7c7474;
}

section {
  padding: 30px 20px;
}

.card-container {
  display: flex;
  flex-wrap: wrap;
  justify-content: center;
  gap: 25px;
  padding: 20px;
  margin: 30px auto;
  max-width: 1000px;
}


.card {
  background: rgb(167 139 139 / 10%);
  text-decoration: none;
  border-radius: 15px;
  padding: 20px;
  width: 250px;
  text-align: center;
  color: rgb(212, 188 ,188);
  font-size: 16px;
  cursor: pointer;
  transition: transform 0.3s;
  box-shadow: 0 0 10px rgb(223 119 119 / 61%);
}


.card img {
  width: 100%;
  height: 220px;
  object-fit: cover;
  border-radius: 10px;
  margin-bottom: 10px;
```

Figure 2.12 Home Page CSS Code



Figure 2.13 Home Page Output



Figure 2.14 Home Page Output



Figure 2.15 Home Page Output

2.6 Day 6 – Albums Page

On the sixth day of my internship, I focused on designing the **Albums page** of the website. This page displays multiple music albums in a **card-based layout**, which is a common design pattern that makes content visually organized and easy to browse.

Each **album card** included:

- The **album cover image**
- The **album name**
- A **"View Album" button** that navigates to the detailed tracklist page for that album

To arrange the album cards efficiently, I used CSS Grid and Flexbox. CSS Grid allowed me to create a structured, multi-column layout that adapts to different screen sizes, while Flexbox helped in aligning elements inside each album card consistently.

I ensured that the page design was responsive, meaning it looks good on both desktop and mobile screens. I also focused on visual consistency, using uniform card sizes, spacing, fonts, and colors to create an engaging and professional appearance.

By the end of the day, I had successfully created an Albums page that was both functional and visually appealing, providing users with an easy way to explore all the music albums.



```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Albums - Musicora</title>
  <link rel="stylesheet" href="css/album.css">
  <link rel="stylesheet" href="css/common.css">
</head>
<body>
<header>
    <h2 style=" font-size: 48px;
    font-family: Arial, Helvetica, sans-serif;
    text-align: center;
    color:rgb(from color r g b);
    -webkit-text-stroke: 3px #434040;">Musicora</h2>
    <nav>
      <ul>
        <li><a href="index.html">Home</a></li>
        <li><a href="albums.html">Albums</a></li>
        <li><a href="artists.html">Artists</a></li>
        <li><a href="playlist.html" class="active">Playlists</a></li>
        <li><a href="contact.html">Contact</a></li>
      </ul>
    </nav>
  </header>
  <!-- Back + Search Bar -->
  <div class="top-bar">
    <a href="albums.html" class="back-btn">←</a>
    <div class="search-container">
      <input type="text" id="songSearch" placeholder="Search songs, artists, playlists..." />
      <div id="suggestions"></div>
    </div>
    <a href="favorites.html">
      <img src="images/like1.png" class="like-icon" style="height:40px;">
    </a>
  </div>
<section>
  <h1 style="align-content: center; margin-left: 40%;">🎵 Albums Collection</h1>
  <div class="albums-container">

    <div class="album-card">
      <img src="images/album/Friendship.jpeg" alt="Friendship Hits">
      <h3>Friendship Hits</h3>
      <p>Various Artists</p>
```

Figure 2.16 Albums Page Html Code



```html
<section>
  <h1 style="align-content: center; margin-left: 40%;">🎵 Albums Collection</h1>
  <div class="albums-container">

    <div class="album-card">
      <img src="images/album/Friendship.jpeg" alt="Friendship Hits">
      <h3>Friendship Hits</h3>
      <p>Various Artists</p>
      <a href="album-friendship.html" class="btn">View Album</a>
    </div>
    <div class="album-card">
      <img src="images/album/Midnight Vibes.jpeg" alt="Midnight Vibes">
      <h3>Midnight Vibes</h3>
      <p>DJ Relax</p>
      <a href="album-midnight.html" class="btn">View Album</a>
    </div>
    <div class="album-card">
      <img src="images/album/Summermix.jpeg" alt="Summer Mix">
      <h3>Summer Mix</h3>
      <p>DJ Sunny</p>
      <a href="album-summer.html" class="btn">View Album</a>
    </div>
  </div>
</section>
<script src="js/album.js"></script>
<!-- Footer -->
  <footer>
  <div class="social-media-container">
    <p><img src="images/logos/youtube.webp" style="height:15px;width:15px;" />YouTube</p>
    <p><img src="images/logos/Instagram.jpeg" style="height:15px;width:15px;"/>Instagram</p>
    <p><img src="images/logos/Facebook_logo.png" style="height:15px;width:15px;" />Facebook</p>
  </div>
  <div class="copyright">
    © 2025 Musicora | All Rights Reserved
  </div>
</footer>
<!-- Scripts -->
<script src="js/store.js"></script>
<script src="js/search.js"></script>
</body>
</html>
```

Figure 2.17 Albums Page Html Code



```css
.albums-container {
  display: flex;
  flex-wrap: wrap;
  justify-content: center;
  gap: 25px;
  padding: 30px;
  text-align: center;
}

.album-card {
  width: 350px; /* updated width */
  background: rgba(255, 255, 255, 0.05);
  border-radius: 15px;
  padding: 20px;
  transition: transform 0.3s ease, box-shadow 0.3s ease;
  box-shadow: 0 6px 15px rgba(0,0,0,0.3);
}

.album-card:hover {
  transform: translateY(-8px);
  box-shadow: 0 10px 20px rgba(0,0,0,0.4);
}

.album-card img {
  width: 100%;
  height: 300px; /* match artist card */
  border-radius: 12px;
  object-fit: cover;
  margin-bottom: 15px;
}

.album-card h3 {
  margin: 10px 0 5px;
  font-size: 20px;
  color: #fff;
}

.album-card .artist {
  font-size: 15px;
  color: #bbb;
  margin-bottom: 12px;
}

.btn {
  display: inline-block;
  margin-top: 10px;
  padding: 10px 18px;
  border-radius: 10px;
  background: rgb(200, 148, 148);
  color: #fff;
  text-decoration: none;
  font-size: 15px;
  transition: background 0.3s ease;
}
```

Figure 2.18 Albums Page CSS Code



Figure 2.19 Albums Page CSS Code



Figure 2.20 Albums Page CSS Code



Figure 2.21 Albums Page Output

2.7 Day 7 – Artists Page

On the seventh day of my internship, I worked on the **Artists page** of the website. This page was designed to **showcase singer profiles**, providing users with information about the artists featured on the platform.

Each **artist profile** included:

The **artist's photo**

The **artist's name**

A **short description** of their work

To make the page visually appealing, I focused on **CSS styling**, including:

Spacing and padding to give elements enough room and prevent clutter

Borders and shadows to highlight each profile card

Hover effects to create interactive feedback when users move the mouse over a profile

I arranged the profiles in a neat layout, ensuring consistency across all cards. This task helped me **understand how to display dynamic content in an organized way**, combining images, text, and styling to create an engaging user experience.



Figure 2.22 Artists Page Html Code



```
<html lang="en">
<body>
  <section>
    <div class="artists-container">
      <div class="artist-card">
        <img src="images/artists/kirtidan gadhvi.jpeg" alt="Kirtidan Gadhvi">
        <h3>Kirtidan Gadhvi</h3>
        <p class="genre">Playback Singer • Folk</p>
        <a href="artist-kirtidan.html" class="btn">View Profile</a>
      </div>
      <!-- Artist 2 -->
      <div class="artist-card">
        <img src="images/artists/udit-narayan.jpg" alt="Udit Narayan">
        <h3>Udit Narayan</h3>
        <p class="genre">Playback Singer • Bollywood</p>
        <a href="artist-udit-narayan.html" class="btn">View Profile</a>
      </div>
      <!-- Artist 3 -->
      <div class="artist-card">
        <img src="images/artists/shreya ghoshal3.jpeg" alt="Shreya Ghoshal">
        <h3>Shreya Ghoshal</h3>
        <p class="genre">Playback Singer • Bollywood</p>
        <a href="artist-shreya.html" class="btn">View Profile</a>
      </div>

    </div>
  </section>
  <!-- Footer -->
  <footer>
    <div class="social-media-container">
      <p><img src="images/logos/youtube.webp" style="height:15px;width:15px;" />YouTube</p>
      <p><img src="images/logos/instagram.jpeg" style="height:15px;width:15px;"/>Instagram</p>
      <p><img src="images/logos/Facebook_logo.png" style="height:15px;width:15px;" />Facebook</p>
    </div>
    <div class="copyright">
      © 2025 Musicora | All Rights Reserved
    </div>
  </footer>
  <!-- Scripts -->
  <script src="js/store.js"></script>
  <script src="js/search.js"></script>

</body>
</html>
```

Figure 2.23 Artists Page Html Code



Figure 2.24 Artists Page Output

2.8 Day 8 – Playlist Page

On the eighth day of my internship, I focused on creating the **Playlist page** of the website. This page allows users to **browse music playlists** categorized by mood, theme, or genre, helping them discover music more easily.

Each **playlist card** included:

A **cover image** representing the playlist

The **playlist name**

A **brief description** of the playlist's theme or mood

I emphasized **ease of navigation and visual clarity**, ensuring that users could quickly recognize and select playlists of interest. To arrange the playlist cards neatly and maintain a **responsive design**, I used **CSS Flexbox**. This allowed me to **group and align elements** properly, adapting the layout to different screen sizes such as desktops, tablets, and mobile devices.



Figure 2.25 Playlist Page HTML CODE



Figure 2.26 Playlist Page HTML CODE



Figure 2.27 Playlist Page Output



Figure 2.28 Playlist Page Output

2.9 Day 9 – Favorites Feature

What is JavaScript?

JavaScript is a high-level, interpreted programming language widely used in web development to add interactivity and dynamic behavior to websites. While HTML provides the structure of a webpage and CSS defines its style, JavaScript makes the page interactive.

With JavaScript, developers can:

Manipulate HTML and CSS dynamically (change content, styles, or attributes in real time)

Validate forms and handle user input

Create interactive features like dropdowns, sliders, and pop-ups

Control multimedia (play, pause, or stop audio and video)

Communicate with servers asynchronously using AJAX

Advantages of JavaScript:

Increases user engagement by making websites interactive

Runs directly in the browser without needing extra software

Supports dynamic content updates without refreshing the page

Works well with HTML and CSS for complete front-end development

Large community support with many libraries and frameworks

On the ninth day of my internship, I focused on implementing the **"Favorites" feature** for the music website. This feature allows users to **personalize their music experience** by adding or removing songs from a favorites list.

Each song in the favorites list was displayed with **play controls**, enabling users to **play songs directly** without navigating away from the page. To make this feature interactive, I used **JavaScript** to handle user actions, such as clicking the **heart icon** to add or remove a song from favorites.

For the visual appeal, I used **CSS** to style the favorite icons and provide feedback when a song was added or removed. The icon would change appearance to indicate whether a song was in the favorites list.

By the end of the day, the Favorites feature was fully functional and enhanced user engagement by allowing users to **customize their music experience** based on their preferences.



Figure 2.29 Favorites Page HTML CODE



Figure 2.30 Favorites Page HTML CODE



Figure 2.31 Favorites Page HTML CODE



Figure 2.31 Favorites Page HTMLwith JS CODE



Figure 2.32 Favorites Page Output

2.10 Day 10 – Search Bar Integration

On the tenth day of my internship, I focused on **integrating a search bar** into the website. The search bar allows users to **quickly find songs, albums, or artists**, making the website more user-friendly and accessible.

I implemented **real-time suggestions**, so as users typed in the search field, relevant results appeared immediately. This improves usability by helping users **find content faster** without needing to navigate through multiple pages.

To make the search feature functional and interactive, I combined **HTML for structure**,**CSS for styling**, and **JavaScript for dynamic behavior**. JavaScript handled the search logic, filtered results, and displayed suggestions in real-time, while CSS ensured the search bar and dropdown suggestions were visually appealing and consistent with the overall website design.



```javascript
const searchInput = document.getElementById('songSearch');
const suggestionsBox = document.getElementById('suggestions');

// Songs database
const songs = [
    {name: "Tera Yaar Hoon Main", album: "Friendship Hits", url: "album-friendship.html"},
    {name: "Woh Din", artist: "Pritam, Amitabh", album: "Friendship Hits", url: "album-friendship.html"},
    {name: "Ye Dosti Hum Nahi Todenge", artist: "Kishor Kumar", album: "Friendship Hits", url: "album-friendship.html"},
    {name: "Gori Radha Ne Kado Kaan", artist: "Kirtidan Gadhvi", url: "artist-kirtidan.html"},
    {name: "Saibo Re", artist: "Kirtidan Gadhvi", url: "artist-kirtidan.html"},
    {name: "Ladki", artist: "Kirtidan Gadhvi", url: "artist-kirtidan.html"},
    {name: "Papa Kehte Hain Bada Naam Karega", artist: "Udit Narayan", url: "artist-udit-narayan.html"},
    {name: "Dil Ne Yeh Kaha Yeh Dil Se", artist: "Udit Narayan", album: "Summer Mix", url: "artist-udit-narayan.html"},
    {name: "Agar Tum Mil Jao", artist: "Udit Narayan", album: "Summer Mix", url: "artist-udit-narayan.html"},
    {name: "Piyu Bole", artist: "Shreya Ghoshal", album: "Friendship Hits", url: "artist-udit-narayan.html"},
    {name: "O Rangrez", artist: "Shreya Ghoshal", album: "Summer Mix", url: "artist-udit-narayan.html"},
    {name: "Hasi Ban Gaye", artist: "Shreya Ghoshal", album: "Midnight Vibes", url: "artist-udit-narayan.html"}
];

searchInput.addEventListener('input', () => {
    const query = searchInput.value.toLowerCase();
    suggestionsBox.innerHTML = '';

    if (query) {
        const filtered = songs.filter(song =>
            song.name.toLowerCase().includes(query) ||
            song.artist.toLowerCase().includes(query) ||
            song.album.toLowerCase().includes(query)
        );

        filtered.forEach(song => {
            const div = document.createElement('div');
            div.classList.add('suggestion-item');
            div.innerHTML = `<strong>${song.name}</strong> - ${song.artist} <em>(${song.album})</em>`;
            div.addEventListener('click', () => {
                window.location.href = song.url; // Navigate to song page
            });
            suggestionsBox.appendChild(div);
        });

        suggestionsBox.style.display = filtered.length > 0 ? 'block' : 'none';
    } else {
        suggestionsBox.style.display = 'none';
    }
});
```

Figure 2.33 Search Bar



Figure 2.34 Search Bar Output



Figure 2.35 Search Bar Output

2.11 Day 11 – Responsive Design

On the eleventh day of my internship, I focused on **making the website responsive**, ensuring it looked and functioned well across **different devices** such as desktops, tablets, and mobile phones.

I used **CSS media queries** to adjust the layout based on the screen size. This included changes such as:

Font sizes: Adjusted for readability on smaller screens

Image dimensions: Scaled images appropriately to fit the screen without distortion

Alignment and spacing: Ensured that elements remained properly aligned and the content did not overlap or break

Testing the website across multiple devices helped me understand the importance of **responsive design** in modern web development. A responsive layout improves the **user experience**, making the website **accessible and visually appealing** no matter what device the user is on.



Figure 2.36 Responsive Design Output

2.12 Day 12 – Contact Page

On the thirteenth day of my internship, I focused on **integrating audio functionality** into the website. I learned how to use the **HTML <audio> element** to allow users to play songs directly from the **tracklist page**.

Each song included **play and pause controls**, enabling users to control playback without navigating away from the page. I also adjusted the **design and layout** so that the audio player fit seamlessly within the tracklist, maintaining a clean and organized appearance.

This feature added an **interactive element** to the website, enhancing user engagement and providing a **complete music listening experience** directly on the platform. By the end of the day, users could browse the tracklist and **play songs immediately**, making the website more functional and user-friendly.



Figure 2.37 Contact Page Output

2.13 Day 13 – Debugging and Testing

On the twelfth day of my internship, I focused on **testing and debugging** the website to ensure it was fully functional and error-free.

The tasks included:

Fixing alignment issues: Adjusting layout problems where elements were not properly positioned

Correcting broken image links: Ensuring all images displayed correctly on the website

Verifying JavaScript functions: Making sure interactive features like the Favorites feature, search bar, and play controls worked properly

Cross-browser compatibility testing: Checking that the website looked and functioned consistently on different browsers such as Chrome, Firefox, and Edge

Through this process, I learned the importance of **thorough testing** to provide a smooth and reliable user experience. By the end of the day, the website was fully functional, visually consistent, and free from major errors.

2.14 Day 14 – Final Touches

On the fourteenth day of my internship, I focused on **polishing the website** to ensure it was visually appealing, user-friendly, and consistent across all pages.

The tasks included:

Refining fonts to improve readability and aesthetics

Adding hover effects on buttons, links, and interactive elements to provide visual feedback

Minor design enhancements to improve spacing, alignment, and overall layout

Ensuring smooth navigation so users could easily move between pages

Verifying links and buttons to make sure all interactive elements worked as intended

The focus of the day was on **finalizing the user interface (UI)** and making the website **look professional and consistent**. By the end of the day, the website had a **polished, cohesive design** and offered an engaging and smooth user experience.

CHAPTER 3

CONCLUSION

During the course of my 14-day internship, I had the opportunity to gain valuable hands-on experience in the field of web development by designing and building a functional music website named Musicora. The project allowed me to apply the theoretical concepts I had previously learned and put them into practice by working with core front-end technologies such as HTML, CSS, and JavaScript.

Throughout the internship, I progressed step by step—from understanding the basic structure of a webpage to creating complete interactive features such as playlists, favorites, search functionality, and audio integration. I also explored advanced concepts like DOM manipulation, responsive design using CSS media queries, and local storage management for saving user preferences. Each of these tasks not only enhanced my technical proficiency but also gave me insight into how modern web applications are developed and maintained.

Overall, this internship helped me strengthen my confidence as a front-end developer. It highlighted the importance of planning before implementation, designing with the end user in mind, and thoroughly testing a project to ensure smooth performance. Most importantly, the experience bridged the gap between classroom knowledge and real-world application, preparing me for future projects and professional opportunities in the field of web development.

REFERENCE :

https://www.geeksforgeeks.org/css/css-introduction/

https://mp3juicehub.org/

https://www.youtube.com/