Hypothesis Testing In ANOVA (Partitioning Of Variance In The Anova)

Null Hypothesis H_0 : $\mu_1 = \mu_2 = \mu_3 \cdots \mu_K$

Alternate Hypothesis H_1 : Atleast one of the sample mean is not equal

$$\mu_1 \neq \mu_2 \neq \mu_3 \cdots \neq \mu_K$$

Test Statistics

F.

Test Statistics

$$F = \frac{\text{Variance between Samples}}{\text{Variance within Samples}}$$

H_0 $\bar{x}_1 = \bar{x}_2 = \bar{x}_3$

H_1 Atleast one sample mean is not equal

σ^2

Variance between Samples

Variance within Samples

x_1	x_2	x_3
1	6	5
2	7	6
4	3	3
5	2	2
3	1	4


Variance between Samples
mean is not equal
Variance Within Samples
x_1 x_2 x_3
1 6 5
2 7 6
4 3 3
5 2 2
3 1 4
$\bar{x}_1 = 3$
$\bar{x}_2 = 19/5$
$\bar{x}_3 = 4$

One Way ANOVA

One factor with atleast 2 levels, levels are independent

① Doctors want to test a new medication which reduces headache. They split the participant into 3 condition [15mg, 30mg, 45mg]. Later on the doctor ask the patient to rate the headache between [1-10]. Are there any differences between the 3 conditions

alpha = 0.05 ?

alpha = 0.05 ?

Ans)

15 mg	30mg	45mg
9	7	4
8	6	3
7	6	2
8	7	3
8	8	4
9	7	3
8	6	2

① Define Null and Alternate Hypothesis?

H_0 : $\mu_{15} = \mu_{30} = \mu_{45}$

H_1 : not all μ are equal

② Significance $\alpha = 0.05$ C.I = 95

③ Calculate Degree of freedom

$N = 21$

② Significance $\alpha = 0.05$ $CI = 0.95$

③ Calculate Degree of freedom

$N = 21$ $a = 3$ $n = 7$

$df_{between} = a - 1 = 3 - 1 = 2$

$df_{within} = N - a = 21 - 3 = 18$

$df_{total} = N - 1 = 20$

df_1 df_2

$(2, 18)$

⇓

F table

$\alpha = 0.05$

⇓

Critical value

(4) Decision Boundary



∞	2.70554	2.30259	2.08380	1.94486	1.84727	1.77411	1.71672	1.67020	1.63152	1.59872	1.54578	1.48714	1.42060	1.38318	1.34187	1.29513	1.23995	1.16860	1.00000

F Table for α = 0.05



/	df_1=1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
df_2=1	161.4476	199.5000	215.7073	224.5832	230.1619	233.9860	236.7684	238.8827	240.5433	241.8817	243.9060	245.9499	248.0131	249.0518	250.0951	251.1432	252.1957	253.2529	254.3144
2	18.5128	19.0000	19.1643	19.2468	19.2964	19.3295	19.3532	19.3710	19.3848	19.3959	19.4125	19.4291	19.4458	19.4541	19.4624	19.4707	19.4791	19.4874	19.4957
3	10.1280	9.5521	9.2766	9.1172	9.0135	8.9406	8.8867	8.8452	8.8123	8.7855	8.7446	8.7029	8.6602	8.6385	8.6166	8.5944	8.5720	8.5494	8.5264
4	7.7086	6.9443	6.5914	6.3882	6.2561	6.1631	6.0942	6.0410	5.9988	5.9644	5.9117	5.8578	5.8025	5.7744	5.7459	5.7170	5.6877	5.6581	5.6281
5	6.6079	5.7861	5.4095	5.1922	5.0503	4.9503	4.8759	4.8183	4.7725	4.7351	4.6777	4.6188	4.5581	4.5272	4.4957	4.4638	4.4314	4.3985	4.3650
6	5.9874	5.1433	4.7571	4.5337	4.3874	4.2839	4.2067	4.1468	4.0990	4.0600	3.9999	3.9381	3.8742	3.8415	3.8082	3.7743	3.7398	3.704	
7	5.5914	4.7374	4.3468	4.1203	3.9715	3.8660	3.7870	3.7257	3.6767	3.6365	3.5747	3.5107	3.4445	3.4105	3.3758	3.3404	3.3043		
8	5.3177	4.4590	4.0662	3.8379	3.6875	3.5806	3.5005	3.4381	3.3881	3.3472	3.2839	3.2184	3.1503	3.1152	3.0794	3.0428	3.0		
9	5.1174	4.2565	3.8625	3.6331	3.4817	3.3738	3.2927	3.2296	3.1789	3.1373	3.0729	3.0061	2.9365	2.9005	2.8637	2.8259			
10	4.9646	4.1028	3.7083	3.4780	3.3258	3.2172	3.1355	3.0717	3.0204	2.9782	2.9130	2.8450	2.7740	2.7372	2.6996	2.6609			
11	4.8443	3.9823	3.5874	3.3567	3.2039	3.0946	3.0123	2.9480	2.8962	2.8536	2.7876	2.7186	2.6464	2.6090	2.5705	2.5309			
12	4.7472	3.8853	3.4903	3.2592	3.1059	2.9961	2.9134	2.8486	2.7964	2.7534	2.6866	2.6169	2.5436	2.5055	2.4663	2.4259			

11	4.8443	3.9823	3.5874	3.3567	3.2039	3.0946	3.0123	2.9480	2.8962	2.8536	2.7876	2.7186	2.6464	2.6090	2.5705	2.5309	2.4901	2.4480	2.4045
12	4.7472	3.8853	3.4903	3.2592	3.1059	2.9961	2.9134	2.8486	2.7964	2.7534	2.6866	2.6169	2.5436	2.5055	2.4663	2.4259	2.3842	2.3410	2.2962
13	4.6672	3.8056	3.4105	3.1791	3.0254	2.9153	2.8321	2.7669	2.7144	2.6710	2.6037	2.5331	2.4589	2.4202	2.3803	2.3392	2.2966	2.2524	2.2064
14	4.6001	3.7389	3.3439	3.1122	2.9582	2.8477	2.7642	2.6987	2.6458	2.6022	2.5342	2.4630	2.3879	2.3487	2.3082	2.2664	2.2229	2.1778	2.1307
15	4.5431	3.6823	3.2874	3.0556	2.9013	2.7905	2.7066	2.6408	2.5876	2.5437	2.4753	2.4034	2.3275	2.2878	2.2468	2.2043	2.1601	2.1141	2.0658
16	4.4940	3.6337	3.2389	3.0069	2.8524	2.7413	2.6572	2.5911	2.5377	2.4935	2.4247	2.3522	2.2756	2.2354	2.1938	2.1507	2.1058	2.0589	2.0096
17	4.4513	3.5915	3.1968	2.9647	2.8100	2.6987	2.6143	2.5480	2.4943	2.4499	2.3807	2.3077	2.2304	2.1898	2.1477	2.1040	2.0584	2.0107	1.9604
18	4.4139	3.5546	3.1599	2.9277	2.7729	2.6613	2.5767	2.5102	2.4563	2.4117	2.3421	2.2686	2.1906	2.1497	2.1071	2.0629	2.0166	1.9681	1.9168
19	4.3807	3.5219	3.1274	2.8951	2.7401	2.6283	2.5435	2.4768	2.4227	2.3779	2.3080	2.2341	2.1555	2.1141	2.0712	2.0264	1.9795	1.9302	1.8780
20	4.3512	3.4928	3.0984	2.8661	2.7109	2.5990	2.5140	2.4471	2.3928	2.3479	2.2776	2.2033	2.1242	2.0825	2.0391	1.9938	1.9464	1.8963	1.8432
21	4.3248	3.4668	3.0725	2.8401	2.6848	2.5727	2.4876	2.4205	2.3660	2.3210	2.2504	2.1757	2.0960	2.0540	2.0102	1.9645	1.9165	1.8657	1.8117
22	4.3009	3.4434	3.0491	2.8167	2.6613	2.5491	2.4638	2.3965	2.3419	2.2967	2.2258	2.1508	2.0707	2.0283	1.9842	1.9380	1.8894	1.8380	1.7831
23	4.2793	3.4221	3.0280	2.7955	2.6400	2.5277	2.4422	2.3748	2.3201	2.2747	2.2036	2.1282	2.0476	2.0050	1.9605	1.9139	1.8648		
24	4.2597	3.4028	3.0088	2.7763	2.6207	2.5082	2.4226	2.3551	2.3002	2.2547	2.1834	2.1077	2.0267	1.9838	1.9390	1.8920	1.84		
25	4.2417	3.3852	2.9912	2.7587	2.6030	2.4904	2.4047	2.3371	2.2821	2.2365	2.1649	2.0889	2.0075	1.9643	1.9192	1.8718			
26	4.2252	3.3690	2.9752	2.7426	2.5868	2.4741	2.3883	2.3205	2.2655	2.2197	2.1479	2.0716	1.9898	1.9464	1.9010	1.8533			
27	4.2100	3.3541	2.9604	2.7278	2.5719	2.4591	2.3732	2.3053	2.2501	2.2043	2.1323	2.0558	1.9736	1.9299	1.8842	1.8361			
28	4.1960	3.3404	2.9467	2.7141	2.5581	2.4453	2.3593	2.2913	2.2360	2.1900	2.1179	2.0411	1.9586	1.9147	1.8687	1.8203			
29	4.1830	3.3277	2.9340	2.7014	2.5451	2.4324	2.3463	2.2783	2.2229	2.1768	2.1045	2.0275	1.9446	1.9005	1.8543	1.8055			



3.5546

Decision Rule

If F is greater than 3.5546, reject the Null Hypothesis

(5) Calculate F Test Statistics

$$F = \frac{\text{Variance between Samples}}{\text{Variance Within Samples}}$$

	SS	df	MS	F
Between				
Within				
Total				

① SS between $= \frac{\sum (\sum a_i)^2}{n} - \frac{T^2}{N}$

15 mg	30mg	45mg
9	7	4
8	6	3
7	6	2
8	7	3
8	8	4
9	7	3
8	6	2

15mg : 9+8+7+8+8+9+8 = 57

30mg : 7+6+6+7+8+7+6 = 47

45mg : 4+3+2+3+4+3+2 = 21

$= \frac{57^2+47^2+21^2}{7} - \left[\frac{57^2+47^2+21}{21}\right]^2$

$= \frac{57+42+21}{7} - \left[\frac{57^2+42^2+21}{21}\right]$

$= \boxed{98.67}$

② $SS_{within} = \sum y^2 - \frac{\sum(\sum a_i)^2}{n}$

$\sum y^2 = 9^2+8^2+7^2+8^2+8^2+\cdots$

$= 853$

$= 853 - \left[\frac{57^2+42^2+21^2}{7}\right]$

$= \boxed{10.29}$

$$= 853 - \left[\frac{57^2 + 42^2 + 21^2}{7}\right]$$

$$= \boxed{10.29}$$

	SS	df	MS	F
Between	98.67	2	49.34	
Within	10.29	18	0.54	
Total	108.96	20		

$$F_{test} = \frac{MS_{Between}}{MS_{within}}$$

$$F = \frac{\text{Variance between Samples}}{\text{Variance within Samples}}$$

$$F = \frac{49.34}{0.54} = 86.56$$

If F is greater than 3.54,

$$F = \frac{MS_{between}}{MS_{within}} = \frac{49.34}{0.54} = 86.56$$

If F is greater than 3.5546, Reject the Ho

86.56 > 3.5546 Reject the Ho.