HTML Notes

- 1).<h1> to <h6>:- Text heading
- 2).HTML Entities: Some characters are reserved in HTML.

If you use the less than (<) or greater than (>) signs in your text, the browser might mix them with tags.

Character entities are used to display reserved characters in HTML.

- 3).<hr>:-For horizontal line
- 4).
:-For brack the line
- **5).:-**For adding paragraph text
- 6).
b> || :-For bold the text
- 7).<i>|| :- For give italic effect in text
- 8).<small>:- To reduce text size
- **9).<sup>:-** eg. 6²
- **10).<sub>:-** eg. Log₁₀
- 11).<!-For unordered List
 - ⇒ **type="":-** can be change
- 12).:-For Ordered List
 - ⇒ **type="":** can be change
- 13).<Ii>:- List text goes inside this tag
- 14).<a>:-For make a link related thing
 - ⇒ href="":- add link here
 - ⇒ target="_blank":- can be change (Open in new tab)

- **15).:-** Use for adding image in our web
 - ⇒ **src="":** add source of the image
 - ⇒ alt="": add alter text if image is not able to load
 - ⇒ width="" , height="" :- to adjust width and height of the image
- 16).<video>:- Use for adding video in our web
 - ⇒ **src="":** add source of the video
 - ⇒ alt="":- add alter text if video is not able to load
 - ⇒ width="" , height="" :- to adjust width and height of the video
 - autoplay:- play the video automatically when page is open
 - controls: add play,pause,valume and other function button
 - ⇒ loop :- Loop over the video
 - ⇒ **muted :-** To make by default audio mute
 - ⇒ poster="": Add cover image for the video
- 17).<iframe>:- Open other website or add YouTube Video direct play functionality
 - ⇒ width="", height="":- to adjust width and height
 - ⇒ **src="":** add source of the thing
 - ⇒ frameborder="":- add border for the tag division
- **18).:-** Add the table
 - ⇒ <thead> , ,<tfoot> :- to make table more readable and organize
 - ⇒ :- table row
 - ⇒ :- table data
 - ⇒ :-table column heading (bold)
 - ⇒ rowspan="n":- to span n number of row

- ⇒ colspan="n" :- to span n number of column
- **19).<form>:-** Add the form
 - ⇒ action="" :- For backend
 - ⇒ <input> :- To get input from user
 - type="":- can be change ie. text , number , password
 - name="" & id="" :- For backend
 - required:- if input is not filled by user then return error
- **20).<fieldset>:-** Content inside this tag will get highlighted (Box created)
- 21).<legend>:- By using inside <fieldset> tag we are able to set title for the box which created by <fieldset> tag
- **22).<textarea> :-** To make big input area for address like thing
 - ⇒ name="" & id="" :- For backend
 - ⇒ cols="" & rows="" :- size of textarea
- 23).<select>:- For dropdown menu
 - ⇒ <option> :- To make dropdown menu option
 - value="":- For backend
- **24).<header> :-** The **<header>** element represents a container for introductory content or a set of navigational links.
- **25).<nav>:-** The **<nav>** tag defines a set of navigation links.
- **26).<main>:-** The **<main>** tag specifies the main content of a document.
- **27).**<article>:- The <article> tag specifies independent, self-contained content.

- **28).<section>:-** The **<section>** tag defines a section in a document.
- **29).**<aside>:- The <aside> tag defines some content aside from the content it is placed in.
- **30).<footer>:-** The **<footer>** tag defines a footer for a document or section.