Table 1: Detection and fairness performance (%) on **FairForge-2 public TEST** (sealed split, read exactly once, 8 Nov 2026, pre-registered). Fairness is computed over the 8 sex × age (<30/30+) × race (White/Non-White) intersectional subgroups, as in FairForensics (arXiv 2608.01661) Table III, plus four extra diagnostic columns: es-AUC, the plain FPR/TPR max−min gap in percentage points, and the AUC of the single worst-performing group. Every checkpoint's own VAL-selected threshold is frozen; none is recalibrated on TEST. **Bold**/underline = best/second-best mean per column. The rightmost column gives the number of training seeds behind each row: 4 of 6 rows are a single seed (17), disclosed as such; RF-S and RF-SJg are mean ± std over seeds 17/7/27.

		FairForensics Table III metrics					Extra diagnostics				
Model Type	Detector	$F_{\text{FPR}}\downarrow$	$F_{\text{MEO}}\downarrow$	$F_{\text{DP}}\downarrow$	$F_{\text{OAE}}\downarrow$	AUC↑	es-AUC↑	FPR gap↓	TPR gap↓	Worst-group AUC↑	Seeds
Fair-based	DAW-FDD WACV'24	62.90	22.11	5.86	2.13	98.87	96.28	22.11	2.85	97.76	1
	Ding et al. CVPR'26 (corrected GDA, our run)	**12.86**	**5.88**	7.43	5.73	93.08	83.92	**5.28**	5.88	90.75	1
Ours (CES-FL, head ablation)	CES-FL P: original-only BCE	33.12	9.85	5.41	2.76	98.78	95.94	9.85	2.82	97.80	1
	L_A: plain-head BCE (matched control)	57.26	18.92	**4.39**	**1.19**	**99.00**	96.53	18.92	**1.44**	**98.10**	1
	RF-S: real-only FPR equalisation	54.78±3.13	19.04±0.18	4.58±0.11	1.42±0.17	98.98±0.01	96.54±0.04	19.04±0.18	1.69±0.17	98.07±0.02	3
	RF-SJg: RF-S + gentle JPEG aug	53.74±2.79	17.74±1.95	5.33±0.11	2.35±0.19	98.60±0.06	**96.60±0.15**	17.74±1.95	2.55±0.13	97.79±0.05	3