Chrome File Edit View History Bookmarks Profiles Tab Window Help

Fri 5:46 PM

ChaiCode - Home for Progra | Web Dev Cohort 2026 by Cha | Time Arena - Track Time, Buil | MasterJi by ChaiCode | ChaiCSS Playground - Master | ChaiJS Playground - Master J | Excalidraw Whiteboard

masterji.co/dashboard

MasterJi

- Monitor
- Manage
- Dashboard
- Peer Reviews
- Projects
- Blogs
- Evaluations
- Problems • BETA
- Town Halls • BETA
- Report Card • BETA

Dashboard

Overview of your progress and upcoming deadlines.

Notice Board 4

Web Dev Cohort 2026
Web Dev Cohort 2025

View Notice | Join Today

Peer Reviews
0
5 Total
5 Pending

Projects
0
53 Total
53 Pending

Blogs
0
72 Total
72 Pending

Courses
9
4 Completed
5 Ongoing

0 Marks Earned | 0 Peer Evaluations | 0 Penalty Marks | 0.0/5 Code Quality Rating | 0.0/5 Writing Rating | 0.0/5 Evaluation Rating

Upcoming Deadlines


Git for Beginners: Basics and Essential Commands


Web Dev Cohort 2026


To publish the article on [Hashnode](https://hashnode.com/) or similar platform where you write about: 1. What is Git 2. Why Git is Used 3. Git Basics and Core Terminologies 4. Common Git Commands ### Suggestions 1. Introduce Git as a distributed version control system in simple terms 2. Explain core concepts like repository, commit, branch, and head 3. Demonstrate essential commands such as `git init`...


Dec 27, 2025, 8:00 PM
an 17, 2026, 11:59 PM






git-github
EXPLORER
OPEN EDITORS
hello.txt
feature.txt
HEAD chai-c... U
GIT-GITHUB
chai-code-tra...
ref / heads
HEAD U
feature.txt
hello.txt
OUTLINE
TIMELINE
PRETTY TYPESCRIPT ERROR
hello.txt
feature.txt
HEAD U
chai-code-tracker > HEAD
1 main
hardikbabla64@gmail.com +917088836692
Problems
Output
Debug Console
Terminal
Ports
ref: refs/heads/main
piyushgarg@Piyushs-MacBook-Pro .git % cd refs
piyushgarg@Piyushs-MacBook-Pro refs % ls
heads tags
piyushgarg@Piyushs-MacBook-Pro refs % cd heads
piyushgarg@Piyushs-MacBook-Pro heads % ls
main
piyushgarg@Piyushs-MacBook-Pro heads % cat main
2b9b022bdcc29e1667aacc9455ca881024ea058d
piyushgarg@Piyushs-MacBook-Pro heads % cd ..
piyushgarg@Piyushs-MacBook-Pro refs % cd ..
piyushgarg@Piyushs-MacBook-Pro .git %
zsh .git
git
cursor agent to run Agent · ⌘K to generate command
main* git-github 0 0 Git Graph Spaces: 4 UTF-8 LF Plain Text Go Live Quokka Prettier
Piyush Garg



Git & GitHub — Eraser
app.eraser.io/workspace/Wtwe96UekNIt2GkUq4Dn
Web Dev Cohort 2.0 / Git & GitHub
Document
Both
Canvas
Piyush Garg
57%
HEAD
c
d
e
f
Feat/A
a1
a2
a3
a4
m1
git merge --squash main
Feat/B
b1
b2
Feat/C
c1
hardikbabla64@gmail.com +917088836692



Chrome File Edit View History Bookmarks Profiles Tab Window Help
ChaiCode - Home for Pro
Cohort 26 — Eraser
(21) Heshie Brody on X:
Post Attendee - Zoom
ChaiCode - Home for Pro
hashnode chaicode - Go
#chaicode on Hashnode
app.eraser.io/workspace/kSzHXO9wdKte14XycoDp
hardikbabla64@gmail.com +917088836692
Cohort 26
Document
Both
Canvas
Hitesh Choudhary
100%
chaicode.com
Browser
Recursive DNS Server
.com
A
Root server
13 root server
1600+
TLD Server
TLD Server
TLD Server
Authrotative DNS server
198.9.9.9



Warp File Edit View Tab Blocks AI Drive Window Help
app.eraser.io/workspace/kSzHXO9wdKte14XycoDp
Cohort 26
Document Both Canvas
Hitesh Choudhary
apple~$curl wttr.in
Follow @igor_chubin for wttr.in updates
auto (responsive)


Terminal Shell Edit View Window Help
hardikbabla64@gmail.com +917088836692
Piyush Garg
piyushgarg — -zsh — 80×24
Non-authoritative answer:
Name: hashnode.network
Address: 76.76.21.21
piyushgarg@Piyushs-MacBook-Pro ~ % dig hashnode.network
; <<>> DiG 9.10.6 <<>> hashnode.network
;; global options: +cmd
;; Got answer:
;; →»HEADER«← opcode: QUERY, status: NOERROR, id: 34143
;; flags: qr rd ra ad; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 0
;; QUESTION SECTION:
;hashnode.network. IN A
;; ANSWER SECTION:
hashnode.network. 293 IN A 76.76.21.21
;; Query time: 5 msec
;; SERVER: 2405:201:501a:70eb::c0a8:1d01#53(2405:201:501a:70eb::c0a8:1d01)
;; WHEN: Sun Jan 18 20:39:24 IST 2026
;; MSG SIZE rcvd: 50
piyushgarg@Piyushs-MacBook-Pro ~ %



Chrome File Edit View History Bookmarks Profiles Tab Window Help
ChaiCode - Home for Pro
ChaiCode - Home for Pro
Cohort 26 — Eraser
The LLVM Compiler Infra
DNS / Nameservers | Hos
General | Project configu
DNS records | Netlify Do
DNS recor
app.eraser.io/workspace/kSzHXO9wdKte14XycoDp
Hitesh Choudhary
Cohort 26
Document
Both
Canvas
Share
100%
Protocol
Agreed rules
Syn
Ack
Server
JS
Client
IP
interoperability
hardikbabla64@gmail.com +917088836692
TCP
UDP
Reliable
Ordering
loss detection
less reliable


HTML-CLASS-01
EXPLORER
OPEN EDITORS
myfile.html
dark.css
contact.html
HTML-CLASS-01
contact.html
dark.css
myfile.html
OUTLINE
DEBUG CONSOLE
TIMELINE
PRETTY TYPESCRIPT ERR...
myfile.html
dark.css
contact.html
contact.html > html > body
1 <!doctype html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8" />
5 <meta name="viewport" content="width=device-width, initial
6 <title>Document</title>
7 <link rel="stylesheet" href="dark.css" />
8 </head>
9 <body>
10 <h1>Contact Us Page</h1>
11 My Phone Number: +91 9999999999
12 Email: xtz@example.com
13 </body>
14 </html>
Piyush Garg
hardikbabla64@gmail.com +917088836692
Ln 9, Col 9
Spaces: 4
UTF-8
LF
{ } HTML
Go Live
Prettier



HTML-CLASS-01
contact.html
contact.html > html > head > style > button
<html lang="en">
<head>
<meta name="viewport" content="width=device-widt
<title>Document</title>
<style>
.my-button {
background-color: pink;
}
button {
background-color: teal;
}
</style>
</head>
<body>
<button id="btn" class="my-button">Call Me</butt
</body>
</html>
hardikbabla64@gmail.com +917088836692
Spaces: 4 UTF-8 LF { } HTML Port : 5500 Prettier
Document
127.0.0.1:5500/contact.html
Call Me
Piyush Garg
Elements
<!DOCTYPE html>
<html lang="en">
<head></head>
<body> == $0
<button id="btn" class="my-button">Call Me</button>
html body
Styles Computed Layout
Filter :hov .cls
element.style {
}
body { user agent stylesheet
display: block;



flexbox
index.html
style.css
style.css › #parent
#parent {
border: 2px solid red;
width: 90vw;
height: 300px;
}
.child {
border: 2px solid blue;
height: 40px;
width: 40px;
}
#parent {
display: flex;
flex-direction: row;
justify-content: space-evenly;
}
flexbox 0 0 Port : 5500 Quokka Prettier
127.0.0.1:5500/index.html
1
2
3
4
5
Piyush Garg
Elements Console Sources Network
<html lang="en" suppresshydrationwarning="true" data-lt-installed="true">
<head> </head>
<body>

1
2
3
html body div#parent
Styles Computed Layout Event Listeners DOM Breakpoints Properties
Filter
:hov .cls


Copy of HTML/CSS — Eraser
GRID
repeat() - CSS | MDN
GRID | CHAICODE
127.0.0.1:5500/index.html
Gmail
YouTube
Maps
1
2
3
4
5
7
6
hardikbabla64@gmail.com +917088836692
Piyush Garg
Elements
<!DOCTYPE html>
<html lang="en" suppresshydrationwarning
e" data-lt-installed="true">
<head> </head>
<body>
 grid
1 flex
2 flex
3 flex
4 flex
5 flex
6 flex
7 flex

<!-- Code injected by live-server -->
<script> </script>
</body>
</html>
html
body
div#parent
div.child.child-7
Styles
Computed
Layout
Event Listeners
Filter
:hov
.cls


javascript-01
Piyush Garg
EXPLORER
OPEN EDITORS
brain.js
JAVASCRIPT-01
brain.js
index.html
script.js
OUTLINE
TIMELINE
PRETTY TYPESCRIPT ERROR
brain.js
brain.js > addFive
4 console.log('value of age is', age);
5
6 function addFive(number) {
7 var result = number + 5;
8 return result;
9 }
10
hardikbabla64@gmail.com +917088836692
Problems
Output
Debug Console
Terminal
Ports
value of age is undefined
Adding 5 to 10 15
value of age is 45
Waiting for the debugger to disconnect...
piyushgarg@Piyushs-MacBook-Pro javascript-01 %
zsh
JavaScript De...
⌘K to generate command
javascript-01
Ln 9, Col 2
Spaces: 4
UTF-8
LF
JavaScript
Port : 5500
Quokka
Prettier





javascript-01


day2.js ● Untitled-1 ●


```
1
2   // 1.
3   const nums = [3, 10, 24, 90]
4
5   const result = map(e => e * 10 + 1)
6
7   function map(fn) {
8       const result = [];
9
10      for (let i = 0; i < nums.length; i++) {
11        const currentElement = nums[i];
12        const num = fn(currentElement);
13        result.push(num);
14      }
15
16      return result;
17    }
18
19
20  console.log(result)
21
22
23
```

hardikbabla64@gmail.com +917088836692


Zed File Edit Selection View Go Run Window Help
js-basics
js-basics
01-console.js
02-variables.js
03-datatypes.js
04-numbers.js
05-string.js
conditionals.js
doubts.js
05-string.js
conditionals.js
conditionals.js
const courseLauched = true;
const chosenPath = "left";
switch (chosenPath) {
case "right":
console.log("User selected right");
break;
case "top":
console.log("User selected top");
break;
case "left":
console.log("User selected top");
break;
default:
"Jiska koi nhi hota, uska defaul hota h";
}
hardikbabla64@gmail.com +917088836692
HC
28:11
JavaScript


Zed File Edit Selection View Go Run Window Help
js-basics
js-basics
01-console.js
02-variables.js
03-datatypes.js
04-numbers.js
05-string.js
06-array.js
07-array-methods.js
08-objects.js
09-object-methods.js
10-functions.js
conditionals.js
doubts.js
10-functions.js
10-functions.js › function brewPotion( )
11 const distilEssence = (ingredient) ⇒ {
12 return `Mixing elexir with ${ingredient} `;
13 };
14
15 function oldBrewingLogs() {
16 console.log("Type: ", typeof arguments);
17 console.log("Is Array: ", Array.isArray(arguments));
18 console.log(arguments);
19 }
20
21 oldBrewingLogs("Sage", "Rosemary");
22
hardikbabla64@gmail.com +917088836692
HC
js-basics — zsh
apple~$node 10-functions.js
Brewing potion with Healing Herbs (x3)... Potion ready
Type: object
[Arguments] { '0': 'Sage', '1': 'Rosemary' }
apple~$node 10-functions.js
Brewing potion with Healing Herbs (x3)... Potion ready
Type: object
Is Array: false
[Arguments] { '0': 'Sage', '1': 'Rosemary' }
apple~$
3:65 (62 characters) JavaScript


Zed File Edit Selection View Go Run Window Help
js-basics
js-basics
01-console.js
02-variables.js
03-datatypes.js
04-numbers.js
05-string.js
06-array.js
07-array-methods.js
08-objects.js
09-object-methods.js
10-functions.js
11-this.js
12-call-bind-apply.js
13-new.js
14-prototype.js
conditionals.js
doubts.js
14-prototype.js
13-new.js
11-this.js
11-this.js
};
console.log(bollywoodFilm.introduce());
console.log(bollywoodFilm2.introduce());
const filmDirector = {
name: "Sanjay Leela Bhansali",
cast: ["Ranveer", "Deepika", "Priyanka"],
announceCast() {
this.cast.forEach((actor) => {
console.log(`${this.name} introduces ${actor}`);
});
},
};
filmDirector.announceCast();
const filmSet = {
crew: "Spot boys",
prepareProps() {
console.log(`Outer this.crew: ${this.crew}`);
function arrangeChairs() {
HC
hardikbabla64@gmail.com +917088836692
44:1
JavaScript


RequestKit File Edit View Window Help
js-basics
01-console.js
02-variables.js
03-datatypes.js
04-numbers.js
05-string.js
06-array.js
07-array-methods.js
08-objects.js
09-object-methods.js
10-functions.js
11-this.js
12-call-bind-apply.js
13-new.js
14-prototype.js
15-classes.js
16-Symbol.js
17-error-handling.js
18-promises.js
conditionals.js
doubts.js
18-promises.js
15-classes.js
15-classes.js › class Debutant › constructor( )
RequestKit
Collections
History
COLLECTIONS
Search...
freeapi
GET
Enter URL or paste cURL...
Send
Params
Headers
Body
Auth
Scripts
Key
Value
Key
Value
+ Add
hardikbabla64@gmail.com +917088836692
Send a request to see the response
RequestKit v0.1.2
freeapi
HC
24:4
JavaScript

Zed File Edit Selection View Go Run Window Help

js-basics



hardikbabla64@gmail.com +917088836692

```
js-basics
  01-console.js
  02-variables.js
  03-datatypes.js
  04-numbers.js
  05-string.js
  06-array.js
  07-array-methods.js
  08-objects.js
  09-object-methods.js
  10-functions.js
  11-this.js
  12-call-bind-apply.js
  13-new.js
  14-prototype.js
  15-classes.js
  16-Symbol.js
  17-error-handling.js
  18-promises.js
  19-promises.js
  conditionals.js
  doubts.js
```

19-promises.js

```
19-promises.js
32  const turant = Promise.resolve("Turant");
33  console.log(turant);
34
35  const allPromise = Promise.allSettled([
36    Promise.resolve("Chai"),
37    Promise.resolve("Code"),
38    Promise.reject("Error"),
39  ]);
40
41  allPromise.then(console.log);
42
```

js-basics — node --watch 19-promises....

```
[
  { status: 'fulfilled', value: 'Chai' },
  { status: 'fulfilled', value: 'Code' },
  { status: 'rejected', reason: 'Error' }
]
Completed running '19-promises.js'. Waiting for file changes before restarting...
```

40:1 JavaScript



dom


index.html | todo.html | tiffin.js


todo.html > html > body > script


```
2   <html lang="en">
98    <body>
99      <div class="container">
105       <div>
106         <ul id="todoContainer"></ul>
107       </div>
108     </div>
109     <script>
110       const createButtonRef = document.getElementById('createButton');
111       const todoInputRef = document.getElementById('todoInput');
112       const todoContainerRef = document.getElementById('todoContainer');
113       ⌘L to chat, ⌘K to generate
114       (async () => {
115         fetch('https://api.freeapi.app/api/v1/public/quotes', {
116           method: 'GET',
117         })
118           .then((response) => response.json()) // JSON => Object
119           .then((data) => {
120             for (const obj of data.data.data) {
121               const li = document.createElement('li');
122               li.innerText = obj.content;
```


hardikbabla64@gmail.com +917088836692


dom ⊗ 0 ⚠ 0 | Cursor Tab | Ln 113, Col 1 | Spaces: 4 | UTF-8 | LF | {} HTML | Port : 5500 | Quokka | ✓ Prettier



Code File Edit Selection View Go Run Terminal Window Help
node
EXPLORER
NODE
01-node-foundation.js
01-node-foundation.js
01-node-foundation.js > ...
4
5 console.log("NodeJS: ", process.versions.node);
6 console.log("V8: ", process.versions.v8);
7 console.log("libuv: ", process.versions.uv);
8 console.log("==========");
9 console.log("libuv: ", process.platform);
10
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
zsh
apple~$node 01-node-foundation.js
NodeJS: 24.11.0
V8: 13.6.233.10-node.28
libuv: 1.51.0
==========
libuv: darwin
apple~$
hardikbabla64@gmail.com +917088836692
OUTLINE
TIMELINE
InsForge 0 0 1 hr 44 mins 127.0.0.1 cohort
Ln 8, Col 39 Spaces: 4 UTF-8 LF JavaScript 2452 chars today Go Live Prettier



express-typescript
EXPLORER
OPEN EDITORS
index.ts src
env.ts src
index.ts src/app
package.json
EXPRESS-TYPESCRIPT
dist
node_modules
src
app
index.ts
env.ts
index.ts
.gitignore
package-lock.json
tsconfig.json
OUTLINE
TIMELINE
PRETTY TYPESCRIPT ERROR
index.ts src
env.ts
index.ts .../app
package.json
src > app > index.ts > createServerApplication
import type { Application } from 'express'
import { env } from '../env.js'
export function createServerApplication(): Application {
const app = express()
app.get('/', function (req, res) {
return res.json({ message: 'Hello ji kaise hoooo' })
})
app.get('/hello', function (req, res) {
return res.json({ message: 'Bye' })
})
⌘L to chat, ⌘K to generate
return app
}
Problems
Output
Debug Console
Terminal
Ports
piyushgarg@Piyushs-MacBook-Pro express-typescript %
zsh
zsh
⌘K to generate command
express-typescript
Ln 15, Col 1
Spaces: 4
UTF-8
LF
TypeScript
Go Live
Quokka
Prettier
Piyush Garg



NodeJS Internals
Document
Both
Canvas
Share
c++
Threadpool
node filename.js
57%
v8 + c++ + libuv = NodeJS
Process
Main Thread
Init Project
Top Level Code
Import Statements
Event Callbacks Register
Start Event loop
ExipredCallbacks()
Pool of threads
4
while True {
ExipredCallbacks()
IO Polling()
setImmediate()
close callbacks()
check if anything
pending? No = Exit
Yes continue
}
Blocking Code
hardikbabla64@gmail.com +917088836692



Code File Edit Selection View Go Run Terminal Window Help
Sun 15 Mar 8:41 PM
express-class
01-express-intro.js
01-express-intro.js > block_1_basicServer > <function>
function block_1_basicServer(){
return new Promise((resolve) => {
app.get('/menu', (req, res) => {…
})
app.get('/search', (req, res) => {
const {q, limit} = req.query
res.json({
query: q,
limit: limit || '10'
})
})
app.get('/menu/:id', (req, res) => {
const {id} = req.params
res.json({
item: id,
price: 149
})
})
hardikbabla64@gmail.com +917088836692
Ln 32, Col 1 Spaces: 4 UTF-8 LF { } JavaScript Go Live Supermaven



Code File Edit Selection View Go Run Terminal Window Help
Sat 21 Mar 10:26 PM
backend-cohort
EXPLORER
auth.model.js
BACKEND-COHORT
node_modules
src
common
modules
auth
dto
auth.controller.js
auth.middleware.js
auth.model.js
auth.routes.js
auth.service.js
cart
app.js
.env
.gitignore
env.example
package-lock.json
package.json
server.js
src > modules > auth > auth.model.js > userSchema
4 const userSchema = new mongoose.Schema({
27 role: {
29 enum: ["customer", "seller", "admin"],
30 default: "customer"
31 },
32 isVerified: {
33 type: Boolean,
34 default: false
35 },
36 verificationToken: {type: String, select: false},
37 refreshtoken: {type: String, select: false},
38 resetPasswordtoken: {type: String, select: false},
39 resetpasswordExpires: {type: Date, select: false},
40 })
41
42
43 export default mongoose.model("User", userSchema)
44
hardikbabla64@gmail.com +917088836692
OUTLINE
TIMELINE
Update is ready, click to restart.
Ln 40, Col 3 Spaces: 4 UTF-8 LF JavaScript Go Live Supermaven (disabled)



Code File Edit Selection View Go Run Terminal Window Help
backend-cohort
EXPLORER
BACKEND-COHORT
node_modules
src
common
config
dto
middleware
utils
api-error.js
api-response.js
jwt.utils.js
modules
auth
dto
register.dto.js
auth.controller.js
auth.middleware.js
auth.model.js
auth.routes.js
auth.service.js
cart
app.js
.env
.gitignore
env.example
package-lock.json
package.json
server.js
OUTLINE
TIMELINE
jwt.utils.js
auth.service.js
api-error.js
auth.model.js
.env
src > modules > auth > auth.service.js > login > id
const login = async ({ email, password }) => {
//take email and find user in DB
// then check if password is correct
// check if verified or not
const user = await User.findOne({ email }).select("+password");
if (!user) throw ApiError.unauthorized("Invalid Email or password");
// somehow I will check password
if (!user.isVerified) {
throw ApiError.forbidden("Please verify your email before loggin");
}
generateAccessToken(payload: any): never
generateAccessToken({id: user._id})
};
export { register };
InsForge 0 0 30 mins 127.0.0.1 cohort
Ln 42, Col 36 Spaces: 4 UTF-8 LF { } JavaScript 726 chars today Go Live Prettier



Code File Edit Selection View Go Run Terminal Window Help
backend-cohort
EXPLORER
BACKEND-COHORT
node_modules
src
common
config
dto
middleware
utils
modules
auth
dto
auth.controller.js
auth.middleware.js
auth.model.js
auth.routes.js
auth.service.js
cart
app.js
.env
.gitignore
22-cohort-class.zip
env.example
package-lock.json
package.json
server.js
OUTLINE
TIMELINE
.env
email.js
auth.controller.js
login.dto.js
register.dto.js
auth.middleware.js
hardikbabla64@gmail.com +917088836692
src > modules > auth > auth.routes.js > ...
4 import RegisterDto from "./dto/register.dto.js";
5 import { authenticate } from "./auth.middleware.js";
6 import LoginDto from "./dto/login.dto.js";
7
8 const router = Router();
9
10 router.post("/register", validate(RegisterDto), controller.register);
11 router.post("/login", validate(LoginDto), controller.login);
12 router.post("/logout", authentic import controller gout);
13 router.get("/me", authenticate, controller.getMe);
14
15 export default router;
16
HC
InsForge 0 0 2 hrs 3 mins 127.0.0.1 cohort Update is ready, click to restart. Spaces: 4 UTF-8 LF { } JavaScript 3926 chars today Go Live Prettier


Piyush's Team
Tutorials
192.168.29.74:8281
Connect
Star 6,574
Piyush Garg
New
Import
No environment
ChaiCode Auth...
Hello
Untitled request
Network
Rules
APIs
Files
Sessions
Invite
Search
ChaiCode Authentication
GET Hello
GET Untitled request
API Client > Untitled request
Get client code
POST
http://localhost:8080/auth/sign-up
Send
Save
Params
Body
Headers
Authorization
Scripts
400
16 ms
Save
Raw
x-www-form-urlencoded
multipart/form-data
JSON
Preview
Raw
hardikbabla64@gmail.com +917088836692
{
"firstName": "Piyush",
"lastName": "Garg",
"email": "piyushgarg.dev@gmail.com",
}
{
"message": "body validation failed",
"error": [
{
"expected": "string",
"code": "invalid_type",
"path": ["email"],
"message": "Invalid input: expected string, received undefined"
v26.3.3
Documentation
Help


sql_class
01-class.sql
01-class.sql
Run on active connection | Select block
CREATE TABLE students (
student_id SERIAL PRIMARY KEY, -- serial auto incremented integer, Primary key is un
first_name VARCHAR(50) NOT NULL, -- my first name should have max 50 letters
last_name VARCHAR(50),
email VARCHAR(322) UNIQUE NOT NULL,
phone_number VARCHAR(10) UNIQUE,
)
Shubham
hardikbabla64@gmail.com +917088836692
Launchpad
0 0
sql_class_conn
Update is ready, click to restart.
LF
{ } SQL
Go Live
Supermaven Free Tier
Prettier


DB — Eraser
ChatGPT
Acid Transactions
aof redis - Google Search
app.eraser.io/workspace/YuYqXORRYEGzpYYzyETp
DB
Document
Both
Canvas
⌘ K
Share
Shubham
43%
Entity Relationship Diagram
AI Chat
Code Editor
users
id serial pk
username varchar(50) unique not null
email varchar(100) unique not null
phone char(15)
dob date
password varchar(256)
bio text
avatar_url text
forgot_password_token text
email_verification_token text
created_at timestamp
updated_at timestamp
posts
id serial pk
caption text
image_url text null
video_url text null
reel_url text null
author_id int fk
created_at timestamp
updated_at timestamp
stories
id serial pk
image_url text null
video_url text null
author_id int fk
created_at timestamp
updated_at timestamp
post_id int fk null
bookmarks
id serial pk
post_id int fk
author_id int fk
created_at timestamp
updated_at timestamp
Entity Relationship Visualize data models
// users, posts, story, comments, likes, followers, bookmarks
users [icon: user] {
id serial pk
username varchar(50) unique not null
email varchar(100) unique not null
phone char(15)
dob date
password varchar(256)
bio text
avatar_url text
forgot_password_token text
email_verification_token text
created_at timestamp
updated_at timestamp
}
posts [icon: notebook] {
id serial pk
harshbabale@gmail.com +917088836692
users
3:06:28 / 4:16:01
> many-to-one - one-to-one


File Edit Selection View Go
chai-aur-filesystem
auth.routes.js M
auth.controller.js M
auth.service.js M
imagekit.js U
.env
Suraj
EXPLORER
CHAI-AUR-FILESYSTEM
node_modules
public
others
uploads
file-1775923550886-6...
photos-177592404972...
photos-177592404973...
photos-177592404974...
src
common
modules
app.js M
.env
.gitignore
docker-compose.yml
env.example
package-lock.json
package.json
OUTLINE
TIMELINE
src > modules > auth > auth.service.js > avatarUpload
const avatarUpload = async(userId , file)=>{
);
fs.unlinkSync(file.path);
return {
url:uploadResponse.url,
fileId:uploadResponse.fileId
}
} catch (error) {
try {
if(file.path && fs.existsSync(file.path)){
fs.unlinkSync(file.path);
}
} catch (error) {
You, 26 minutes ago • Uncommitted changes
}
}
}
export {
register,
login,
refresh,
hardikbabla64@gmail.com +917088836692
main*
Launchpad
0 0
Spaces: 2
UTF-8
LF
JavaScript
Inline suggestions quota reached
Today: 5h 59m
Go Live
Prettier
26°C
Clear
Search
ENG
IN
10:44
11-4-26


chai-aur-filesystem
team.model.js U
src > modules > ipl-ms > models > team.model.js > ...
EXPLORER
CHAI-AUR-FILESYSTEM
node_modules
public
src
common
modules
auth
dto
auth.controller.js
auth.middlewar...
auth.model.js
auth.routes.js
auth.service.js
cart
fs-module
ipl-ms
controllers
models
owner.m... U
team.mo... U
routes
OUTLINE
TIMELINE
import mongoose from "mongoose";
const teamSchema = new mongoose.Schema({
name: {
type: String,
required: [true, "Team name is required"],
trim: true,
minlength: 2,
maxlength: 100,
},
ownerId:{
type:mongoose.Schema.Types.ObjectId,
ref:"Owner",
required:[true , "Owner is required"]
}
});
Suraj (RCB)
hardikbabla64@gmail.com +917088836692
main*
Launchpad
0 0
Spaces: 4
UTF-8
CRLF
JavaScript
Inline suggestions quota reached
Today: 3h 2m
Go Live
Prettier

Authentication with OIDC — app.eraser.io/workspace/3ar1AucmO4XFsKiSWSU7

Authentication with OIDC

Document | Both | Canvas

⌘ K | Share

Piyush Garg

104%

Express Application


chaiauth.com

GET .well-known/openid-configuration
Return JSON Response

issuer: https://chaiauth.com
authorization_endpoint: https://chaiauth.com/login
userinfo_endpoint: https://chaiauth.com/userinfo
jwks_uri: https://chaiauth.com/public-certificates

Private Key Signed


ChaiAuth



hardikbabla64@gmail.com +917088836692

1: https://chaiauth.com/.well-known/openid-configuration
Service Discovery Endpoints
Redirect user to { https://chaiauth.com/login }

?



socket-chat-app

package.json | index.js | index.html

index.js > main > io.on('connection') callback

```
async function main() {
  app.use(express.static(path.resolve('./public')));

  const server = http.createServer(app);
  const io = new Server();

  io.attach(server);

  io.on('connection', (socket) => {
    console.log(`A new socket has connected`, socket.id);

    socket.on('user:message', (data) => {
      console.log('Message from socket', data);
      socket.broadcast.emit('server:message', data);
    });

    socket.on('user:typing', (data) => {
      console.log('User is typing', socket.id, data);
      socket.broadcast.emit('server:user:typing', {
        id: socket.id,
        text: data.text,
      });
    });
  });

  server.listen(9000, () => {
    console.log(`Http server is running on PORT 9000`);
```

hardikbabla64@gmail.com +917088836692

Problems | Output | Debug Console | Terminal | Ports

node

```
Restarting 'index'
Http server is running on PORT 9000
```

Typing indicat

socket.on('ser
(data) => {}); Make a UI for showing someone is typing and remove after

```
typingIndicator.classList.
messages.appendChild(typi
messages.scrollTop = messa

if (hideTypingTimer) clea
hideTypingTimer = setTime
  typingIndicator.classLis
  hideTypingTimer = null;
}, 1000);
}

socket.on('server:user:typi
  console.log('Someone is t
  showTyping();
});
```


Behavior: when a typing event arrives, the bouncing-dots bubble appears at the bottom of the chat, and if no further typing events come in within 1 second it disappears. If more events arrive before then, the timer resets so the indicator stays up.


2 Files | Review


Plan, Build, / for commands, @ for context

Opus 4.7 1M High


socket-chat-app | 0 0 | Ln 23, Col 5 | Spaces: 4 | UTF-8 | LF | JavaScript | Go Live | Quokka | Prettier



checkboxes-ws
Agents Window
Piyush Garg
EXPLORER
OPEN EDITORS 1 unsaved
GROUP 1
package.json
index.js
index.html public
CHAT EDITORS: GROU...
CHECKBOXES-WS
node_modules
public
index.html
index.js
package.json
pnpm-lock.yaml
OUTLINE
TIMELINE
package.json
index.js
index.html
index.html > html > body > script > forEach() callback > input.addEventListener('change') callback
2 <html lang="en">
197 <body>
202 <script>
207 new Array(CHECKBOX_COUNT).fill(null).forEach((_, index) => {
208 const input = document.createElement('input');
209 input.type = 'checkbox';
210
211 input.addEventListener('change', (event) => {
212 const checked = event.target.checked;
213 console.log('Checkbox Changed', { index, checked });
214 socket.emit('')
215 });
216
217 container.appendChild(input);
218 });
219 </script>
Problems Output Debug Console Terminal Ports
node
piyushgarg@Piyushs-MacBook-Pro checkboxes-ws % node index.js
Server is running on http://localhost:8000
hardikbabla64@gmail.com
checkboxes-ws
Cursor Tab (Snoozed)
Ln 214, Col 24
Spaces: 4
UTF-8
LF
HTML
Go Live
Quokka
Prettier



Kafka High Throughput Systems
Document
Both
Canvas
Share
Piyush Garg
69%
Kafka
Message Broker
Producer
Message.Produce
Topic: 'rider-updates'
Message: "{}"
Consumer
Consumer Groups
Topic:['rider-updates']
Group: db-server
DBServer
Topic:['rider-updates']
DBServer
Kafka Broker Server
Topic:['rider-updates']
Group: socket-server
Socket Server
Topic:['rider-updates']
Group: ml-server
1
2
3
4
hardikbabla64@gmail.com +917088836692



Code File Edit Selection View Go Run Terminal Window Help
react-cohort
EXPLORER
REACT-COHORT
foundation-01
foundation-02
foundation-03
foundation-04
foundation-05
node_modules
public
src
assets
App.css
App.jsx
index.css
main.jsx
.gitignore
bun.lock
eslint.config.js
index.html
package.json
README.md
vite.config.js
OUTLINE
TIMELINE
App.jsx foundation-04/...
App.jsx foundation-05/... 3
foundation-05 > src > App.jsx > App > useEffect() callback > loadPost
hardikbabla64@gmail.com +917088836692
const [staus, setStatus] = useState("idle");
const [seconds, setSeconds] = useState(10);
useEffect(() => {
}, []);
useEffect(() => {
const controller = new AbortController()
async function loadPost() {
setStatus("loading")
await fetch(""https://jsonplaceholder.typicode.com/posts?_limit=5"")
}
loadPost();
}, [])
return (
<>


<h1>useEffect</h1>
fetch(input: RequestInfo | URL, init?: RequestInit): Promise<Response>
MDN Reference
HC
Ln 28, Col 73 Spaces: 2 UTF-8 LF JavaScript JSX 1988 chars today Go Live Prettier



RequestKit File Edit View Window Help
react-cohort
EXPLORER
REACT-COHORT
backend
foundation-01
foundation-02
foundation-03
foundation-04
foundation-05
foundation-06
foundation-07
RequestKit
WebRequestKit
GET New Request
GET test
COLLECTIONS
OTP
5 requests
auth
3 requests
cohort-live
1 request
GET test
freeapi
2 requests
New Collection
Import from URL
GET http://localhost:4000
Save
Send
Params Headers Body Auth Scripts
QUERY PARAMS
KEY VALUE DESCRIPTION
Key
Value
Description
Add
Response Headers 9 Cookies 1 Tests Raw Preview
200 OK 12 ms 15 B May 3, 2026 10:02:00 PM
Tree View Raw
Search keys and values...
Click any key to copy its JS path
Use data to reference the response body in scripts, e.g. data.users[0].name
{
"status" : "ok"
}
Auto Prettify
Lines 1-3 of 3 Spaces: 2
Ready
Performance Cookies 1
12
ms
Total Response Time
Response Time Over Time
TTFB 12 ms
Download 0 ms
Total 12 ms
RESPONSE INFO
Status 200 OK
HTTP Version HTTP/1.1
Content Type application/json
Content Length 15 B
Date May 3, 2026 10:02:00 PM
hardikbabla64@gmail.com +917088836692
OUTLINE
TIMELINE
InsForge 40 0 1 hr 28 mins 127.0.0.1 cohort
5008 chars today Go Live Prettier



Code File Edit Selection View Go Run Terminal Window Help
react-scratch
Update
EXPLORER
REACT-SCRATCH
01
src
App.js
index.html
02
03
04
index.html
apiserver
index.html
App.js
01 > src > App.js > App
import React from "https://esm.sh/react@19.0.0";
import ReactDOM from "https://esm.sh/react-dom@19.0.0/client";
const App = () => {
return React.createElement(
"div",
{
className: "container",
},
React.createElement("h1", null, "Hello, React!"),
);
};
const container = document.getElementById("root");
const root = ReactDOM.createRoot(container);
root.render(React.createElement(App));
hardikbabla64@gmail.com +917088836692
OUTLINE
TIMELINE
InsForge
0 0
2 hrs 23 mins
127.0.0.1
cohort
Ln 11, Col 5 (133 selected)
Spaces: 2
UTF-8
LF
JavaScript
3907 chars today
Port : 5500
Prettier



React — Eraser
Vite | Next Generation Fronte
Vue.js - The Progressive Jave
react-ts-refresher
localhost:5173
Increment
Count is 0
Decrement
Console
Piyush Garg
top
Filter
Default levels
No Issues
2 hidden
Network messages
Log XMLHttpRequests
Preserve log
Eager evaluation
Selected context only
Autocomplete from hist...
Group similar messages
Treat code evaluation as...
CORS errors in console
Number Before 6
App.tsx:11
Number After 7
App.tsx:13
Number Before 7
App.tsx:11
Number After 8
App.tsx:13
hardikbabla64@gmail.com +917088836692
cmd i to turn on code suggestions. Don't show again



File Edit Selection View Go Run Terminal Help
chai-aur-nextjs
page.tsx ...\about U
page.tsx ...\contact U
CHAI-AUR-NEXTJS
.next
app
(auth)
(main)
about
page.tsx U
contact
docs
products
[id]
page.tsx U
agents
favicon.ico
globals.css
layout.tsx M
page.tsx
node_modules
public
.gitignore
AGENTS.md
bun.lock
CLAUDE.md
app > (main) > about > page.tsx > AboutPage
1 import React from 'react'
2 import Link from 'next/link';
3
4
5 const AboutPage = () => {
6 return (
7
8 <Link href={"/contact"}>Go to contact</Link>
9 <Link href={"/contact"}>Go to contact</Link>
10
11)
12 }
13
14 export default AboutPage
hardikbabla64@gmail.com +917088836692
Add to Chat Ctrl+L
Quick Edit Ctrl+K
Suraj
master*
chai-aur-nextjs
0 0
3 hrs 41 mins
Cursor Tab (Snoozed)
Ln 9, Col 28 (7 selected)
Spaces: 2
UTF-8
CRLF
TypeScript JSX
39°C
Clear
Search
ENG
IN
10:15
23-5-26



File Edit Selection View Go Run Terminal Help
chai-aur-nextjs
page.tsx M
todos.ts U
CHAI-AUR-NEXTJS
lib > todos.ts > fetchTodos > res
.next
app
components
lib
db.ts
todos.ts U
node_modules
prisma
public
.env
.gitignore
AGENTS.md
bun.lock
CLAUDE.md
eslint.config.mjs
next-env.d.ts
next.config.ts
package.json
postcss.config.mjs
prisma.config.ts
README.md
tsconfig.json
completed: boolean;
createdAt: string;
updatedAt: string;
};
export function getBaseUrl() {
if (process.env.VERCEL_URL) {
return `https://${process.env.VERCEL_URL}`;
}
return `http://localhost:${process.env.PORT ?? 3000}`;
}
Add to Chat Ctrl+L
Quick Edit Ctrl+K
export async function fetchTodos(): Promise<Todo[]> {
const res = await fetch(`${getBaseUrl()}/api/todos`, {
cache: "no-store",
});
hardikbabla64@gmail.com +917088836692
if (!res.ok) {
return [];
}
const json = await res.json();
Suraj Jha
master*
chai-aur-nextjs
0 0
3 hrs 24 mins
Cursor Tab (Snoozed)
Ln 18, Col 42 (14 selected)
Spaces: 2
UTF-8
CRLF
TypeScript
36°C
Clear
Search
ENG
IN
09:57
24-5-26



Code File Edit Selection View Go Run Terminal Window Help
ai-live
Update
EXPLORER
AI-LIVE
node_modules
tools
calculator.js
.env
~/Desktop/cohort2026/ai-live/tools/calculator.js
01-chAI.js
02-chAI.js
03-chAI.js
04.chAI.js
05-chAI.js
07-chAI.js
08-chAI-bot.js
09-chAi.js
package-lock.json
package.json
OUTLINE
TIMELINE
07-chAI.js
08-chAI-bot.js
09-chAi.js
calculator.js
05-chAI.js
09-chAi.js > ...
import { checkOpenAI } from "./01-chAI.js";
import { calculator, calculateTool } from "./tools/calculator.js";
const client = await checkOpenAI();
const model = "gpt-4o-mini";
console.log(client.baseURL);
const tools = [calculateTool];
const messages = [
{
role: "user",
content: "what is result of adding 23 and 54",
},
];
HC
InsForge 0 0 3 hrs 39 mins 127.0.0.1 cohort
Ln 52, Col 1 Spaces: 4 UTF-8 LF { } JavaScript 6525 chars today Go Live Prettier



Code File Edit Selection View Go Run Terminal Window Help
ai-live
Update
EXPLORER
AI-LIVE
10-todo-inngest
11-inngest-ai
01-inngest.js
inngest-client.js
server.js
node_modules
tools
.env
01-chAI.js
02-chAI.js
03-chAI.js
04.chAI.js
05-chAI.js
06-await-for.js
07-chAI.js
08-chAI-bot.js
09-chAi.js
chAI.zip
package-lock.json
package.json
OUTLINE
TIMELINE
server.js
01-inngest.js
inngest-client.js
11-inngest-ai > 01-inngest.js > onOrderPlaced > inngest.createFunction() callback
10 const { orderId, customer } = event.data;
11
12 const greeting = await step.run("greet", async () => {
13 return `Hello ${customer.name}! Thanks for your order ${orderId}`;
14 });
15
16 async function logGreeting() {
17 console.log(greeting);
18 }
19
20 await step.run("log-greeting", async () => {
21 console.log(greeting);
22 });
23
24 return { ok: true, greeting };
25 },
hardikbanda64@gmail.com +917088836692



localhost:3000/signup
ChaiCode Forms
Create your account
Fill in the form below to create your account
Full Name
Piyush Spam
Email
piyush@email.com
We'll use this to contact you. We will not share your email with anyone else.
Password
Must be at least 8 characters long.
Confirm Password
Please confirm your password.
Create Account
Or continue with
Sign up with GitHub
Already have an account? Sign in
1 Issue
Elements
Console
Sources
Network
Performance
Preserve log
Disable cache
No throttling
Filter
Invert
More filters
All
Fetch/XHR
Doc
CSS
JS
Font
Img
Media
Manifest
Socket
Wasm
Other
5,000 ms
10,000 ms
15,000 ms
20,000 ms
25,000 ms
30,000 ms
35,000 ms
Name
__nextjs_...
auth.crea...
Headers
Payload
Preview
Response
Initiator
Timing
General
Request URL
http://localhost:8000/trpc/auth.createUserWithEmailAndPassword
Request Method
POST
Status Code
200 OK
Remote Address
[::1]:8000
Referrer Policy
strict-origin-when-cross-origin
Response headers
Raw
Access-Control-Allow-Origin
http://localhost:3000
Connection
keep-alive
Content-Type
application/json
Date
Sat, 16 May 2026 17:16:23 GMT
Keep-Alive
timeout=5
Transfer-Encoding
chunked
2 / 35 requests
Piyush Garg
hardikbabla64@gmail.com +917088836692



trpc-monorepo
trpc.ts
index.ts
packages > services > user > index.ts > UserService > verifyUserToken > verificationResult
Piyush Garg
class UserService {
private async getUserByEmail(email: string) {…
}
private async generateUserToken(payload: GenerateUserTokenPayloadType) {
const { id } = await generateUserTokenPayload.parseAsync(payload)
const token = JWT.sign({ id }, env.JWT_SECRET)
return { token }
}
private async verifyUserToken(token: string): Promise<GenerateUserTokenPayloadType> {
try {
const verificationResult = JWT.verify(token, env.JWT_SECRET) as GenerateUserTokenPayloadType
return verificationResult
} catch (error) {
throw new Error(`Invalid Token`)
}
}
hardikbabla64@gmail.com +917088836692
public async getUserInfoById(id: string) {
const user = await db.select({
id: usersTable.id,
email: usersTable.email,
fullName: usersTable.fullName,
profileImageUrl: usersTable.profileImageUrl,
}).from(usersTable).where(eq(usersTable.id, id))
main
trpc-monorepo
0 3
Git Graph
Ln 24, Col 40 (10 selected)
Spaces: 4
UTF-8
LF
TypeScript
Go Live
Quokka
Prettier



corsair-poc-chaicode
EXPLORER
OPEN EDITORS 1 unsaved
GROUP 1
package.json
corsair.ts src/server
play.ts src/server
agent.ts src/server
index.d.ts node_module...
migration.sql
CHAT EDITORS: GROU...
CORSAIR-POC-CHAICODE
node_modules
src / server
agent.ts
corsair.ts
play.ts
.env
corsair.db
migration.sql
package.json
pnpm-lock.yaml
pnpm-workspace.yaml
OUTLINE
TIMELINE
package.json
corsair.ts
play.ts
agent.ts
index.d.ts
migration.sql
src > server > agent.ts > main
import { query, tool, createSdkMcpServer } from '@anthropic-ai/claude-agent-sdk'
import { corsair } from './corsair.ts'
import { ClaudeProvider } from '@corsair-dev/mcp';
async function main() {
const provider = new ClaudeProvider();
const tools = await provider.build({ corsair });
tools.
for await (const response of query({
prompt: 'Hey agent, Can you list all of my repos',
})) {
if (response.type === 'result' && response.subtype === 'success') {
Output
Problems
Debug Console
Terminal
Ports
hardikbabla64@gmail.com +917088836692
26. Chat-App-Socket.io
27. Chonky
28. Clime
29. cloud-ide
30. code_snippets
Let me know if you'd like more details on any of these (description, language, stars, last updated, etc.) - that data is available in the result.
piyushgarg@Piyushs-MacBook-Pro corsair-poc-chaicode % pnpm install @corsair-dev/mcp @anthropic-ai/claude-agent-sdk
WARN 3 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6, prebuild-install@7.1.3
Already up to date
Progress: resolved 465, reused 458, downloaded 0, added 0, done
Done in 1.6s using pnpm v10.33.0
piyushgarg@Piyushs-MacBook-Pro corsair-poc-chaicode %
zsh
zsh
corsair-poc-chaicode
Ln 10, Col 11
Spaces: 4
UTF-8
LF
TypeScript
Go Live
Quokka
Prettier
Piyush Garg



File Edit Selection View Go Run ···
chaicode-pr-reviewer
layout.tsx 1, U
dashboard-shell.tsx 1, U
dashboard-sidebar.tsx 3, U
routes.ts U
features > dashboard > lib > routes.ts > ...
repos: "/dashboard/repos",
pullRequest:"/dashboard/pull-request",
github: "/dashboard/github",
settings: "/dashboard/settings",
} as const;
export type DashboardRoute =
(typeof DASHBOARD_ROUTES)[keyof typeof DASHBOARD_ROUTES];
export const DASHBOARD_NAV_ITEMS = [
{
title: "Overview",
href: DASHBOARD_ROUTES.overview,
icon: "layout-dashboard" as const,
},
{
hardikbabla64@gmail.com +917088836692
title: "Repositories",
href: DASHBOARD_ROUTES.repos,
icon: "folder-git-2" as const,
},
{
title: "GitHub App",
href: DASHBOARD_ROUTES.github,
icon: "github" as const,
},
{
title: "Settings",
Suraj Jha
master*
Launchpad
Ln 1, Col 1 (213 selected)
Spaces: 4
UTF-8
CRLF
TypeScript
Inline suggestions limit reached
Today: 5h 38m
Go Live
Prettier
29°C
Clear
Search
ENG
IN
10:59
13-6-26



File Edit Selection View Go Run Terminal Help
chaicode-pr-reviewer
next.config.ts M
.env
.gitignore
CHAICODE-PR-REVIEWER
.next
app
components
features
hooks
lib
node_modules
prisma
public
.env
.gitignore
AGENTS.md
chaicode-pr-review.2026-...
CLAUDE.md
components.json
eslint.config.mjs
next-env.d.ts
next.config.ts M
package-lock.json
package.json
postcss.config.mjs
prisma.config.ts
proxy.ts
README.md
tsconfig.json
.env
1 DATABASE_URL="postgresql://neondb_owner:npg_XKw5caInQ1Bt@ep-old-field-ah4akmk2-pooler.c-3.us-east-1.aws.neon
2
3 # Authentication
4 BETTER_AUTH_SECRET=8LTzQowEqB3k8naKaQ9pIcmuYhx7Dvsh
5 BETTER_AUTH_URL=http://localhost:3000
6 GITHUB_CLIENT_ID = Iv23liJBPy9HAEMn83kG
7 GITHUB_CLIENT_SECRET = 1cf154141574ad7438268ad034fb88248fd8fd2b
8
9 # Github App
10 GITHUB_APP_ID=4052230
11 GITHUB_APP_NAME=chaicode-pr-review
12 NEXT_PUBLIC_GITHUB_PUBLIC_LINK = https://github.com/apps/chaicode-pr-review
13 GITHUB_APP_PRIVATE_KEY=-----BEGIN RSA PRIVATE KEY-----
master* chaicode-pr-reviewer 0 0 3 hrs 21 mins
Cursor Tab Ln 13, Col 24 Spaces: 4 UTF-8 CRLF Environment Variables Go Live
32°C Mostly clear
Search
ENG IN
09:02 14-6-26



Repositories
Chapter-9
(2) Chai AI Cod
Innqest Server
Phosphor Icons
Razorpay
chaicodeprrevi
chaicodeprrevi
Excalidraw Wh
generate revie
localhost:5121
Your Repositori
File Edit Selection View Go Run Terminal Help
chaicode-pr-reviewer
Ag
Suraj
.env
CHAICODE-PR-REVIEWER
app
components
features
hooks
lib
node_modules
prisma
public
.env
.gitignore
AGENTS.md
chaicode-pr-review.2026-06-14.private-key....
CLAUDE.md
components.json
docker-compose.yml
eslint.config.mjs
next-env.d.ts
next.config.ts
package-lock.json
package.json
postcss.config.mjs
prisma.config.ts
proxy.ts
README.md
tsconfig.json
tsconfig.tsbuildinfo
8
9 # Github App
10 GITHUB_APP_ID=4052230
11 GITHUB_APP_NAME=chaicode-pr-review
12 NEXT_PUBLIC_GITHUB_PUBLIC_LINK = https://github.com/apps/chaicode-pr-review
13 GITHUB_APP_PRIVATE_KEY="-----BEGIN RSA PRIVATE KEY-----\nMIIEowIBAAKCAQEAqtfs7HaawmiUZiLgRgxlM7Oaa6I9C2EsWWu+
14
15 GITHUB_WEBHOOK_SECRET=7cd249ab5746950c42ab51e85ebd9bb54cdecad583797c2c
16
17 INNGEST_DEV=1
18
19 OPENROUTER_API_KEY=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
20 hardikbabla64@gmail.com +917088836692
21
22 # Pinecone
23 PINECONE_INDEX=chaicodeprreview
24 PINECONE_API_KEY=pcsk_5P7YPM_Fnr461ewo7cTF3atrq5PMQsWt5JxXBB1GjAVkC4EyxDAvNtkVPPWhfLH2xsnPWN
25
26 RAZORPAY_KEY_ID=rzp_test_T0DyZXVnQyH5rs
27 RAZORPAY_KEY_SECRET=xXuJTLFOysJ2h2fUwr36pDYU
28 RAZORPAY_PLAN_
master
chaicode-pr-reviewer
0 0
5 hrs 37 mins
Cursor Tab (Snoozed)
Ln 28, Col 15
Spaces: 4
UTF-8
CRLF
{} Environment Variables
Go Live
32°C
Clear
Search
ENG
IN
09:52
18-6-26



play.fga.dev/sandbox/?store=gdrive
auth0 Fine-Grained Authorization
gdrive
JOIN
DOCS
TOUR
Piyush Garg
AUTHORIZATION MODEL (4 TYPES)
JSON
DSL
1 model
2 schema 1.1
3
4 type doc
5 relations
6 define can_change_owner: owner
7 define can_read: viewer or owner or viewer from parent
8 define can_share: owner or owner from parent
9 define can_write: owner or owner from parent
10 define owner: [user]
11 define parent: [folder]
12 define viewer: [user, user:*, group#member]
13
14 type folder
hardikbabla64@gmail.com +917088836692
Tuples (9)
Assertions (8)
USER folder:product-2021
RELATION parent
OBJECT doc:2021-roadmap
TYPES PREVIEWER
user
group
can_change_owner
can_share
parent
owner
doc
gdrive
viewer
can_write
can_read
folder
STORE
TYPE
RELATIONS
TUPLE QUERIES


File Edit Selection View Go Run Terminal Help
chai0-clone-build
schema.prisma M
prisma > schema.prisma > ...
Suraj from s0
Problems Output Debug Console Terminal Ports
node
Add to Chat Ctrl+L
PUT /api/inngest 200 in 63ms (next.js: 13ms, proxy.ts: 24ms, application-code: 27ms)
PUT /api/inngest 200 in 115ms (next.js: 18ms, proxy.ts: 47ms, application-code: 50ms)
PUT /api/inngest 200 in 26ms (next.js: 5ms, proxy.ts: 6ms, application-code: 15ms)
PUT /api/inngest 200 in 43ms (next.js: 5ms, proxy.ts: 24ms, application-code: 14ms)
PUT /api/inngest 200 in 37ms (next.js: 7ms, proxy.ts: 12ms, application-code: 18ms)
PUT /api/inngest 200 in 26ms (next.js: 4ms, proxy.ts: 8ms, application-code: 14ms)
PUT /api/inngest 200 in 31ms (next.js: 4ms, proxy.ts: 12ms, application-code: 15ms)
PUT /api/inngest 200 in 39ms (next.js: 5ms, proxy.ts: 21ms, application-code: 13ms)
PUT /api/inngest 200 in 39ms (next.js: 4ms, proxy.ts: 21ms, application-code: 13ms)
PUT /api/inngest 200 in 35ms (next.js: 4ms, proxy.ts: 19ms, application-code: 12ms)
PUT /api/inngest 200 in 28ms (next.js: 6ms, proxy.ts: 9ms, application-code: 13ms)
PUT /api/inngest 200 in 41ms (next.js: 5ms, proxy.ts: 21ms, application-code: 15ms)
PUT /api/inngest 200 in 30ms (next.js: 4ms, proxy.ts: 13ms, application-code: 13ms)
hardikbabla64@gmail.com +917088836692
PUT /api/inngest 200 in 27ms (next.js: 6ms, proxy.ts: 9ms, application-code: 13ms)
PUT /api/inngest 200 in 41ms (next.js: 5ms, proxy.ts: 21ms, application-code: 14ms)
PUT /api/inngest 200 in 33ms (next.js: 11ms, proxy.ts: 5ms, application-code: 16ms)
PUT /api/inngest 200 in 26ms (next.js: 4ms, proxy.ts: 7ms, application-code: 15ms)
PS C:\coding-room\batches\chai0-clone-build> npx prisma migrate dev
Loaded Prisma config from prisma.config.ts.
Prisma schema loaded from prisma\schema.prisma.
Datasource "db": PostgreSQL database "neondb", schema "public" at "ep-bitter-queen-ati0qbuk-pooler.c-9.us-east-1.aws.neon.tech"
master* chai0-clone-build 0 0 6 hrs 22 mins Cursor Tab Not Committed Yet Ln 79, Col 1 Spaces: 2 UTF-8 CRLF Prisma Go Live
ENG IN 09:55 27-6-26


File Edit Selection View Go Run Terminal Help
chai0-clone-build
project-view.tsx 1, U
file-explorer.tsx 2, U
utils.ts
src › lib › utils.ts › convertFilesToTreeItems
CHAI0-CLONE-BUILD
src
components
ui
tabs.tsx
textarea.tsx
toggle-group.tsx
toggle.tsx
tooltip.tsx
features
generated
hooks
lib
db.ts
prompt.ts M
utils.ts
proxy.ts
.env
.gitignore
AGENTS.md
CLAUDE.md
components.json
eslint.config.mjs
next-env.d.ts
next.config.ts
package-lock.json M
package.json M
postcss.config.mjs
"src/components/Card.tsx": "export function Card() {}",
}
Output
[
["src", ["components", "Button.tsx", "Card.tsx"], "index.ts"],
"README.md",
"package.json",
]
@example
Flat project (no folders)
convertFilesToTreeItems({ "index.html": "<html>", "style.css": "body {}" })
export function convertFilesToTreeItems(files: Record<string, string>): TreeItem[] {
}
master* chai0-clone-build 3 4 4 hrs 21 mins
Cursor Tab Not Committed Yet
Ln 104, Col 29 (12 selected)
Spaces: 2 UTF-8 LF TypeScript Go Live
ENG IN
10:05
28-6-26


hello-world-nodejs
Piyush Garg
EXPLORER
OPEN EDITORS
GROUP 1
Dockerfile U
CHAT EDITORS: GROU...
HELLO-WORLD-NODEJS
.github
node_modules
.gitignore
Dockerfile U
index.js
package-lock.json
package.json
private-key
private-key.pub
OUTLINE
TIMELINE
Dockerfile U
Dockerfile
hardikbabla64@gmail.com +917088836692
COPY package.json package.json
COPY package-lock.json package-lock.json
COPY index.js index.js
RUN npm install
CMD ["node", "index"]
Output
Problems
Debug Console
Terminal
Ports
=> [internal] load build context
=> => transferring context: 30.23kB
=> [2/5] COPY package.json package.json 0.1s
=> [3/5] COPY package-lock.json package-lock.json 0.0s
=> [4/5] COPY index.js index.js 0.0s
=> [5/5] RUN npm install 5.9s
=> exporting to image 0.3s
=> => exporting layers 0.2s
=> => exporting manifest sha256:f5142b3de1a68828004978f1a87eb04488209 0.0s
=> => exporting config sha256:2b3dd5b6335e102a695c488720a9d99a73f3112 0.0s
=> => exporting attestation manifest sha256:98645ae10fabd517b865d05ae 0.0s
=> => exporting manifest list sha256:3be91cdcd98002b1d275d34d74d5052c 0.0s
=> => naming to docker.io/library/chai:latest 0.0s
=> => unpacking to docker.io/library/chai:latest 0.1s
View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/vh5h5le8dhhkds2tb55nwzfq9
piyushgarg@Piyushs-MacBook-Pro hello-world-nodejs % dock
Add to Chat ⌘L
node
zsh
zsh
zsh
zsh
zsh
main*
hello-world-nodejs
0 0
Git Graph
Ln 7, Col 10
Spaces: 4
UTF-8
LF
Docker
Go Live
Quokka
Prettier


Traefik + Caddy + Docker
app.eraser.io/workspace/WKoCsdeBMYkZMiVkRYZo
Document
Both
Canvas
Share
200%
hardikbabla64@gmail.com +917088836692
project-b.piyushgarg.online
project-a.piyushgarg.online
Caddy
Caddy
Project A
Project B
:443
træfik


Chrome File Edit View History Bookmarks Profiles Tab Window Help
us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Instances:
Search [Option+S]
United States (N. Virginia)
Piyush Garg
Chaicode
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Instances Info
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Find Instance by attribute or tag (case-sensitive)
1
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
No instances
You do not have any instances in this region
Launch instances
Select an instance
hardikbabla64@gmail.com +917088836692
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences