MasterJi

- Monitor
- Manage
- Dashboard
- Peer Reviews
- Projects
- Blogs
- Evaluations
- Problems • BETA
- Town Halls • BETA
- Report Card • BETA

Dashboard

Overview of your progress and upcoming deadlines.

Notice Board 4

Web Dev Cohort 2026
Web Dev Cohort 2025

View Notice | Join Today

Peer Reviews
0
5 Total
5 Pending

Projects
0
53 Total
53 Pending

Blogs
0
72 Total
72 Pending

Courses
9
4 Completed
5 Ongoing

0 Marks Earned | 0 Peer Evaluations | 0 Penalty Marks | 0.0/5 Code Quality Rating | 0.0/5 Writing Rating | 0.0/5 Evaluation Rating

Upcoming Deadlines

Git for Beginners: Basics and Essential Commands

Web Dev Cohort 2026

To publish the article on [Hashnode](https://hashnode.com/) or similar platform where you write about: 1. What is Git 2. Why Git is Used 3. Git Basics and Core Terminologies 4. Common Git Commands ### Suggestions 1. Introduce Git as a distributed version control system in simple terms 2. Explain core concepts like repository, commit, branch, and head 3. Demonstrate essential commands such as `git init`...

Dec 27, 2025, 8:00 PM
an 17, 2026, 11:59 PM


git-github
EXPLORER
OPEN EDITORS
hello.txt
feature.txt
HEAD chai-c... U
GIT-GITHUB
chai-code-tra...
ref / heads
HEAD U
feature.txt
hello.txt
OUTLINE
TIMELINE
PRETTY TYPESCRIPT ERROR
hello.txt
feature.txt
HEAD U
chai-code-tracker > HEAD
1 main
hardikbabla64@gmail.com +917088836692
Problems
Output
Debug Console
Terminal
Ports
ref: refs/heads/main
piyushgarg@Piyushs-MacBook-Pro .git % cd refs
piyushgarg@Piyushs-MacBook-Pro refs % ls
heads tags
piyushgarg@Piyushs-MacBook-Pro refs % cd heads
piyushgarg@Piyushs-MacBook-Pro heads % ls
main
piyushgarg@Piyushs-MacBook-Pro heads % cat main
2b9b022bdcc29e1667aacc9455ca881024ea058d
piyushgarg@Piyushs-MacBook-Pro heads % cd ..
piyushgarg@Piyushs-MacBook-Pro refs % cd ..
piyushgarg@Piyushs-MacBook-Pro .git %
zsh .git
git
cursor agent to run Agent · ⌘K to generate command
main* git-github 0 0 Git Graph Spaces: 4 UTF-8 LF Plain Text Go Live Quokka Prettier
Piyush Garg



hardikbabla64@gmail.com +917088836692


Chrome File Edit View History Bookmarks Profiles Tab Window Help
ChaiCode - Home for Pro
Cohort 26 — Eraser
(21) Heshie Brody on X:
Post Attendee - Zoom
ChaiCode - Home for Pro
hashnode chaicode - Go
#chaicode on Hashnode
app.eraser.io/workspace/kSzHXO9wdKte14XycoDp
hardikbabla64@gmail.com +917088836692
Cohort 26
Document
Both
Canvas
Hitesh Choudhary
100%
chaicode.com
Browser
Recursive DNS Server
.com
A
Root server
13 root server
1600+
TLD Server
TLD Server
TLD Server
Authrotative DNS server
198.9.9.9


Warp File Edit View Tab Blocks AI Drive Window Help
ChaiCode - Home fo
Cohort 26 — Eraser
(21) Heshie Brody or
Post Attendee - Zoo
ChaiCode - Home fo
hashnode chaicode
#chaicode on Hashn
Git for Beginners: Ba
app.eraser.io/workspace/kSzHXO9wdKte14XycoDp
Cohort 26
Document
Both
Canvas
Hitesh Choudhary
apple~$curl wttr.in
7-9 km/h
3-4 km/h
10 km
0.0 mm | 0%
6-7 km/h
3-6 km/h
10 km
0.0 mm | 0%
hardikbabla64@gmail.com +917088836692
Follow @igor_chubin for wttr.in updates
ls
auto (responsive)
30px
100%

hardikbabla64@gmail.com +917088836692

```
Non-authoritative answer:
Name:   hashnode.network
Address: 76.76.21.21

piyushgarg@Piyushs-MacBook-Pro ~ % dig hashnode.network

; <<>> DiG 9.10.6 <<>> hashnode.network
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 34143
;; flags: qr rd ra ad; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 0

;; QUESTION SECTION:
;hashnode.network.              IN      A

;; ANSWER SECTION:
hashnode.network.       293     IN      A       76.76.21.21

;; Query time: 5 msec
;; SERVER: 2405:201:501a:70eb::c0a8:1d01#53(2405:201:501a:70eb::c0a8:1d01)
;; WHEN: Sun Jan 18 20:39:24 IST 2026
;; MSG SIZE  rcvd: 50

piyushgarg@Piyushs-MacBook-Pro ~ %
```

Chrome File Edit View History Bookmarks Profiles Tab Window Help
ChaiCode - Home for Pro | ChaiCode - Home for Pro | Cohort 26 — Eraser | The LLVM Compiler Infra | DNS / Nameservers | Hos | General | Project configu | DNS records | Netlify Do | DNS recor
app.eraser.io/workspace/kSzHXO9wdKte14XycoDp
Cohort 26
Document Both Canvas
⌘ K +6 Share
100%
Hitesh Choudhary

Protocol

Agreed rules



interoperability

hardikbabla64@gmail.com +917088836692




HTML-CLASS-01
EXPLORER
OPEN EDITORS
myfile.html
dark.css
contact.html
HTML-CLASS-01
contact.html
dark.css
myfile.html
OUTLINE
DEBUG CONSOLE
TIMELINE
PRETTY TYPESCRIPT ERR...
myfile.html
dark.css
contact.html
contact.html > html > body
1 <!doctype html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8" />
5 <meta name="viewport" content="width=device-width, initial
6 <title>Document</title>
7 <link rel="stylesheet" href="dark.css" />
8 </head>
9 <body>
10 <h1>Contact Us Page</h1>
11 My Phone Number: +91 9999999999
12 Email: xtz@example.com
13 </body>
14 </html>
Piyush Garg
hardikbabla64@gmail.com +917088836692
Ln 9, Col 9
Spaces: 4
UTF-8
LF
{ } HTML
Go Live
Prettier


Code File Edit Selection View Go Run Terminal Window Help
HTML-CLASS-01
contact.html
contact.html > html > head > style > button
2 <html lang="en">
3 <head>
5 <meta name="viewport" content="width=device-widt
6 <title>Document</title>
7 <style>
8 .my-button {
9 background-color: pink;
10 }
11 button {
12 background-color: teal;
13 }
14 </style>
15 </head>
16 <body>
hardikbabla64@gmail.com +917088836692
17 <button id="btn" class="my-button">Call Me</butt
18 </body>
19 </html>
0 0 Spaces: 4 UTF-8 LF { } HTML Port : 5500 Prettier
Document
127.0.0.1:5500/contact.html
Call Me
Piyush Garg
Elements
<!DOCTYPE html>
<html lang="en">
<head> </head>
<body> == $0
<button id="btn" class="my-button">Call Me</button>
html body
Styles Computed Layout
Filter :hov .cls
element.style {
}
body { user agent stylesheet
display: block;


Cursor File Edit Selection View Go Run Terminal Window Help
flexbox
index.html
style.css
style.css › #parent
#parent {
border: 2px solid red;
width: 90vw;
height: 300px;
}
.child {
border: 2px solid blue;
height: 40px;
width: 40px;
}
#parent {
display: flex;
flex-direction: row;
justify-content: space-evenly;
}
flexbox 0 0 Port : 5500 Quokka Prettier
Flexbox
127.0.0.1:5500/index.html
1
2
3
4
5
Piyush Garg
Elements Console Sources Network
<!DOCTYPE html>
<html lang="en" suppresshydrationwarning="true" data-lt-installed="true">
<head> </head>
<body>

1
2
3
html body div#parent
Styles Computed Layout Event Listeners DOM Breakpoints Properties
Filter
:hov .cls


Copy of HTML/CSS — Eraser
GRID
repeat() - CSS | MDN
GRID | CHAICODE
127.0.0.1:5500/index.html
Gmail
YouTube
Maps
1
2
3
4
5
7
6
hardikbabla64@gmail.com +917088836692
Piyush Garg
Elements
<!DOCTYPE html>
<html lang="en" suppresshydrationwarning e" data-lt-installed="true">
<head> </head>
<body>
 grid
1 flex
2 flex
3 flex
4 flex
5 flex
6 flex
7 flex

<!-- Code injected by live-server -->
<script> </script>
</body>
</html>
html
body
div#parent
div.child.child-7
Styles
Computed
Layout
Event Listeners
Filter
:hov
.cls


javascript-01
EXPLORER
OPEN EDITORS
brain.js
JAVASCRIPT-01
brain.js
index.html
script.js
OUTLINE
TIMELINE
PRETTY TYPESCRIPT ERROR
brain.js
brain.js > addFive
4 console.log('value of age is', age);
5
6 function addFive(number) {
7 var result = number + 5;
8 return result;
9 }
10
Piyush Garg
hardikbabla64@gmail.com +917088836692
Problems
Output
Debug Console
Terminal
Ports
value of age is undefined
Adding 5 to 10 15
value of age is 45
Waiting for the debugger to disconnect...
piyushgarg@Piyushs-MacBook-Pro javascript-01 %
zsh
JavaScript De...
⌘K to generate command
javascript-01
Ln 9, Col 2
Spaces: 4
UTF-8
LF
JavaScript
Port : 5500
Quokka
Prettier

day2.js ● Untitled-1 ●

```
1
2   // 1.
3   const nums = [3, 10, 24, 90]
4
5   const result = map(e => e * 10 + 1)
6
7   function map(fn) {
8       const result = [];
9
10      for (let i = 0; i < nums.length; i++) {
11        const currentElement = nums[i];
12        const num = fn(currentElement);
13        result.push(num);
14      }
15
16      return result;
17    }
18
19
20  console.log(result)
21
22
23
```

hardikbabla64@gmail.com +917088836692

conditionals.js

```
14
15  const courseLauched = true;
16
17  const chosenPath = "left";
18
19  switch (chosenPath) {
20    case "right":
21      console.log("User selected right");
22      break;
23    case "top":
24      console.log("User selected top");
25      break;
26    case "left":
27      console.log("User selected top");
28      break;
29    default:
30      "Jiska koi nhi hota, uska defaul hota h";
31  }
32
```

hardikbabla64@gmail.com +917088836692


Zed File Edit Selection View Go Run Window Help
js-basics
js-basics
01-console.js
02-variables.js
03-datatypes.js
04-numbers.js
05-string.js
06-array.js
07-array-methods.js
08-objects.js
09-object-methods.js
10-functions.js
conditionals.js
doubts.js
10-functions.js
10-functions.js › function brewPotion( )
11 const distilEssence = (ingredient) => {
12 return `Mixing elexir with ${ingredient} `;
13 };
14
15 function oldBrewingLogs() {
16 console.log("Type: ", typeof arguments);
17 console.log("Is Array: ", Array.isArray(arguments));
18 console.log(arguments);
19 }
20
21 oldBrewingLogs("Sage", "Rosemary");
22
hardikbabla64@gmail.com +917088836692
HC
Ch Code
js-basics — zsh
apple~$node 10-functions.js
Brewing potion with Healing Herbs (x3)... Potion ready
Type: object
[Arguments] { '0': 'Sage', '1': 'Rosemary' }
apple~$node 10-functions.js
Brewing potion with Healing Herbs (x3)... Potion ready
Type: object
Is Array: false
[Arguments] { '0': 'Sage', '1': 'Rosemary' }
apple~$
3:65 (62 characters)
JavaScript

js-basics
01-console.js
02-variables.js
03-datatypes.js
04-numbers.js
05-string.js
06-array.js
07-array-methods.js
08-objects.js
09-object-methods.js
10-functions.js
11-this.js
12-call-bind-apply.js
13-new.js
14-prototype.js
conditionals.js
doubts.js

11-this.js

```
29  };
30
31  console.log(bollywoodFilm.introduce());
32  console.log(bollywoodFilm2.introduce());
33
34  const filmDirector = {
35    name: "Sanjay Leela Bhansali",
36    cast: ["Ranveer", "Deepika", "Priyanka"],
37
38    announceCast() {
39      this.cast.forEach((actor) => {
40        console.log(`${this.name} introduces ${actor}`);
41      });
42    },
43  };
44
45  filmDirector.announceCast();
46
47  const filmSet = {
48    crew: "Spot boys",
49    prepareProps() {
50      console.log(`Outer this.crew: ${this.crew}`);
51
52      function arrangeChairs() {
```

hardikbabla64@gmail.com +917088836692


RequestKit File Edit View Window Help
js-basics
18-promises.js
15-classes.js
15-classes.js › class Debutant › constructor( )
01-console.js
02-variables.js
03-datatypes.js
04-numbers.js
05-string.js
06-array.js
07-array-methods.js
08-objects.js
09-object-methods.js
10-functions.js
11-this.js
12-call-bind-apply.js
13-new.js
14-prototype.js
15-classes.js
16-Symbol.js
17-error-handling.js
18-promises.js
conditionals.js
doubts.js
RequestKit
Collections
History
COLLECTIONS
Search...
freeapi
GET
Enter URL or paste cURL...
Send
Params
Headers
Body
Auth
Scripts
Key
Value
Key
Value
+ Add
hardikbabla64@gmail.com +917088836692
Send a request to see the response
RequestKit v0.1.2
freeapi
HC
24:4
JavaScript


Zed File Edit Selection View Go Run Window Help
js-basics
js-basics
01-console.js
02-variables.js
03-datatypes.js
04-numbers.js
05-string.js
06-array.js
07-array-methods.js
08-objects.js
09-object-methods.js
10-functions.js
11-this.js
12-call-bind-apply.js
13-new.js
14-prototype.js
15-classes.js
16-Symbol.js
17-error-handling.js
18-promises.js
19-promises.js
conditionals.js
doubts.js
19-promises.js
19-promises.js
32 const turant = Promise.resolve("Turant");
33 console.log(turant);
34
35 const allPromise = Promise.allSettled([
36 Promise.resolve("Chai"),
37 Promise.resolve("Code"),
38 Promise.reject("Error"),
39]);
40
41 allPromise.then(console.log);
42
HC
hardikbabla64@gmail.com +917088836692
js-basics — node --watch 19-promises....
[
{ status: 'fulfilled', value: 'Chai' },
{ status: 'fulfilled', value: 'Code' },
{ status: 'rejected', reason: 'Error' }
]
Completed running '19-promises.js'. Waiting for file changes before restarting...
40:1
JavaScript

dom

index.html | todo.html | tiffin.js

todo.html > html > body > script

```
2   <html lang="en">
98    <body>
99      <div class="container">
105       <div>
106         <ul id="todoContainer"></ul>
107       </div>
108     </div>
109     <script>
110       const createButtonRef = document.getElementById('createButton');
111       const todoInputRef = document.getElementById('todoInput');
112       const todoContainerRef = document.getElementById('todoContainer');
113       ⌘L to chat, ⌘K to generate
114       (async () => {
115         fetch('https://api.freeapi.app/api/v1/public/quotes', {
116           method: 'GET',
117         })
118           .then((response) => response.json()) // JSON => Object
119           .then((data) => {
120             for (const obj of data.data.data) {
121               const li = document.createElement('li');
122               li.innerText = obj.content;
```

hardikbabla64@gmail.com +917088836692

dom ⊗ 0 ⚠ 0 | Cursor Tab | Ln 113, Col 1 | Spaces: 4 | UTF-8 | LF | {} HTML | Port : 5500 | Quokka | Prettier


Code File Edit Selection View Go Run Terminal Window Help
node
EXPLORER
NODE
01-node-foundation.js
01-node-foundation.js
01-node-foundation.js > ...
4
5 console.log("NodeJS: ", process.versions.node);
6 console.log("V8: ", process.versions.v8);
7 console.log("libuv: ", process.versions.uv);
8 console.log("==========");
9 console.log("libuv: ", process.platform);
10
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
zsh
apple~$node 01-node-foundation.js
NodeJS: 24.11.0
V8: 13.6.233.10-node.28
libuv: 1.51.0
==========
libuv: darwin
apple~$
hardikbabla64@gmail.com +917088836692
OUTLINE
TIMELINE
InsForge 0 0 1 hr 44 mins 127.0.0.1 cohort
Ln 8, Col 39 Spaces: 4 UTF-8 LF { } JavaScript 2452 chars today Go Live Prettier



hajdikbabla64@gmail.com +917088856692

NodeJS Internals — Eraser | SIGKILL vs SIGTERM: Master | Node.js — The Node.js Event
app.eraser.io/workspace/MLNcCyBE86fcme83ERYN
Gmail YouTube Maps

NodeJS Internals

Document | Both | Canvas

⌘ K | IN | Share

c++

Threadpool

node filename.js

57%

v8 + c++ + libuv = NodeJS

Process

Main Thread

Init Project
Top Level Code
Import Statements
Event Callbacks Register

Start Event loop

ExipredCallbacks()

Pool of threads

4

Blocking Code

```
while True {
 ExipredCallbacks()
 IO Polling()
 setImmediate()
 close callbacks()

 check if anything
 pending? No = Exit
 Yes continue

 }
```

hardikbabla64@gmail.com +917088836692

CPU
Cry
Rea
End

Code File Edit Selection View Go Run Terminal Window Help
Sun 15 Mar 8:41 PM
express-class
01-express-intro.js
01-express-intro.js > block_1_basicServer > <function>

```
3   function block_1_basicServer(){
4       return new Promise((resolve) => {
8           app.get('/menu', (req, res) => {…
15          })
16
17          app.get('/search', (req, res) => {
18              const {q, limit} = req.query
19              res.json({
20                  query: q,
21                  limit: limit || '10'
22              })
23          })
24
25          app.get('/menu/:id', (req, res) => {
26              const {id} = req.params
27              res.json({
28                  item: id,
29                  price: 149
30              })
31          })
32
33
34
```

hardikbabla64@gmail.com +917088836692

0 0 Ln 32, Col 1 Spaces: 4 UTF-8 LF { } JavaScript Go Live Supermaven

Code File Edit Selection View Go Run Terminal Window Help
Sat 21 Mar 10:26 PM
backend-cohort

EXPLORER

BACKEND-COHORT

- node_modules
- src
  - common
  - modules
    - auth
      - dto
      - auth.controller.js
      - auth.middleware.js
      - auth.model.js
      - auth.routes.js
      - auth.service.js
    - cart
  - app.js
- .env
- .gitignore
- env.example
- package-lock.json
- package.json
- server.js

OUTLINE

TIMELINE

auth.model.js

src > modules > auth > auth.model.js > userSchema

```
4   const userSchema = new mongoose.Schema({
27      role: {
29          enum: ["customer", "seller", "admin"],
30          default: "customer"
31      },
32      isVerified: {
33          type: Boolean,
34          default: false
35      },
36      verificationToken: {type: String, select: false},
37      refreshtoken: {type: String, select: false},
38      resetPasswordtoken: {type: String, select: false},
39      resetpasswordExpires: {type: Date, select: false},
40  })
41
42
43  export default mongoose.model("User", userSchema)
44
```

hardikbabla64@gmail.com +917088836692

0 0 Update is ready, click to restart. Ln 40, Col 3 Spaces: 4 UTF-8 LF { } JavaScript Go Live Supermaven (disabled)


Code File Edit Selection View Go Run Terminal Window Help
backend-cohort
EXPLORER
BACKEND-COHORT
node_modules
src
common
config
dto
middleware
utils
api-error.js
api-response.js
jwt.utils.js
modules
auth
dto
register.dto.js
auth.controller.js
auth.middleware.js
auth.model.js
auth.routes.js
auth.service.js
cart
app.js
.env
.gitignore
env.example
package-lock.json
package.json
server.js
OUTLINE
TIMELINE
jwt.utils.js
auth.service.js
api-error.js
auth.model.js
.env
src > modules > auth > auth.service.js > login > id
const login = async ({ email, password }) => {
//take email and find user in DB
// then check if password is correct
// check if verified or not
const user = await User.findOne({ email }).select("+password");
if (!user) throw ApiError.unauthorized("Invalid Email or password");
// somehow I will check password
if (!user.isVerified) {
throw ApiError.forbidden("Please verify your email before loggin");
}
generateAccessToken(payload: any): never
generateAccessToken({id: user._id})
};
export { register };
hardikbabla64@gmail.com +917088836692
InsForge 0 0 30 mins 127.0.0.1 cohort
Ln 42, Col 36 Spaces: 4 UTF-8 LF { } JavaScript 726 chars today Go Live Prettier


Code File Edit Selection View Go Run Terminal Window Help
backend-cohort
EXPLORER
BACKEND-COHORT
node_modules
src
common
config
dto
middleware
utils
modules
auth
dto
auth.controller.js
auth.middleware.js
auth.model.js
auth.routes.js
auth.service.js
cart
app.js
.env
.gitignore
22-cohort-class.zip
env.example
package-lock.json
package.json
server.js
OUTLINE
TIMELINE
.env
email.js
auth.controller.js
login.dto.js
register.dto.js
auth.middleware.js
hardikbabla64@gmail.com +917088836692
src > modules > auth > auth.routes.js > ...
4 import RegisterDto from "./dto/register.dto.js";
5 import { authenticate } from "./auth.middleware.js";
6 import LoginDto from "./dto/login.dto.js";
7
8 const router = Router();
9
10 router.post("/register", validate(RegisterDto), controller.register);
11 router.post("/login", validate(LoginDto), controller.login);
12 router.post("/logout", authentic import controller gout);
13 router.get("/me", authenticate, controller.getMe);
14
15 export default router;
16
HC
InsForge 0 0 2 hrs 3 mins 127.0.0.1 cohort Update is ready, click to restart. Spaces: 4 UTF-8 LF { } JavaScript 3926 chars today Go Live Prettier


Piyush's Team
Tutorials
192.168.29.74:8281
Connect
Star 6,574
Piyush Garg
New
Import
No environment
ChaiCode Auth...
Hello
Untitled request
Network
Rules
APIs
Files
Sessions
Invite
Search
ChaiCode Authentication
GET Hello
GET Untitled request
API Client
Untitled request
Get client code
POST
http://localhost:8080/auth/sign-up
Send
Save
Params
Body
Headers
Authorization
Scripts
400
16 ms
Save
Raw
x-www-form-urlencoded
multipart/form-data
JSON
Preview
Raw
hardikbabla64@gmail.com +917088836692
{
"firstName": "Piyush",
"lastName": "Garg",
"email": "piyushgarg.dev@gmail.com",
}
{
"message": "body validation failed",
"error": [
{
"expected": "string",
"code": "invalid_type",
"path": ["email"],
"message": "Invalid input: expected string, received undefined"
v26.3.3
Documentation
Help

sql_class

01-class.sql

01-class.sql

Run on active connection | Select block

```sql
CREATE TABLE students (
    student_id SERIAL PRIMARY KEY, -- serial auto incremented integer, Primary key is un
    first_name VARCHAR(50) NOT NULL, -- my first name should have max 50 letters
    last_name VARCHAR(50),

    email VARCHAR(322) UNIQUE NOT NULL,
    phone_number VARCHAR(10) UNIQUE,
)

```

hardikbabla64@gmail.com +917088836692

Launchpad 0 0 sql_class_conn Update is ready, click to restart. LF { } SQL Go Live Supermaven Free Tier Prettier

DB — Eraser | ChatGPT | Acid Transactions | aof redis - Google Search

app.eraser.io/workspace/YuYqXORRYEGzpYYzyETp

DB

Document | Both | Canvas

⌘ K | Share

Shubham

43%

Entity Relationship Diagram | AI Chat | Code Editor



Entity Relationship Visualize data models

```
// users, posts, story, comments, likes, followers, bookmarks

users [icon: user] {
  id serial pk
  username varchar(50) unique not null
  email varchar(100) unique not null
  phone char(15)
  dob date
  password varchar(256)
  bio text
  avatar_url text
  forgot_password_token text
  email_verification_token text

  created_at timestamp
  updated_at timestamp
}

posts [icon: notebook] {
  id serial pk
```

harshbabar@gmail.com +917088836692

users

3:06:28 / 4:16:01

> many-to-one - one-to-one

File Edit Selection View Go ··· chai-aur-filesystem

auth.routes.js M | auth.controller.js M | auth.service.js M | imagekit.js U | .env

src > modules > auth > auth.service.js > avatarUpload

EXPLORER

CHAI-AUR-FILESYSTEM

- node_modules
- public
  - others
  - uploads
    - file-1775923550886-6...
    - photos-177592404972...
    - photos-177592404973...
    - photos-177592404974...
- src
  - common
  - modules
  - app.js M
- .env
- .gitignore
- docker-compose.yml
- env.example
- package-lock.json
- package.json

OUTLINE

TIMELINE

```
165  const avatarUpload = async(userId , file)=>{
178      );
179
180      fs.unlinkSync(file.path);
181
182      return {
183        url:uploadResponse.url,
184        fileId:uploadResponse.fileId
185      }
186
187    } catch (error) {
188      try {
189        if(file.path && fs.existsSync(file.path)){
190          fs.unlinkSync(file.path);
191        }
192      } catch (error) {
193              You, 26 minutes ago • Uncommitted changes
194      }
195    }
196  }
197
198  export {
199    register,
200    login,
201    refresh,
```

hardikbabla64@gmail.com +917088836692

main* Launchpad 0 0 Spaces: 2 UTF-8 LF JavaScript Inline suggestions quota reached Today: 5h 59m Go Live Prettier

26°C Clear Search ENG IN 10:44 11-4-26

chai-aur-filesystem

team.model.js U

src > modules > ipl-ms > models > team.model.js > ...

```
1  import mongoose from "mongoose";
2
3  const teamSchema = new mongoose.Schema({
4    name: {
5      type: String,
6      required: [true, "Team name is required"],
7      trim: true,
8      minlength: 2,
9      maxlength: 100,
10   },
11
12   ownerId:{
13     type:mongoose.Schema.Types.ObjectId,
14     ref:"Owner",
15     required:[true , "Owner is required"]
16   }
17 });
18
19
```

hardikbabla64@gmail.com +917088836692

EXPLORER

CHAI-AUR-FILESYSTEM

- node_modules
- public
- src
  - common
  - modules
    - auth
      - dto
      - auth.controller.js
      - auth.middlewar...
      - auth.model.js
      - auth.routes.js
      - auth.service.js
    - cart
    - fs-module
    - ipl-ms
      - controllers
      - models
        - owner.m... U
        - team.mo... U
      - routes

OUTLINE

TIMELINE

main* Launchpad 0 0 Spaces: 4 UTF-8 CRLF JavaScript Inline suggestions quota reached Today: 3h 2m Go Live Prettier

Authentication with OIDC — E

app.eraser.io/workspace/3ar1AucmO4XFsKiSWSU7

Authentication with OIDC •••

Document | Both | Canvas

⌘ K | Share

Piyush Garg

104%

Express Application

chaiauth.com

GET .well-known/openid-configuration
Return JSON Response

issuer: https://chaiauth.com
authorization_endpoint: https://chaiauth.com/login
userinfo_endpoint: https://chaiauth.com/userinfo
jwks_uri: https://chaiauth.com/public-certificates

Private Key Signed

ChaiAuth



hardikbabla64@gmail.com +917088836692

1: https://chaiauth.com/.well-known/openid-configuration
Service Discovery Endpoints
Redirect user to { https://chaiauth.com/login }

?

socket-chat-app

package.json | index.js | index.html

index.js > main > io.on('connection') callback

```
async function main() {
  app.use(express.static(path.resolve('./public')));

  const server = http.createServer(app);
  const io = new Server();

  io.attach(server);

  io.on('connection', (socket) => {
    console.log(`A new socket has connected`, socket.id);

    socket.on('user:message', (data) => {
      console.log('Message from socket', data);
      socket.broadcast.emit('server:message', data);
    });

    socket.on('user:typing', (data) => {
      console.log('User is typing', socket.id, data);
      socket.broadcast.emit('server:user:typing', {
        id: socket.id,
        text: data.text,
      });
    });
  });

  server.listen(9000, () => {
    console.log(`Http server is running on PORT 9000`);
```

hardikbabla64@gmail.com +917088836692

Problems | Output | Debug Console | Terminal | Ports

node

```
Restarting 'index'
Http server is running on PORT 9000
```

Typing indicat

socket.on('ser
(data) => {}); Make a UI for showing someone is typing and remove after

```
        typingIndicator.classList.
        messages.appendChild(typi
        messages.scrollTop = messa

        if (hideTypingTimer) clea
        hideTypingTimer = setTime
          typingIndicator.classLi
          hideTypingTimer = null;
        }, 1000);
      }

      socket.on('server:user:typi
        console.log('Someone is t
        showTyping();
      });
```

Behavior: when a typing event arrives, the bouncing-dots bubble appears at the bottom of the chat, and if no further typing events come in within 1 second it disappears. If more events arrive before then, the timer resets so the indicator stays up.

2 Files | Review

Plan, Build / for commands, @ for context

Opus 4.7 1M High

socket-chat-app | 0 0 | Cursor Tab | Ln 23, Col 5 | Spaces: 4 | UTF-8 | LF | JavaScript | Go Live | Quokka | Prettier


checkboxes-ws
Agents Window
Piyush Garg
EXPLORER
OPEN EDITORS 1 unsaved
GROUP 1
package.json
index.js
index.html public
CHAT EDITORS: GROU...
CHECKBOXES-WS
node_modules
public
index.html
index.js
package.json
pnpm-lock.yaml
package.json
index.js
index.html
index.html > html > body > script > forEach() callback > input.addEventListener('change') callback
2 <html lang="en">
197 <body>
202 <script>
207 new Array(CHECKBOX_COUNT).fill(null).forEach((_, index) => {
208 const input = document.createElement('input');
209 input.type = 'checkbox';
210
211 input.addEventListener('change', (event) => {
212 const checked = event.target.checked;
213 console.log('Checkbox Changed', { index, checked });
214 socket.emit('')
215 });
216
217 container.appendChild(input);
218 });
219 </script>
Problems
Output
Debug Console
Terminal
Ports
node
piyushgarg@Piyushs-MacBook-Pro checkboxes-ws % node index.js
Server is running on http://localhost:8000
hardikbabla64@gmail.com
OUTLINE
TIMELINE
checkboxes-ws
0 0
Cursor Tab (Snoozed)
Ln 214, Col 24
Spaces: 4
UTF-8
LF
HTML
Go Live
Quokka
Prettier


Kafka High Throughput Systems
app.eraser.io/workspace/rU5ivf0IJT19Y4BFIDGN
Document
Both
Canvas
Share
Piyush Garg
69%
Producer
Message.Produce
Topic: 'rider-updates'
Message: "{}"
Kafka
Message Broker
Kafka Broker Server
Consumer
Consumer Groups
Topic:['rider-updates']
Group: db-server
DBServer
DBServer
1
2
3
4
Topic:['rider-updates']
Topic:['rider-updates']
Group: socket-server
Socket Server
1
2
3
4
Topic:['rider-updates']
Group: ml-server
1
2
3
4
hardikbabla64@gmail.com +917088836692


Code File Edit Selection View Go Run Terminal Window Help
react-cohort
EXPLORER
REACT-COHORT
foundation-01
foundation-02
foundation-03
foundation-04
foundation-05
node_modules
public
src
assets
App.css
App.jsx 3
index.css
main.jsx
.gitignore
bun.lock
eslint.config.js
index.html
package.json
README.md
vite.config.js
OUTLINE
TIMELINE
App.jsx foundation-04/...
App.jsx foundation-05/... 3
foundation-05 > src > App.jsx > App > useEffect() callback > loadPost
const [staus, setStatus] = useState("idle");
const [seconds, setSeconds] = useState(10);
hardikbabla64@gmail.com +917088836692
useEffect(() => {...
}, []);
useEffect(() => {
const controller = new AbortController()
async function loadPost() {
setStatus("loading")
await fetch(""https://jsonplaceholder.typicode.com/posts?_limit=5"")
}
loadPost();
}, [])
return (
<>

<h1>useEffect</h1>
fetch(input: RequestInfo | URL, init?: RequestInit): Promise<Response>
MDN Reference
HC
aiCode
InsForge 3 0 1 hr 52 mins 127.0.0.1 cohort
Ln 28, Col 73 Spaces: 2 UTF-8 LF JavaScript JSX 1988 chars today Go Live Prettier


RequestKit
WebRequestKit
GET New Request
GET test
GET
http://localhost:4000
Save
Send
Params
Headers
Body
Auth
Scripts
QUERY PARAMS
KEY
VALUE
DESCRIPTION
Key
Value
Description
+ Add
Performance
Cookies 1
12
ms
Total Response Time
Response Time Over Time
1m
TTFB 12 ms
Download 0 ms
Total 12 ms
RESPONSE INFO
Status 200 OK
HTTP Version HTTP/1.1
Content Type application/json
Content Length 15 B
Date May 3, 2026 10:02:00 PM
Response
Headers 9
Cookies 1
Tests
Raw
Preview
200 OK 12 ms 15 B May 3, 2026 10:02:00 PM
Tree
View Raw
Search keys and values...
Click any key to copy its JS path
Use data to reference the response body in scripts, e.g. data.users[0].name
{
"status" : "ok"
}
Auto
Prettify
Lines 1-3 of 3 Spaces: 2
COLLECTIONS
OTP
5 requests
auth
3 requests
cohort-live
1 request
GET test
freeapi
2 requests
New Collection
Import from URL
Import from file
Ready
hardikbabla64@gmail.com +917088836692
EXPLORER
REACT-COHORT
backend
foundation-01
foundation-02
foundation-03
foundation-04
foundation-05
foundation-06
foundation-07
OUTLINE
TIMELINE
react-cohort
HC


Code File Edit Selection View Go Run Terminal Window Help
react-scratch
Update
EXPLORER
REACT-SCRATCH
01
src
App.js
index.html
02
03
04
index.html
apiserver
index.html
App.js
01 > src > App.js > App
1 import React from "https://esm.sh/react@19.0.0";
2 import ReactDOM from "https://esm.sh/react-dom@19.0.0/client";
3
4 const App = () => {
5 return React.createElement(
6 "div",
7 {
8 className: "container",
9 },
10 React.createElement("h1", null, "Hello, React!"),
11);
12 };
13 const container = document.getElementById("root");
14 const root = ReactDOM.createRoot(container);
15 root.render(React.createElement(App));
16
hardikbabla64@gmail.com +917088836892
OUTLINE
TIMELINE
InsForge 0 0 2 hrs 23 mins 127.0.0.1 cohort
Ln 11, Col 5 (133 selected) Spaces: 2 UTF-8 LF { } JavaScript 3907 chars today Port : 5500 Prettier


React — Eraser
Vite | Next Generation Fronte
Vue.js - The Progressive Jave
react-ts-refresher
localhost:5173
Increment
Count is 0
Decrement
Console
top
Filter
Default levels
No Issues
2 hidden
Network messages
Log XMLHttpRequests
Preserve log
Eager evaluation
Selected context only
Autocomplete from hist...
Group similar messages
Treat code evaluation as...
CORS errors in console
Number Before 6
App.tsx:11
Number After 7
App.tsx:13
Number Before 7
App.tsx:11
Number After 8
App.tsx:13
hardikbabla64@gmail.com +917088836692
cmd i to turn on code suggestions. Don't show again
Piyush Garg

File Edit Selection View Go Run Terminal Help chai-aur-nextjs

page.tsx ...\about U ● page.tsx ...\contact U

app > (main) > about > page.tsx > AboutPage

CHAI-AUR-NEXTJS

- .next
- app
  - (auth)
  - (main)
    - about
      - page.tsx U
    - contact
    - docs
    - products
      - [id]
      - page.tsx U
  - agents
  - favicon.ico
  - globals.css
  - layout.tsx M
  - page.tsx
- node_modules
- public
- .gitignore
- AGENTS.md
- bun.lock
- CLAUDE.md

```tsx
import React from 'react'
import Link from 'next/link';

const AboutPage = () => {
  return (
    <div>
      <Link href={"/contact"}>Go to contact</Link>
      <Link href={"/contact"}>Go to contact</Link>
    </div>
  )
}

export default AboutPage
```

hardikbabla64@gmail.com +917088836692

Add to Chat Ctrl+L Quick Edit Ctrl+K

master* chai-aur-nextjs ⊗ 0 ⚠ 0 3 hrs 41 mins Cursor Tab (Snoozed) Ln 9, Col 28 (7 selected) Spaces: 2 UTF-8 CRLF TypeScript JSX

39°C Clear Search ENG IN 10:15 23-5-26

File Edit Selection View Go Run Terminal Help chai-aur-nextjs

page.tsx M todos.ts U

lib > todos.ts > fetchTodos > res

CHAI-AUR-NEXTJS

- .next
- app
- components
- lib
  - db.ts
  - todos.ts U
- node_modules
- prisma
- public
- .env
- .gitignore
- AGENTS.md
- bun.lock
- CLAUDE.md
- eslint.config.mjs
- next-env.d.ts
- next.config.ts
- package.json
- postcss.config.mjs
- prisma.config.ts
- README.md
- tsconfig.json

```
4     completed: boolean;
5     createdAt: string;
6     updatedAt: string;
7   };
8
9   export function getBaseUrl() {
10    if (process.env.VERCEL_URL) {
11      return `https://${process.env.VERCEL_URL}`;
12    }
13
14    return `http://localhost:${process.env.PORT ?? 3000}`;
15  }
16
17  export async function fetchTodos(): Promise<Todo[]> {
18    const res = await fetch(`${getBaseUrl()}/api/todos`, {
19      cache: "no-store",
20    });
21
22    if (!res.ok) {
23      return [];
24    }
25
26    const json = await res.json();
```

Add to Chat Ctrl+L Quick Edit Ctrl+K

hardikbabla64@gmail.com +917088836692

master* chai-aur-nextjs 0 0 3 hrs 24 mins Cursor Tab (Snoozed) Ln 18, Col 42 (14 selected) Spaces: 2 UTF-8 CRLF TypeScript

36°C Clear Search ENG IN 09:57 24-5-26


Code File Edit Selection View Go Run Terminal Window Help
ai-live
Update
EXPLORER
AI-LIVE
node_modules
tools
calculator.js
.env
01-chAI.js
02-chAI.js
03-chAI.js
04.chAI.js
05-chAI.js
06-await-for.js
07-chAI.js
08-chAI-bot.js
09-chAi.js
package-lock.json
package.json
~/Desktop/cohort2026/ai-live/tools/calculator.js
07-chAI.js
08-chAI-bot.js
09-chAi.js
calculator.js
05-chAI.js
09-chAi.js > ...
import { checkOpenAI } from "./01-chAI.js";
import { calculator, calculateTool } from "./tools/calculator.js";
const client = await checkOpenAI();
const model = "gpt-4o-mini";
console.log(client.baseURL);
const tools = [calculateTool];
const messages = [
{
role: "user",
content: "what is result of adding 23 and 54",
},
];
OUTLINE
TIMELINE
InsForge
0 0
3 hrs 39 mins
127.0.0.1
cohort
Ln 52, Col 1
Spaces: 4
UTF-8
LF
JavaScript
6525 chars today
Go Live
Prettier



hardikbabla64@gmail.com +917088836692



hardikbabla64@gmail.com +917088836692


trpc-monorepo
trpc.ts
index.ts
packages > services > user > index.ts > UserService > verifyUserToken > verificationResult
Piyush Garg
class UserService {
private async getUserByEmail(email: string) {…
}
private async generateUserToken(payload: GenerateUserTokenPayloadType) {
const { id } = await generateUserTokenPayload.parseAsync(payload)
const token = JWT.sign({ id }, env.JWT_SECRET)
return { token }
}
private async verifyUserToken(token: string): Promise<GenerateUserTokenPayloadType> {
try {
const verificationResult = JWT.verify(token, env.JWT_SECRET) as GenerateUserTokenPayloadType
return verificationResult
} catch (error) {
throw new Error(`Invalid Token`)
}
}
public async getUserInfoById(id: string) {
const user = await db.select({
id: usersTable.id,
email: usersTable.email,
fullName: usersTable.fullName,
profileImageUrl: usersTable.profileImageUrl,
}).from(usersTable).where(eq(usersTable.id, id))
hardikbabla64@gmail.com +917088836692
main
trpc-monorepo
Git Graph
Ln 24, Col 40 (10 selected)
Spaces: 4
UTF-8
LF
TypeScript
Go Live
Quokka
Prettier


corsair-poc-chaicode
EXPLORER
OPEN EDITORS 1 unsaved
GROUP 1
package.json
corsair.ts src/server
play.ts src/server
agent.ts src/server
index.d.ts node_module...
migration.sql
CHAT EDITORS: GROU...
CORSAIR-POC-CHAICODE
node_modules
src / server
agent.ts
corsair.ts
play.ts
.env
corsair.db
migration.sql
package.json
pnpm-lock.yaml
pnpm-workspace.yaml
OUTLINE
TIMELINE
package.json
corsair.ts
play.ts
agent.ts
index.d.ts
migration.sql
src > server > agent.ts > main
import { query, tool, createSdkMcpServer } from '@anthropic-ai/claude-agent-sdk'
import { corsair } from './corsair.ts'
import { ClaudeProvider } from '@corsair-dev/mcp';
async function main() {
const provider = new ClaudeProvider();
const tools = await provider.build({ corsair });
tools.
for await (const response of query({
prompt: 'Hey agent, Can you list all of my repos',
})) {
if (response.type === 'result' && response.subtype === 'success') {
Output
Problems
Debug Console
Terminal
Ports
hardikbabla64@gmail.com +917088836692
26. Chat-App-Socket.io
27. Chonky
28. Clime
29. cloud-ide
30. code_snippets
Let me know if you'd like more details on any of these (description, language, stars, last updated, etc.) — that data is available in the result.
piyushgarg@Piyushs-MacBook-Pro corsair-poc-chaicode % pnpm install @corsair-dev/mcp @anthropic-ai/claude-agent-sdk
WARN 3 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6, prebuild-install@7.1.3
Already up to date
Progress: resolved 465, reused 458, downloaded 0, added 0, done
Done in 1.6s using pnpm v10.33.0
piyushgarg@Piyushs-MacBook-Pro corsair-poc-chaicode %
zsh
zsh
Piyush Garg
corsair-poc-chaicode
Ln 10, Col 11
Spaces: 4
UTF-8
LF
TypeScript
Go Live
Quokka
Prettier

File Edit Selection View Go Run ···

chaicode-pr-reviewer

layout.tsx 1, U | dashboard-shell.tsx 1, U | dashboard-sidebar.tsx 3, U | routes.ts U

features > dashboard > lib > routes.ts > ...

```
  repos: "/dashboard/repos",
  pullRequest:"/dashboard/pull-request",
  github: "/dashboard/github",
  settings: "/dashboard/settings",
} as const;

export type DashboardRoute =
  (typeof DASHBOARD_ROUTES)[keyof typeof DASHBOARD_ROUTES];

export const DASHBOARD_NAV_ITEMS = [
  {
    title: "Overview",
    href: DASHBOARD_ROUTES.overview,
    icon: "layout-dashboard" as const,
  },
  {
    title: "Repositories",
    href: DASHBOARD_ROUTES.repos,
    icon: "folder-git-2" as const,
  },
  {
    title: "GitHub App",
    href: DASHBOARD_ROUTES.github,
    icon: "github" as const,
  },
  {
    title: "Settings",
```

hardikbabla64@gmail.com +917088836692

master* Launchpad 5 5 Ln 1, Col 1 (213 selected) Spaces: 4 UTF-8 CRLF TypeScript Inline suggestions limit reached Today: 5h 38m Go Live Prettier

29°C Clear Search ENG IN 10:59 13-6-26


File Edit Selection View Go Run Terminal Help
chaicode-pr-reviewer
next.config.ts M
.env
.gitignore
CHAICODE-PR-REVIEWER
.next
app
components
features
hooks
lib
node_modules
prisma
public
.env
.gitignore
AGENTS.md
chaicode-pr-review.2026-...
CLAUDE.md
components.json
eslint.config.mjs
next-env.d.ts
next.config.ts M
package-lock.json
package.json
postcss.config.mjs
prisma.config.ts
proxy.ts
README.md
tsconfig.json
.env
1 DATABASE_URL="postgresql://neondb_owner:npg_XKw5caInQ1Bt@ep-old-field-ah4akmk2-pooler.c-3.us-east-1.aws.neon
2
3 # Authentication
4 BETTER_AUTH_SECRET=8LTzQowEqB3k8naKaQ9pIcmuYhx7Dvsh
5 BETTER_AUTH_URL=http://localhost:3000
6 GITHUB_CLIENT_ID = Iv23liJBPy9HAEMm83kG
7 GITHUB_CLIENT_SECRET = 1cf154141574ad7438268ad034fb88248fd8fd2b
8
9 # Github App
10 GITHUB_APP_ID=4052230
11 GITHUB_APP_NAME=chaicode-pr-review
12 NEXT_PUBLIC_GITHUB_PUBLIC_LINK = https://github.com/apps/chaicode-pr-review
13 GITHUB_APP_PRIVATE_KEY=-----BEGIN RSA PRIVATE KEY-----
master* chaicode-pr-reviewer 0 0 3 hrs 21 mins
Cursor Tab Ln 13, Col 24 Spaces: 4 UTF-8 CRLF Environment Variables Go Live
32°C Mostly clear
Search
ENG IN
09:02 14-6-26

```
# Github App
GITHUB_APP_ID=4052230
GITHUB_APP_NAME=chaicode-pr-review
NEXT_PUBLIC_GITHUB_PUBLIC_LINK = https://github.com/apps/chaicode-pr-review
GITHUB_APP_PRIVATE_KEY="-----BEGIN RSA PRIVATE KEY-----\nMIIEowIBAAKCAQEAqtfs7HaawmiUZiLgRgxlM7Oaa6I9C2EsWWu+

GITHUB_WEBHOOK_SECRET=7cd249ab5746950c42ab51e85ebd9bb54cdecad583797c2c

INNGEST_DEV=1

OPENROUTER_API_KEY=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
```

hardikbabla64@gmail.com +917088836692

```
# Pinecone
PINECONE_INDEX=chaicodeprreview
PINECONE_API_KEY=pcsk_5P7YPM_Fnr461ewo7cTF3atrq5PMQsWt5JxXBB1GjAVkC4EyxDAvNtkVPPWhfLH2xsnPWN

RAZORPAY_KEY_ID=rzp_test_T0DyZXVnQyH5rs
RAZORPAY_KEY_SECRET=xXuJTLFOysJ2h2fUwr36pDYU
RAZORPAY_PLAN_
```

play.fga.dev/sandbox/?store=gdrive

auth0 Fine-Grained Authorization

gdrive

JOIN DOCS TOUR

AUTHORIZATION MODEL (4 TYPES)

JSON DSL

```
model
  schema 1.1

type doc
  relations
    define can_change_owner: owner
    define can_read: viewer or owner or viewer from parent
    define can_share: owner or owner from parent
    define can_write: owner or owner from parent
    define owner: [user]
    define parent: [folder]
    define viewer: [user, user:*, group#member]

type folder
```

hardikbabla64@gmail.com +917088836692

Tuples (9) Assertions (8)

USER	folder:product-2021
RELATION	parent
OBJECT	doc:2021-roadmap

TYPES PREVIEWER



TUPLE QUERIES

File Edit Selection View Go Run Terminal Help chai0-clone-build

schema.prisma M

prisma > schema.prisma > ...

Problems Output Debug Console Terminal Ports node

Add to Chat Ctrl+L

```
PUT /api/inngest 200 in 63ms (next.js: 13ms, proxy.ts: 24ms, application-code: 27ms)
PUT /api/inngest 200 in 115ms (next.js: 18ms, proxy.ts: 47ms, application-code: 50ms)
PUT /api/inngest 200 in 26ms (next.js: 5ms, proxy.ts: 6ms, application-code: 15ms)
PUT /api/inngest 200 in 43ms (next.js: 5ms, proxy.ts: 24ms, application-code: 14ms)
PUT /api/inngest 200 in 37ms (next.js: 7ms, proxy.ts: 12ms, application-code: 18ms)
PUT /api/inngest 200 in 26ms (next.js: 4ms, proxy.ts: 8ms, application-code: 14ms)
PUT /api/inngest 200 in 31ms (next.js: 4ms, proxy.ts: 12ms, application-code: 15ms)
PUT /api/inngest 200 in 39ms (next.js: 5ms, proxy.ts: 21ms, application-code: 13ms)
PUT /api/inngest 200 in 39ms (next.js: 4ms, proxy.ts: 21ms, application-code: 13ms)
PUT /api/inngest 200 in 35ms (next.js: 4ms, proxy.ts: 19ms, application-code: 12ms)
PUT /api/inngest 200 in 28ms (next.js: 6ms, proxy.ts: 9ms, application-code: 13ms)
PUT /api/inngest 200 in 41ms (next.js: 5ms, proxy.ts: 21ms, application-code: 15ms)
PUT /api/inngest 200 in 30ms (next.js: 4ms, proxy.ts: 13ms, application-code: 13ms)
PUT /api/inngest 200 in 27ms (next.js: 6ms, proxy.ts: 9ms, application-code: 13ms)
PUT /api/inngest 200 in 41ms (next.js: 5ms, proxy.ts: 21ms, application-code: 14ms)
PUT /api/inngest 200 in 33ms (next.js: 11ms, proxy.ts: 5ms, application-code: 16ms)
PUT /api/inngest 200 in 26ms (next.js: 4ms, proxy.ts: 7ms, application-code: 15ms)
PS C:\coding-room\batches\chai0-clone-build> npx prisma migrate dev
Loaded Prisma config from prisma.config.ts.

Prisma schema loaded from prisma\schema.prisma.
Datasource "db": PostgreSQL database "neondb", schema "public" at "ep-bitter-queen-ati0qbuk-pooler.c-9.us-east-1.aws.neon.tech"
```

hardikbabla64@gmail.com +917088836692

master* chai0-clone-build 0 0 6 hrs 22 mins Cursor Tab Not Committed Yet Ln 79, Col 1 Spaces: 2 UTF-8 CRLF Prisma Go Live

ENG IN 09:55 27-6-26


File Edit Selection View Go Run Terminal Help
chai0-clone-build
project-view.tsx 1, U
file-explorer.tsx 2, U
utils.ts
CHAI0-CLONE-BUILD
src
components
ui
tabs.tsx
textarea.tsx
toggle-group.tsx
toggle.tsx
tooltip.tsx
features
generated
hooks
lib
db.ts
prompt.ts M
utils.ts
proxy.ts
.env
.gitignore
AGENTS.md
CLAUDE.md
components.json
eslint.config.mjs
next-env.d.ts
next.config.ts
package-lock.json M
package.json M
postcss.config.mjs
src > lib > utils.ts > convertFilesToTreeItems
"src/components/Card.tsx": "export function Card() {}",
}
Output
[
["src", ["components", "Button.tsx", "Card.tsx"], "index.ts"],
"README.md",
"package.json",
]
@example
Flat project (no folders)
convertFilesToTreeItems({ "index.html": "<html>", "style.css": "body {}" })
export function convertFilesToTreeItems(files: Record<string, string>): TreeItem[] {
}
master* chai0-clone-build 3 4 4 hrs 21 mins
Cursor Tab Not Committed Yet Ln 104, Col 29 (12 selected) Spaces: 2 UTF-8 LF TypeScript Go Live
ENG IN 10:05 28-6-26


hello-world-nodejs
EXPLORER
OPEN EDITORS
GROUP 1
Dockerfile U
CHAT EDITORS: GROU...
HELLO-WORLD-NODEJS
.github
node_modules
.gitignore
Dockerfile U
index.js
package-lock.json
package.json
private-key
private-key.pub
OUTLINE
TIMELINE
Dockerfile U
Dockerfile
hardikbabla64@gmail.com +917088836692
COPY package.json package.json
COPY package-lock.json package-lock.json
COPY index.js index.js
RUN npm install
CMD ["node", "index"]
Output
Problems
Debug Console
Terminal
Ports
=> [internal] load build context
=> => transferring context: 30.23kB
=> [2/5] COPY package.json package.json 0.1s
=> [3/5] COPY package-lock.json package-lock.json 0.0s
=> [4/5] COPY index.js index.js 0.0s
=> [5/5] RUN npm install 5.9s
=> exporting to image 0.3s
=> => exporting layers 0.2s
=> => exporting manifest sha256:f5142b3de1a68828004978f1a87eb04488209 0.0s
=> => exporting config sha256:2b3dd5b6335e102a695c488720a9d99a73f3112 0.0s
=> => exporting attestation manifest sha256:98645ae10fabd517b865d05ae 0.0s
=> => exporting manifest list sha256:3be91cdcd98002b1d275d34d74d5052c 0.0s
=> => naming to docker.io/library/chai:latest 0.0s
=> => unpacking to docker.io/library/chai:latest 0.1s
View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/vh5h5le8dhhkds2tb55nwzfq9
piyushgarg@Piyushs-MacBook-Pro hello-world-nodejs % dock
Add to Chat ⌘L
node
zsh
zsh
zsh
zsh
zsh
Piyush Garg
main*
hello-world-nodejs
0 0
Git Graph
Ln 7, Col 10
Spaces: 4
UTF-8
LF
Docker
Go Live
Quokka
Prettier

Traefik + Caddy + Docker — E
traefik - Google Search
app.eraser.io/workspace/WKoCsdeBMYkZMiVkRYZo

Traefik + Caddy + Docker

Document | Both | Canvas

⌘ K | Share

200%



hardikbabla64@gmail.com +917088836692

project-b.piyushgarg.online

project-a.piyushgarg.online


Chrome File Edit View History Bookmarks Profiles Tab Window Help
Free Compute Services on A
Instances | EC2 | us-east-1
Instance details | EC2 | ap-so
Account | Billing and Cost Ma
AWS — Eraser
aws hypervisor name - Goog
aws ec2 family types - Goog
Amazon EC2 instance types
us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#instances:
Piyush Garg
Chaicode
aws
Search
[Option+S]
United States (N. Virginia)
EC2
Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Instances Info
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Find Instance by attribute or tag (case-sensitive)
1
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
No instances
You do not have any instances in this region
Launch instances
Select an instance
hardikbabla64@gmail.com +917088836692
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences