

# Purchase Order

## Brigham Young University

BRIGHAM YOUNG UNIVERSITY  
PURCHASING DEPT  
ASB C-40  
PROVO UT 84602-1116  
United States

**Supplier:** 0000006124  
ENERGY WEST CONTROLS  
PO BOX 65277  
SALT LAKE CITY UT 84165-0277

### Dispatch via Print

Purchase Order	Date	Revision	Page
BYU-0000028874	11/09/1998	1 - 11/09/1998	1
Payment Terms	Freight Terms	Ship Via	
1% 10 DAYS	FOB Origin, Buyer Bears Frt.	UPS Ground	
Buyer	Phone/Email	Currency	
Hatch, Terry Lynn	801/422-7001 terry_hatch@fscopy.byu.edu	USD	

**Ship To:** RECEIVING  
BRIGHAM YOUNG UNIVERSITY  
CENTRAL RECEIVING  
685 E UNIVERSITY PKWY  
PROVO UT 84602-1830  
United States

**Attention:** Not Specified

**Bill To:** BRIGHAM YOUNG UNIVERSITY  
FINANCIAL SERVICES  
A-153 ASB  
PROVO UT 84602-1128  
United States

**Tax Exempt?** Y **Tax Exempt ID:** N10020

**Replenishment Option:** Standard

Line-Sch	Item/Description	Mfg ID	Quantity	UOM	PO Price	Extended Amt	Due Date
1- 1	BARKSDALE DIFFERENTIAL PRESSURE SWITCH MODEL #EPD1H-AA40 WORKING RANGE 2-150 PSI ADJUSTABL		6.00	EA	98.00	0.00	CLOSED

**Schedule Total** 0.00

**Item Total** 0.00

RANGE 3-40 PSI 4 AMP/250V (WO 310)

TO CHANGE TERMS TO 1% 10 NET 30 11/9/98 TLH

**Total PO Amount** 0.00

Unauthorized