

**Face® Location Requested (City/State):** Atlanta / GA

**CHAIN-OF-CUSTODY Analytical Request Document**  
Chain of Custody is a LEGAL DOCUMENT - Complete all relevant fields

**Company Name:** Gateway Solutions  
**Street Address:** 521 Piedmont Ave,  
Atlanta, GA 30308

**Contact/Report To:** Silas Esme  
**Phone #:** 404-556-0117  
**E-Mail:** Silas@gmail.com  
**Cell-Map:** Silas@gateway-solutions.com  
**Invoice To:** Gateway Solutions  
**Invoice Email:** Silas@gateway-solutions.com  
**Purchase Order # (if applicable):** 7788  
**Quote #:**

**Project Name:** Echo Shop

**Site Collection info/Notify ID (if applicable):**

**Time Zone Collected:** ☐ AK ☐ PT ☐ MT ☐ CT ☒ ET

**County / Water origin of samples:** Evans / GA

**Date Delivered:** ☐ Level 1 ☐ Level 2 ☒ Level 3

**Payability Program (OW, RCA, etc.) if applicable:** ☐ Payable ☒ Non Payable

**Rush (Pre-approval required):** ☐ Same Day ☐ 1 Day ☐ 2 Day ☐ 3 Day Other \_\_\_\_\_

**Date Results Requested:** 4/20/2035

**OW PWSO & WW Form #s as applicable:**

**Field Filtered (if applicable):** ☐ Yes ☒ No

**Analysis:**

\* Minimum Cycles Based on Matrix, Not Based on: Drinking Water (DW), Ground Water (GW), Wastewater (WW), Process (P), Soil/Solid (SS), Oil (O), Wipe (WP), Tissue (TS), Urinary (U), Vapor (V), Surface Water (SW), Sediment (SD), Sludge (SL), Sewer (S), Leachate (L), Bioreactor (BI), Other (OT)

Customer Sample ID	Matrix	Comp / Grab	Composite Start		Collected at Composite End		B Cont	Residual Chlorine	
			Date	Time	Date	Time		Result	Units
LK - 125	E	2	5/20/35	12pm	5/20/35	12:01	2	0.5 mg	
LK - 130	G	2	5/20/35	12pm	5/20/35	12:01	2	0.5 mg	
LK - 135	X	4	5/20/35	12pm	5/20/35	12:01	2	0.5 mg	
LK - 140	M	2	5/20/35	12pm	5/20/35	12:01	2	0.5 mg	
LK - 145	N	3	5/20/35	12pm	5/20/35	12:01	3	0.5 mg	
LK - 150	B	2	5/20/35	12pm	5/20/35	12:02	3	0.5 mg	
LK - 155	T	2	5/20/35	12pm	5/20/35	12:02	3	0.5 mg	
LK - 160	C	3	5/20/35	12pm	5/20/35	12:02	3	0.5 mg	
LK - 165	D	3	5/20/35	12pm	5/20/35	12:02	3	0.5 mg	
LK - 170	A	4	5/20/35	12pm	5/20/35	12:02	3	0.5 mg	

**Additional instructions from Face®:**

**Collected By:** Finnegan Reed  
**Printed Name:**  
**Signature:** [Signature]

**Released by/Company (Signature):** \_\_\_\_\_ **Date/Time:** 6/20/35

**Received by/Company (Signature):** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Released by/Company (Signature):** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Received by/Company (Signature):** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Released by/Company (Signature):** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Received by/Company (Signature):** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Scan QR Code for instructions**

**Specify Container Size\*\***

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

**Identify Container Preservation Type\*\***

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

**Analysis Requested**

**Prep. Mgt.**

**Acquisition / Count ID:**

**Table #:**

**Profile / Template:**

**Prelog / Baseline Grid ID:**

**Sample Comment:**

Microbiome	Ecosystem	Root System	Water	Galacier	Creek	Pond	Dune	Hill	fault line
✓				✓					
									✓
	✓		✓					✓	
							✓		
	✓				✓				
				✓					
			✓			✓			
		✓						✓	
	✓								

**Customer Remarks / Special Conditions / Possible Hazards:**

**4 Cycles:** ☐ **Thermometer ID:** ☐ **Corrosion Factor (CF):** ☐ **Open Temp (CT):** ☐ **Corrected Temp (CE):** ☐ **Calibration:** ☐

**Released by/Company (Signature):** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_ **Tracking Number:** \_\_\_\_\_

**Received by/Company (Signature):** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Released by/Company (Signature):** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Received by/Company (Signature):** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Released by/Company (Signature):** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Received by/Company (Signature):** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Page:** 9 **of** 10