Status	Finished
Started	Monday, 31 August 2026, 10:32 AM
Completed	Monday, 31 August 2026, 10:35 AM
Duration	3 mins 5 secs
Grade	**12.00** out of 15.00 (**80**%)

Question **1**

Complete

Mark 1.00 out of 1.00

selection is implemented with the help of _____ statement

- a. for loop
- b. while loop
- c. if..else

Question **2**

Complete

Mark 1.00 out of 1.00

What keyword would you use to add an alternative condition to an if statement?

- a. elif
- b. elseif
- c. else if

Question **3**

Complete

Mark 1.00 out of 1.00

Correct syntax of writing 'simple if' statement is _____

a. **if condition**
statements

b. **if condition --**
statements

c. **if condition :**
statements

d. **if (condition)**
statements

Question **4**

Complete

Mark 1.00 out of 1.00

____ is an empty statement in Python.

a. None

b. Empty

c. pass

d. Jump

Question **5**

Complete

Mark 1.00 out of 1.00

What is the output of the following code.

```
a=90
if a>100:
    if(a<=90 and a==90):
        print("REC")
    else:
        print("OPEN-ELECTIVE")
```

a. REC

b. No output

c. REC
OPEN-ELECTIVE

d. OPEN-ELECTIVE

Question **6**

Complete

Mark 1.00 out of 1.00

What is the output of the given below program?

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("Know Program")
```

a. Know Program

b. Compiled Successfully, No Output.

c. Hello

d. Error

Question **7**

Complete

Mark 0.00 out of 1.00

What is the output

```
a, b, c = 1, 3, 5

if a + b + c:

    print("Hello")

else:

    print("Know Program")
```

- a. Hello
- b. Compiled Successfully, No Output.
- c. Error
- d. Know Program

Question **8**

Complete

Mark 1.00 out of 1.00

What will be output for the following code?

```
if 3 == 3:
    print("Python is easy!")
```

- a. NO OUTPUT
- b. Python is easy!
- c. Error

Question **9**

Complete

Mark 1.00 out of 1.00

With what extension are the python files saved?

- a. .python
- b. .pyn
- c. .py
- d. .p

Question **10**

Complete

Mark 0.00 out of 1.00

What is the output of the following code

```
x=3
if x>2 or x<5 and x==6:
    print("ok")
else:
    print("no output")
```

a. no output

b. None of the given option

c. ok


d. error

Question **11**

Complete

Mark 0.00 out of 1.00

What is the output of the following code.



```
a="REC"
if a in ("rec"):
    print(a)
print(a)
```

a. REC
REC

b. REC

c. No output
REC

d. false
REC

Question **12**

Complete

Mark 1.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

a. Code 1, Code 2

b. Code 1, Code 3

c. Code 2, Code 3

Question **13**

Complete

Mark 1.00 out of 1.00

Which of the following is true about the code below?

```
x = 3
if (x > 2):
    x = x * 2;
if (x > 4):
    x = 0;
print(x)
```

- a. if x is greater than 2, x will equal 0 after this code executes
- b. x will always equal 0 after this code executes for any value of x
- c. if x is lesser then 0,x will be 0 after this code executes
- d. if x is greater than 2, the value in x will be doubled after this code executes

Question **14**

Complete

Mark 1.00 out of 1.00

choose a valid Python if statement :

- a. if a>=2 :
- b. if (a >= 2)
- c. if (a => 22)

Question **15**

Complete

Mark 1.00 out of 1.00

What is the output of the following snippet?

```
s1 = "IIT "  # Remember there is a space after T in IIT
s2 = "Punjab"
s1 = s1 * 2
s2 = "Ropar"
print(s1, s2)
```

- a. IIT Punjab
- b. IIT IIT Ropar
- c. IIT Ropar
- d. IIT IIT Punjab