

Test Plan — Amazon Checkout Flow

Version: 1.0

Date: June 11, 2026

Author: Sakshi Harekar

1. Introduction and Objectives

Product/Feature description

The Amazon Checkout Flow is the series of screens a customer goes through to buy the items in their shopping cart. This test plan covers the four main steps of that buying process:

1. **Address:** Choosing where to send the package or adding a new address.
2. **Payment:** Choosing how to pay (credit card, gift card, or points).
3. **Review:** Looking at the final price, shipping options, taxes, and discounts before buying.
4. **Place Order:** Clicking the final button to complete the purchase and get an order number.

Purpose of this test plan

The purpose of this plan is to make sure the checkout process works perfectly during our upcoming 2-week work cycle (sprint). We want to ensure that customers can buy items easily without running into errors, getting confused by broken pages, or being charged the wrong amount.

Quality objectives

- Every valid purchase must go through successfully without dropping or losing the order.
 - The final pricing math (items + shipping + tax - discounts) must be 100% accurate.
 - If a user makes a mistake (like typing an expired card), the system must show a clear, helpful error message instead of crashing.
-

2. Scope

In scope

We will test the following four steps:

- **Address Step:** Selecting a saved address, adding a new address, and making sure the system correctly checks if the zip code matches the city.
- **Payment Step:** Using saved cards, adding a new credit card, using Amazon gift cards, and testing what happens when a customer splits the bill between a gift card and a credit card.
- **Review Step:** Making sure the shipping prices change correctly when choosing different speeds (Standard vs. Prime Two-Day), checking that local sales tax is calculated correctly, and making sure coupon codes apply the right discount.
- **Place Order Step:** Making sure that clicking the final button subtracts the item from warehouse inventory, generates a real order number, and shows the "Thank You" confirmation page.

Out of scope

We will **not** test:

- Changes made inside the shopping cart *before* clicking the "Proceed to Checkout" button (like changing quantities or deleting items).
 - What happens *after* the order is placed (like tracking the package, canceling an order, or handling returns).
 - Testing how the website handles thousands of users at the exact same time (this is handled by a separate performance team).
-

3. Test Approach

Testing types

- **Happy Path Testing:** Testing the normal journey where everything goes right.
- **Negative Testing:** Purposely typing in wrong info (like fake addresses or expired cards) to see if the system handles errors correctly.
- **End-to-End (E2E) Testing:** Walking through the entire flow from Step 1 to Step 4 as a real customer would.

Manual vs automated

- **Manual Testing:** We will manually click through the checkout flow to test tricky edge cases, check how the pages look visually, and test unique payment combinations.
- **Automated Testing:** We will use code scripts to automatically run basic "happy path" checks every night to make sure new code changes didn't break existing features.

Tools

- **Jira:** For tracking tasks and bugs.
 - **Selenium:** For running our automated browser tests.
 - **Postman:** For testing the backend communication between our screens and the payment systems.
-

4. Test Environment

Environments

All testing will take place in the **Stage-Checkout environment**. This is a private test website that looks and acts exactly like the real Amazon website, but it is safe for testing.

Devices and browsers

We will test on the following platforms:

- **Computers:** Google Chrome, Apple Safari, Mozilla Firefox, and Microsoft Edge.
- **Mobile:** Checking how the checkout pages look and work on mobile phone web browsers (iOS and Android).

Test data

We will use special test accounts pre-loaded with different statuses (like Amazon Prime members vs. regular guests), a list of test delivery addresses, and fake credit card numbers designed for testing.

Dependencies

We rely on the team pointing our payment systems to a fake "sandbox" test bank so we don't charge real money during our tests.

5. Test Schedule

Phase	What We Will Do	Timeline	Who is Doing It
Test Prep	Write down the exact step-by-step test steps and set up our test accounts.	Days 1 - 2	QA Team
First Round Execution	Run through the main checkout flows and log any obvious bugs we find.	Days 3 - 5	QA Team
Edge Case Testing	Test errors, expired cards, bad addresses, and broken promo codes.	Days 6 - 7	QA Team
Fix Verification	Re-test the bugs that the developers fixed to make sure they are truly gone.	Days 8 - 9	QA / Dev Team
Final Sign-off	Do a final quick check of the whole system and write the summary report.	Day 10	QA Lead

6. Resource Planning

- **QA Lead:** Manages the schedule, helps remove roadblocks, and makes the final call on whether the software is ready to launch.
 - **QA Testers:** Execute the test steps, log clear bugs in Jira, and re-test bugs once they are fixed.
 - **Automation Engineer:** Makes sure the nightly automated test scripts run smoothly.
-

7. Risk and Mitigation

#	What Could Go Wrong (Risk)	Chance of Happening	Impact on Project	How We Will Prevent/Fix It (Mitigation)
1	The test bank system goes down, meaning we can't test payments.	Medium	High	We will set up a backup "mock" system that simulates a successful payment response so we don't rely on outside networks.

2	We run out of test gift card codes during our automated testing.	High	Medium	We will write a quick script that automatically resets and creates new test codes every morning.
3	The address checking system becomes very slow, delaying our tests.	Low	Medium	We will save a list of standard test addresses directly in our system to bypass live checks when necessary.
4	The design team changes how the checkout screen looks right in the middle of our testing.	Medium	High	We will agree to a "code freeze" on Day 3, meaning no new changes can be made to the screens while we are testing them.
5	Two automated tests try to buy the exact same item at the same time, causing an "out of stock" error.	Low	Medium	We will give our test accounts an incredibly large amount of fake store inventory so they never run out.

8. Entry and Exit Criteria

Entry criteria (What we need before we can START testing)

- The developers have finished writing the code and deployed it to the test website.
- The final designs and project requirements are approved and clear.
- A quick sanity check shows that the checkout pages load without immediately crashing.
- All test accounts and fake test credit cards are ready to use.

Exit criteria (What we need before we can FINISH and say it's done)

- Every single test case we planned has been executed.
 - At least **95%** of our tests passed successfully.
 - There are **zero showstopper bugs** (critical breaks) left unfixed.
 - Any minor bugs left open have been reviewed and approved to be fixed later.
-

9. Defect Management

Bug tracking tool

We will use **Jira** to log, assign, and track all software bugs.

Bug lifecycle (The stages a bug goes through)

New Bug Found → Reviewed by Team → Developer Fixing It → Ready for QA to Re-test → Confirmed Fixed → Closed

Severity definitions (How bad is the bug?)

- **Blocker (Severe):** The website crashes, freezes completely, or a customer cannot click the final "Place Order" button at all.
- **Critical (Major):** The system charges the wrong price, calculates the wrong tax, or declines a perfectly valid credit card.
- **Minor (Low):** A spelling mistake, a text alignment issue, or a button color that looks slightly off but still works perfectly fine.

Resolution SLAs (How fast do developers need to fix it?)

- **Blocker:** Must be fixed within 4 hours.
 - **Critical:** Must be fixed within 24 hours.
 - **Minor:** Can be fixed within 3 days or moved to the next project cycle.
-

10. Approvals

Project Role	Name / Title	Status	Date
QA Leader Sign-off	[Name]	Awaiting Review	[Dat]
Product Manager Sign-off	[Name]	Awaiting Review	[Dat]
Development Leader Sign-off	[Name]	Awaiting Review	[Dat]