

DRIVES YOU TO THE TOP OF EVERYTHING

NEW

FORTUNER

LEAD YOU TO GREATNESS



Mudah & Terbai



© 0821 2628 3697





Dauntless New Front Bumper Spoiler & Grille (GR Sport Type) With LED Headlamp (All Type)

It looks even tougher with an enlarged garnish dark chrome Grille that blends with cutting edge LED Headlamp and sporty Front Bumper Spoiler.



New GR Side Sticker (GR Sport Type)
Bold impression for captivating side exterior.



New GR Grade Emblem (GR Sport Type)

With a sporty look to bring the excitement and exhilaration of a racer in your driving experience.



New Dashing Alloy Wheel (GR Sport Type)

An exquisite combination of toughness, style and also performance.



LED Fog Lamp Design (All Type)

Crafted with a strong presence and combined with an edgy new lamp cover which ensures your journey brightly safe.



New Elegant Rear Bumper Spoiler (GR Sport Type)

Crafted with attention to details that transmits a toughness expression.

THE PROGRESSIVE TECNOLOGY



New Adaptable Auto A/C with Dual Zone (All Type)

Allows the driver and front passenger to set different temperature comforts.



New Wireless Charger (GR Sport, 4x4 VRZ Type) Compatible with a product that supports Qi wireless charging.



Rear Seat Entertainment with Illumination (GR Sport, VRZ Type)

First-class entertainment for rear-seat passenger with premium ambient light that awards absolute comfort.



Electro-chromic Rearview Mirror (All Type)

Rearview mirror that automatically dims when it senses light from behind, reducing glare that creates vision problems for a night drive.



Surround Monitor (GR Sport, 4x4 VRZ Type)

Feels the surrounding even more with the new intelligent system, which helps to prevent collisions when parking or setting off.

- Blind Spot Detection
- Moving Object Detection (MOD)
- Lane Departure Warning
- Headway Monitoring Warning (HMW)



Complete Information In Integrated MID (All Type)

Enrich your journey with integrated MID and an advanced odometer that provide car information at your fingertips.

- Sport/Eco Mode Display
- Clearance Sonar Detection Display
- TFT Opening Animation
- Tire Turning Angle Display
- Power Back Door (PBD) Switch Status Display (GR Sport, VRZ Type)



VRZ Type

Kick Sensor with Power Backdoor (GR Sport, VRZ Type)

Automated convenience technology designed for easy loading just by swipes of your feet.





A whole new leatherette convenient seat with a spacious cabin ensures your maximum enjoyment inside the vehicle. (GR Sport, VRZ Type)



Drive Mode System (Eco-Normal-Power Mode) (All Type)

Switch to Eco mode for smooth and fuel efficiency driving experience or Power mode for maximum engine power and stronger acceleration.



Stunning Alloy Wheel (VRZ Type)

An exquisite combination of boldness, style and also performance.

A strong, premium look is expressed through the multi-axis spokes and super chrome metallic (high-intensity coating) finishing.







Ensure the safety by enduring impacts to minimize the chance of injury. (4x4 VRZ, 4x4 G Type)



Prevents the vehicle from rolling back on steep hills. (All Type)




Emergency Brake Signal (EBS)

Lights during emergency braking to alert surroundings and reduce collisions. (All Type)



Traction Control (TRC)

Enhance the ability to grip the road and maintain traction when wheelspin detected. (All Type)



Vehicle Stability Control (VSC)

Prevent the risk of wheel slip by reducing power and applying brake force. (All Type)



Trailer Sway Control

Detects trailer sway and helps to suppress it by control the braking. (All Type)

SPECIFICATIONS

SPESIFIKASI / SPECIFICATIONS			4x2 4x4						
			4,2						
MODEL / TYPE		2.7 GR SPORT	2.4 GR SPORT	2.4 VRZ	2	.4 G	2.4 VRZ	2.4 G	
			A/	T		M/T	A/1	T	
DIMENSI / DIMENSION									
Panjang / Overall Length		nm			4,795				
Lebar / Overall Width mm			1,855						
Tinggi / Overall Height mm			1,835						
Jarak Sumbu / Wheelbase mm			2,745						
Jarak Pijak / Wheel Tread Depan / Front mm Belakang / Rear mm			1,545						
		nm			1,550				
MESIN / ENGINE									
Tipe Mesin / <i>Engine Type</i>		2TR-FE 4 Silinder Segaris, 4 Katup, DOHC, Dual WT-i / 2TR FE In-Line 4 Cylinders, 4 Valve, DOHC, Dual WT-i	2 GD FTV 4 Silinder Segaris, 4 Katup, DOHC, VNT Intercooler / 2GD FTV, In-Line 4 Cylinders, 4 Valve, DOHC, VNT Intercooler	2 GD FTV 4 Silinder Segaris, 4 Katup, DOHC, VWT Intercooler / 2GD FTV, In-Line 4 Cylinders, 4 Valve, DOHC, VNT Intercooler					
Isi Silinder / Displacement cc		cc 2,694	2,393	2,393					
Diameter x Langkah / Bore x Stroke mm x mm			92.0 x 90.0	92.0 x 90.0					
Daya Maksimum / Max. Power ps / rpm			149.6/3,400	149.6/3,400					
Torsi Maksimum / Max. Torque	kgm / i		40.8/1,600-2,000	40.8/1,600-2,000					
Jenis / Type		Bensin Tanpa Timbal / Unleaded Gasoline	Diesel			Diesel			
ahan Bakar / Fuel Sistem / System		Sistem Injeksi / Fuel Injection	Sistem Injeksi dengan Common Rail / Common Rail Fuel Injection	Sistem Injeksi dengan Common Rail / Common Rail Fuel Injection					
Kapasitas Tang	ki / Tank Capacity	Itr	80						
SASIS / CHASSIS									
Sistem Penggerak Roda / Drive S	stem		Sistem F	Penggerak 2 roda / Two-Whe	el Drive		Sistem penggerak 4 roo	ia / Four-Wheel Drive	
Differential Lock			without					h	
Limited Slip Differential (LSD)			without					without	
Transmisi / Transmission		Otom	Otomatis 6 Tingkat Kecepatan dengan Sport Sequential Switchmatic / Manual 6 Tingkat Kecepatan 6 Speed Automatic with Sport Sequential Switchmatic				Otomatis 6 Tingkat Kecepatan dengan Sport Sequential Switchmatic / 6 Speed Automatic wit Sport Sequential Switchmatic		
	1:	3.600	3.600	3.600	3.600	4.784	3.600	3.600	
	2 ^r	2.090	2.090	2.090	2.090	2.423	2.090	2.090	
3rd		1.488	1.488	1.488	1.488	1.443	1.488	1.488	
		1.000	1.000	1.000	1.000	1.000	1.000	1.000	
		0.687	0.687	0.687	0.687	0.777	0.687	0.687	
	6th		0.580	0.580	0.580	0.643	0.580	0.580	
	6 ^t	0.580	-1	0.000	0.500	4 4 4			
	6 [‡] Reve		3.732	3.732	3.732	4.066	3.732	3.732	
erbandingan Gigi Akhir / <i>Final G</i>	Reve ear Ratio		3.732 4.100	3.732 4.100	3.732 4.100	3.583	4.100	3.732 4.100	
	Reve	rse 3.732	3.732 4.100	3.732 4.100	3.732 4.100		4.100		
	Reve ear Ratio	3.732 4.555	3.732 4.100	3.732 4.100 Wishbone dengan Koil Spri	3.732 4.100	3.583 ishbone with Coil Spring & Sta	4.100		
	ear Ratio Depan / Front	3.732 4.555	3.732 4.100	3.732 4.100 Wishbone dengan Koil Spri 4-Link deng	3.732 4.100 ng & Stabilizer / Double W	3.583 ishbone with Coil Spring & Sta th Lateral Rod	4.100		
Suspensi / Suspension	Reve ear Ratio Depan / Front Belakang / Re Depan / Front Belakang / Re	3.732 4.555	3.732 4.100	3.732 4.100 Wishbone dengan Koil Spri 4-Link deng Cakr	3.732 4.100 ng & Stabilizer / Double W an Lateral Rod / 4-Link wi	3.583 ishbone with Coil Spring & Sta th Lateral Rod d Disc	4.100		
Suspensi / Suspension Sistem Rem / Brake System	Reve ear Ratio Depan / Front Belakang / Re Depan / Front	3.732 4.555	3.732 4.100	3.732 4.100 Wishbone dengan Koil Spri 4-Link deng Cakr	3.732 4.100 ng & Stabilizer / Double W an Lateral Rod / 4-Link wi am Berventilasi / Ventilate	3.583 ishbone with Coil Spring & Sta th Lateral Rod d Disc	4.100		
Suspensi / Suspension Sistem Rem / Brake System Ukuran Ban / Tire Size	Revolence Ratio Depan / Front Belakang / Re Depan / Front Belakang / Re ABS	3.732 4.555	3.732 4.100	3.732 4.100 Wishbone dengan Koil Spri 4-Link deng Cakr	3.732 4.100 ng & Stabilizer / Double W an Lateral Rod / 4-Link wi am Berventilasi / Ventilate am Berventilasi / Ventilate with + EBD + BA	3.583 ishbone with Coil Spring & Sta th Lateral Rod d Disc	4.100		
Suspensi / Suspension Sistem Rem / Brake System Ukuran Ban / Tire Size	Revolence Ratio Depan / Front Belakang / Re Depan / Front Belakang / Re ABS	3.732 4.555	3.732 4.100 Double	3.732 4.100 Wishbone dengan Koil Spri 4-Link deng Cakr	3.732 4.100 ng & Stabilizer / Double W an Lateral Rod / 4-Link wi am Berventilasi / Ventilate am Berventilasi / Ventilate with + EBD + BA	3.583 iishbone with Coil Spring & Sta th Lateral Rod d Disc d Disc	4.100 bilizer	4.100	
Suspensi / Suspension Sistem Rem / Brake System Jkuran Ban / Tire Size FITUR KEAMANAN / SAFE 7 SRS Airbags (dual + knee + side +	Reve ear Ratio Depan / Front Belakang / Re Depan / Front Belakang / Re ABS	3.732 4.555 ur 265/60 R18 (Du	3.732 4.100 Double	3.732 4.100 Wishbone dengan Koil Spri 4-Link deng Cakr	3.732 4.100 ng & Stabilizer / Double W an Lateral Rod / 4-Link wi am Berventilasi / Ventilate am Berventilasi / Ventilate with + EBD + BA	3.583 iishbone with Coil Spring & Sta th Lateral Rod d Disc d Disc	4.100 bilizer	4.100	
Suspensi / Suspension Sistem Rem / Brake System Ukuran Ban / Tire Size FITUR KEAMANAN / SAFE 7 SRS Airbags (dual + knee + side + Hill Start Assist (HSA)	Revalent Ratio Depan / Front Belakang / Re Depan / Front Belakang / Re ABS TY FEATURES curtain shield airba	3.732 4.555 ur 265/60 R18 (Du	3.732 4.100 Double	3.732 4.100 Wishbone dengan Koil Spri 4-Link deng Cakr	3.732 4.100 ng & Stabilizer / Double W an Lateral Rod / 4-Link wi am Berventilasi / Ventilate am Berventilasi / Ventilate with + EBD + BA	3.583 iishbone with Coil Spring & Sta th Lateral Rod d Disc d Disc	4.100 bilizer 265/60 R18	4.100 265/65 R17	
Suspensi / Suspension Sistem Rem / Brake System Ukuran Ban / Tire Size FITUR KEAMANAN / SAFE 7 SRS Airbags (dual + knee + side + Hill Start Assist (HSA)	Revaear Ratio Depan / Front Belakang / Re Depan / Front Belakang / Re ABS TY FEATURES curtain shield airbae	3.732 4.555 ar 265/60 R18 (Du	3.732 4.100 Double	3.732 4.100 Wishbone dengan Koil Spri 4-Link deng Cakr Cakr 265/60 R18	3,732 4.100 ng & Stabilizer / Double W an Lateral Rod / 4-Link w am Berventilasi / Ventilate with + EBD + BA 265	3.583 3.583 3.583 3.584 3.584 4. Lateral Rod 4 Disc 4 Disc 65 R17	4.100 bilizer 265/60 R18	4.100 265/65 R17	
Suspensi / Suspension Sistem Rem / Brake System Ukuran Ban / Tire Size FITUR KEAMANAN / SAFE 7 SRS Airbags (dual + knee + side + Hill Start Assist (HSA) Downhill Start Assist Control (DA)	Revaear Ratio Depan / Front Belakang / Re Depan / Front Belakang / Re ABS TY FEATURES curtain shield airbae	3.732 4.555 ar 265/60 R18 (Du	3.732 4.100 Double	3.732 4.100 Wishbone dengan Koil Spri 4-Link deng Cakr Cakr 265/60 R18	3,732 4.100 ng & Stabilizer / Double M an Lateral Rod / 4-Link w. am Berventilasi / Ventilate with + EBD + BA 265	3.583 3.583 3.584 3.585 3.582 3.583 4. Lateral Rod 4 Disc 4 Disc 65 R17	4.100 bilizer 265/60 R18	4.100 265/65 R17	
Suspensi / Suspension Sistem Rem / Brake System Ukuran Ban / Tire Size FITUR KEAMANAN / SAFE 7 SR Airbags (dual + kinee + side + Hill Start Assist (HSA) Downhill Start Assist Control (DAI Emergency Brake Signal (EBS)	Revaear Ratio Depan / Front Belakang / Re Depan / Front Belakang / Re ABS TY FEATURES curtain shield airbae	3.732 4.555 or 265/60 R18 (Du:	3.732 4.100 Double	3.732 4.100 Wishbone dengan Koil Sprr 4-Link deng Cakr Cakr 265/60 R18	3,732 4.100 ng & Stabilizer Double W an Lateral Rod 4-Link w am Berventilasi Ventilate with + EBD + BA 265	3.583 3.583 3.584 3.584 3.584 3.584 4. Lateral Rod 4. Disc 4. Disc 4. Disc	4.100 bilizer 265/60 R18	4.100 265/65 R17	
Perbandingan Gigi Akhir / Final Co Suspensi / Suspension Sistem Rem / Brake System Ukuran Ban / Tire Size FITUR KEAMANAN / SAFE 7 SRS Airbags (dual + knee + side + Hill Start Assist (HSA) Downhill Start Assist Control (DAI Emergency Brake Signal (EBS) Trailer Sway Control Traction Control (TRC)	Revaear Ratio Depan / Front Belakang / Re Depan / Front Belakang / Re ABS TY FEATURES curtain shield airbae	3.732 4.555 ar 265/60 R18 (Du	3.732 4.100 Double al Tone Alloy Wheel)	3.732 4.100 Wishbone dengan Koil Sprr 4-Link deng Cakr Cakr 265/60 R18	3,732 4.100 ng & Stabilizer Double W an Lateral Rod 4-Link wi an Berventilasi Ventilate am Berventilasi Ventilate with + EBD + BA 265	3.583 3.583 3.583 3.583 4. Lateral Rod 4 Disc 4 Disc 65 R17	4.100 billizer 265/60 R18	4.100 265/65 R17 • •	

• Untuk peningkatan mutu dan penyesuaian dengan perkembangan teknologi, PT Toyota-Astra Motor sewaktu-waktu dapat mengubah spesifikasi, perlengkapan standar atau data lain dalam lembar spesifikasi ini.

/ PT Toyota-Astra Motor reserves the right to alter any details of specifications and equipments without prior notice.

* Spesifikasi dan kelengkapan dapat berbeda dengan gambar di brosur ini, tergantung model kendaraan / Details and specifications may differ from the picture shown, depending on models.

PILIHAN WARNA / COLOR OPTIONS

SUPER WHITE

SILVER METALLIC



DARK GRAY MICA METALLIC



ATTITUDE BLACK



PHANTOM BROWN METALLIC

Pilihan warna dalam brosur dapat sedikit berbeda dengan warna mobil sesungguhnya. / Color options in the brochure might slightly be different from the actual color of the cars.



Toyota didukung oleh sales outlet dan layanan puma jual (service & spare parts) yang tersebar di seluruh Indonesia dan selalu siap melayani Anda. Untuk mengetahui dealer Toyota terdekat di kota Anda, hubungi Toyota Customer Care atau akses website.




Authorized Toyota Dealer Mudah & Terbaik 0821 2628 3697













Anda tertarik membeli Mobil Toyota?

Kami akan menghubungi Anda

Silahkan isi Form

BERIKUT:

Klik disini
UNTUK ISI FORM

Mudah & Terbaik

0821 2628 3697

