

WealthWise Full Endpoint Reference

Base URL: <http://localhost:8098>. Secured endpoints require Authorization: Bearer . Roles below reflect SecurityConfig plus module behavior.

Module	Method	Endpoint	Roles / Access	Purpose / Notes
Auth	POST	/api/auth/login	Public	Login; returns token, role, userId.
Users	POST	/api/users/create	ADMIN	Create user. Password is BCrypt-hashed.
Users	GET	/api/users	ADMIN	List all users.
Users	GET	/api/users/{id}	ADMIN	Get user by id.
Users	PATCH	/api/users/{id}/status?status=	ADMIN	Set status: Active, Locked, Inactive.
Users	PATCH	/api/users/{id}/lock	ADMIN	Lock user.
Users	PATCH	/api/users/{id}/unlock	ADMIN	Unlock user.
Audit Logs	GET	/api/audit-logs	ADMIN	List/filter audit logs; supports pageable filters in service/controller.
Audit Logs	POST	/api/audit-logs	Public/internal	Create audit log entry.
Bank Accounts	POST	/api/bank-accounts	ADMIN	Open account for active ACCOUNTHOLDER. Backend generates account number.
Bank Accounts	GET	/api/bank-accounts?customerId=	ACCOUNTHOLDER, OPERATIONS, ADMIN	List accounts by customer.
Bank Accounts	GET	/api/bank-accounts/{id}	ACCOUNTHOLDER, OPERATIONS, ADMIN	Get account by id.
Bank Accounts	GET	/api/bank-accounts/number/{accountNumber}	ACCOUNTHOLDER, OPERATIONS, ADMIN	Get account by generated account number.
Bank Accounts	PATCH	/api/bank-accounts/{id}/close	ADMIN	Close account.
Account Statements	POST	/api/account-statements?accountId=&from;=&to;=	ACCOUNTHOLDER, OPERATIONS, ADMIN	Generate statement for date range.
Account Statements	GET	/api/account-statements?accountId=	ACCOUNTHOLDER, OPERATIONS, ADMIN	List statements for account.
Fund Transfers	POST	/api/fund-transfers	ACCOUNTHOLDER, ADMIN	Initiate transfer. Requires active accounts, positive amount, verified sender KYC.
Fund Transfers	GET	/api/fund-transfers?fromAccountId=	ACCOUNTHOLDER, ADMIN	List transfers by source account.
Fund Transfers	GET	/api/fund-transfers?toAccountId=	ACCOUNTHOLDER, ADMIN	List transfers by destination account.
Fund Transfers	GET	/api/fund-transfers/{id}	ACCOUNTHOLDER, ADMIN	Get transfer by id.
Fund Transfers	PATCH	/api/fund-transfers/{id}/reverse	OPERATIONS, ADMIN	Reverse completed transfer. Debits receiver first, then credits sender.
Fund Transfers	GET	/api/fund-transfers/account/{accountId}/statement?from=&to;=	ACCOUNTHOLDER, ADMIN	Transfer statement for account; from date cannot be after to date.
Beneficiaries	POST	/api/beneficiaries	ACCOUNTHOLDER, ADMIN	Add beneficiary. Validates active account-holder customer and prevents self-account beneficiary.
Beneficiaries	GET	/api/beneficiaries?customerId=	ACCOUNTHOLDER, ADMIN	List active beneficiaries for customer.

Module	Method	Endpoint	Roles / Access	Purpose / Notes
Beneficiaries	GET	/api/beneficiaries/{id}	ACCOUNTHOLDER, ADMIN	Get beneficiary.
Beneficiaries	DELETE	/api/beneficiaries/{id}	ACCOUNTHOLDER, ADMIN	Soft delete beneficiary.
Scheduled Payments	POST	/api/scheduled-payments	ACCOUNTHOLDER, ADMIN	Create active schedule. Validates customer-owned active source account and active beneficiary.
Scheduled Payments	GET	/api/scheduled-payments?customerId=	ACCOUNTHOLDER, ADMIN	List schedules by customer.
Scheduled Payments	PATCH	/api/scheduled-payments/{id}/pause	ACCOUNTHOLDER, ADMIN	Pause schedule unless already cancelled.
Scheduled Payments	PATCH	/api/scheduled-payments/{id}/cancel	ACCOUNTHOLDER, ADMIN	Cancel schedule.
Loan Applications	POST	/api/loan-applications	ACCOUNTHOLDER, LOANOFFICER, ADMIN	Submit loan application.
Loan Applications	GET	/api/loan-applications?customerId=	ACCOUNTHOLDER, LOANOFFICER, ADMIN	List applications by customer.
Loan Applications	GET	/api/loan-applications?status=	ACCOUNTHOLDER, LOANOFFICER, ADMIN	List applications by status.
Loan Applications	GET	/api/loan-applications/{id}	ACCOUNTHOLDER, LOANOFFICER, ADMIN	Get application by id.
Loan Applications	PATCH	/api/loan-applications/{id}/under-review	ACCOUNTHOLDER, LOANOFFICER, ADMIN	Move to under review.
Loan Applications	PATCH	/api/loan-applications/{id}/approve	ACCOUNTHOLDER, LOANOFFICER, ADMIN	Approve application.
Loan Applications	PATCH	/api/loan-applications/{id}/reject	ACCOUNTHOLDER, LOANOFFICER, ADMIN	Reject application.
Loan Accounts	POST	/api/loan-accounts/disburse?applicationId=	ACCOUNTHOLDER, LOANOFFICER, ADMIN	Disburse approved application.
Loan Accounts	GET	/api/loan-accounts?customerId=	ACCOUNTHOLDER, LOANOFFICER, ADMIN	List loan accounts by customer.
Loan Accounts	GET	/api/loan-accounts/{id}	ACCOUNTHOLDER, LOANOFFICER, ADMIN	Get loan account.
Loan Accounts	PATCH	/api/loan-accounts/{id}/mark-npa	ACCOUNTHOLDER, LOANOFFICER, ADMIN	Mark non-performing asset.
Loan Accounts	PATCH	/api/loan-accounts/{id}/close	ACCOUNTHOLDER, LOANOFFICER, ADMIN	Close loan account.
EMI Schedules	GET	/api/emi-schedules?loanAccountId=	ACCOUNTHOLDER, LOANOFFICER, ADMIN	List EMIs by loan account.
EMI Schedules	GET	/api/emi-schedules/overdue	ACCOUNTHOLDER, LOANOFFICER, ADMIN	List overdue EMIs.
EMI Schedules	PATCH	/api/emi-schedules/{id}/pay	ACCOUNTHOLDER, LOANOFFICER, ADMIN	Pay EMI.
EMI Schedules	GET	/api/emi-schedules/loan-account/{id}/summary	ACCOUNTHOLDER, LOANOFFICER, ADMIN	EMI summary for loan account.

Module	Method	Endpoint	Roles / Access	Purpose / Notes
Fixed Deposits	POST	/api/fixed-deposits	ACCOUNTHOLDER, RELATIONSHIPMANAGER, ADMIN	Create FD; debits linked account.
Fixed Deposits	GET	/api/fixed-deposits?customerId=	ACCOUNTHOLDER, RELATIONSHIPMANAGER, ADMIN	List FDs by customer.
Fixed Deposits	GET	/api/fixed-deposits/{id}	ACCOUNTHOLDER, RELATIONSHIPMANAGER, ADMIN	Get FD by id.
Fixed Deposits	PATCH	/api/fixed-deposits/{id}/mature	ACCOUNTHOLDER, RELATIONSHIPMANAGER, ADMIN	Mature FD and credit maturity amount.
Fixed Deposits	PATCH	/api/fixed-deposits/{id}/close-premature	ACCOUNTHOLDER, RELATIONSHIPMANAGER, ADMIN	Close FD prematurely.
Fixed Deposits	GET	/api/fixed-deposits/maturing?before=	ACCOUNTHOLDER, RELATIONSHIPMANAGER, ADMIN	List FDs maturing before date.
Portfolios	POST	/api/portfolios	ACCOUNTHOLDER, RELATIONSHIPMANAGER, ADMIN	Create portfolio.
Portfolios	GET	/api/portfolios?customerId=	ACCOUNTHOLDER, RELATIONSHIPMANAGER, ADMIN	List portfolios by customer.
Portfolios	GET	/api/portfolios/{id}	ACCOUNTHOLDER, RELATIONSHIPMANAGER, ADMIN	Get portfolio by id.
Portfolio Holdings	POST	/api/portfolios/{id}/holdings	ACCOUNTHOLDER, RELATIONSHIPMANAGER, ADMIN	Add holding to portfolio.
Portfolio Holdings	GET	/api/portfolios/{id}/holdings	ACCOUNTHOLDER, RELATIONSHIPMANAGER, ADMIN	List holdings under portfolio.
Portfolio Holdings	PATCH	/api/portfolios/{id}/holdings/{holdingId}/redeem	ACCOUNTHOLDER, RELATIONSHIPMANAGER, ADMIN	Redeem holding.
KYC Records	POST	/api/kyc-records	COMPLIANCE, ADMIN	Submit/create KYC record.
KYC Records	GET	/api/kyc-records?customerId=	COMPLIANCE, ADMIN	List KYC by customer.
KYC Records	GET	/api/kyc-records/{id}	COMPLIANCE, ADMIN	Get KYC by id.
KYC Records	PATCH	/api/kyc-records/{id}/verify?verifiedBy=	COMPLIANCE, ADMIN	Verify KYC.
KYC Records	PATCH	/api/kyc-records/{id}/reject	COMPLIANCE, ADMIN	Reject KYC.
AML Flags	POST	/api/aml-flags	COMPLIANCE, ADMIN	Create AML flag.
AML Flags	GET	/api/aml-flags?accountId=	COMPLIANCE, ADMIN	List AML by account.
AML Flags	GET	/api/aml-flags?status=	COMPLIANCE, ADMIN	List AML by status.
AML Flags	PATCH	/api/aml-flags/{id}/investigate	COMPLIANCE, ADMIN	Mark AML investigated.
AML Flags	PATCH	/api/aml-flags/{id}/clear	COMPLIANCE, ADMIN	Clear AML flag.
Banking Reports	POST	/api/banking-reports?scope=	OPERATIONS, ADMIN	Generate report for scope.
Banking Reports	GET	/api/banking-reports?scope=	OPERATIONS, ADMIN	List reports by scope.
Banking Reports	GET	/api/banking-reports	OPERATIONS, ADMIN	List all reports.

Module	Method	Endpoint	Roles / Access	Purpose / Notes
Banking Reports	GET	/api/banking-reports/summary	OPERATIONS, ADMIN	Get summary metrics.
Banking Reports	GET	/api/banking-reports/{id}	OPERATIONS, ADMIN	Get report by id.
Notifications	POST	/api/notifications	Authenticated	Create notification.
Notifications	GET	/api/notifications/user/{userId}	Authenticated	List user notifications.
Notifications	GET	/api/notifications/user/{userId}/unread	Authenticated	List unread notifications.
Notifications	PATCH	/api/notifications/{id}/read	Authenticated	Mark notification read.
Notifications	PATCH	/api/notifications/user/{userId}/read-all	Authenticated	Mark all read for user.
Notifications	GET	/api/notifications/user/{userId}/count	Authenticated	Unread count.

Common Request Body Examples

Operation	JSON body
Login	{ "email": "admin@bank.com", "password": "admin123" }
Create user	{ "name": "Asha", "email": "asha@bank.com", "password": "pass123", "role": "ACCOUNTHOLDER", "phone": "9999999999", "branchId": 1 }
Open bank account	{ "customerId": 2, "accountType": "Savings", "balance": 5000, "interestRate": 3.5 }
Create transfer	{ "fromAccountId": 1, "toAccountId": 2, "amount": 1500, "transferType": "Internal" }
Add beneficiary	{ "customerId": 101, "accountNumber": "EXT1234567890", "name": "Meena Sharma", "bankName": "External Bank" }
Create scheduled payment	{ "customerId": 101, "fromAccountId": 1, "beneficiaryId": 1, "amount": 1500, "frequency": "Monthly", "nextRunDate": "2026-07-01" }
Loan application	{ "customerId": 101, "loanType": "Personal", "requestedAmount": 250000, "tenure": 24, "purpose": "Home renovation" }
Create KYC	{ "customerId": 101, "documentType": "Passport", "documentNumber": "P1234567" }
Create AML flag	{ "accountId": 1, "transactionId": 1, "flagType": "LargeTransaction", "severity": "High" }