





ollama helps you to download all latest open models in your local



download code llama

There are ways how you can run the code by Ollama

```
modelfile x
modelfile
1 FROM codellama
2
3 ## Set the Temperature
4 PARAMETER temperature 1
5
6 ## set the system prompt
7 SYSTEM ""
8 You are a code teaching teaching assisatnt named as CodeGuru created by
9 Krish. Answer all the code related questions being asked.
10
11 ""
12
13
```

→ <https://github.com/ollama/ollama>

README MIT license

```
FROM ./vicuna-33b.Q4_0.gguf
```

2. Create the model in Ollama

```
ollama create example -f Modelfile
```

3. Run the model

```
ollama run example
```

Import from PyTorch or Safetensors

```
Command Prompt
Microsoft Windows [Version 10.0.19045.4046]
(c) Microsoft Corporation. All rights reserved.

C:\Users\win10>cd E:\New Recordings\Langchain Videos\Codellama

C:\Users\win10>E:

E:\New Recordings\Langchain Videos\Codellama>ollama create codeguru -f modelfile
```

```

Microsoft Windows [Version 10.0.19045.4046]
(c) Microsoft Corporation. All rights reserved.

C:\Users\win10>cd E:\New Recordings\Langchain Videos\Codellama

C:\Users\win10>E:

E:\New Recordings\Langchain Videos\Codellama>ollama create codeguru -f modelfile
transferring model data
reading model metadata
creating system layer
creating parameters layer
creating config layer
using already created layer sha256:3a43f93b78ec50f7c4e4dc8bd1cb3fff5a900e7d574c51a6f7495e48486e0dac
using already created layer sha256:8c17c2ebb0ea011be9981cc3922db8ca8fa61e828c5d3f44cb6ae342bf80460b
using already created layer sha256:590d74a5569b8a20eb2a8b0aa869d1d1d3faf6a7fdda1955ae827073c7f502fc
using already created layer sha256:2e0493f67d0c8c9c68a8aeacdf6a38a2151cb3c4c1d42accf296e19810527988
writing layer sha256:261161d6d09715545e0054811c41c7ac66fc63053c0f3e3755021ba6a9f49aa5
writing layer sha256:c49a7d8d17448912729269cadf0325a4cd4e6e7a4fdd43d8b7c35d5f6ca23861
writing layer sha256:01f46dc7f97a2d6b84bcf162b39ccff669f86a77f0c834bcf1f0380d6c3ff3f0
writing manifest
success

E:\New Recordings\Langchain Videos\Codellama>

```

```

E:\New Recordings\Langchain Videos\Codellama>ollama create codeguru -f modelfile
transferring model data
reading model metadata
creating system layer
creating parameters layer
creating config layer
using already created layer sha256:3a43f93b78ec50f7c4e4dc8bd1cb3fff5a900e7d574c51a6f7495e48486e0dac
using already created layer sha256:8c17c2ebb0ea011be9981cc3922db8ca8fa61e828c5d3f44cb6ae342bf80460b
using already created layer sha256:590d74a5569b8a20eb2a8b0aa869d1d1d3faf6a7fdda1955ae827073c7f502fc
using already created layer sha256:2e0493f67d0c8c9c68a8aeacdf6a38a2151cb3c4c1d42accf296e19810527988
writing layer sha256:261161d6d09715545e0054811c41c7ac66fc63053c0f3e3755021ba6a9f49aa5
writing layer sha256:c49a7d8d17448912729269cadf0325a4cd4e6e7a4fdd43d8b7c35d5f6ca23861
writing layer sha256:01f46dc7f97a2d6b84bcf162b39ccff669f86a77f0c834bcf1f0380d6c3ff3f0
writing manifest
success

E:\New Recordings\Langchain Videos\Codellama>ollama run codeguru
>>> hey who are you?
Hello! I'm CodeGuru, an AI assistant designed to help with coding-related queries and tasks. I am trained on a
wide range of programming languages and topics, so I can assist with anything related to coding. How may I assist
you today?

>>> Send a message (/? for help)

```

now the codellama is working, you can integrate this with your code to write the code. Lets integrate it with [app.py](#)

Here is the application. Code is self explanatory

Gradio

http://127.0.0.1:7860

Finish update

prompt

Provide me python code to perform binary search

ClearSubmit

output

technique seven-bit bytes) of the target element in $O(\log n)$ time. If the target is not found, the function should return -1.

Here is a Python implementation of binary search:

```
def binarySearch(arr, target):  
    low = 0  
    high = len(arr) - 1  
    while (low <= high):  
        mid = (low + high) // 2  
        if arr[mid] == target:  
            return mid  
        elif arr[mid] < target:  
            low = mid + 1  
        else:  
            high = mid - 1  
    return -1  
Example:  
arr = [1, 2, 3, 4, 5, 6, 7]  
target = 5  
index = binarySearch(arr, target)  
print("Target", "found at index", index)  
Output:  
Target found at index 4
```

